



# 2025 Comprehensive Formulary

## (List of Covered Drugs)

**Please read: This document contains informa**

**e cover in this plan**

---

This formulary was updated on May 1, 2025. For more recent information or other questions, please contact SummaCare Member Services at 800.996.6250 or 330.996.8885 (TTY users should call 711). From October 1 through March 31, a representative will be available to take your call from 8:00 a.m. until 8:00 p.m., seven days a week. From April 1 through September 30, a representative will be available to take your call from 8:00 a.m. until 8:00 p.m., Monday through Friday. Or visit [summacare.com/medicare](http://summacare.com/medicare). SummaCare is an HMO and HMO-POS plan with a Medicare contract. Enrollment in SummaCare depends on contract renewal.

## Multi-Language Insert

### Multi-Language Interpreter Services

**English:** We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at **855.416.6441 (TTY 711)**. Someone who speaks English/Language can help you. This is a free service.

**Spanish:** Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al **855.416.6441 (TTY 711)**. Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

**Chinese Mandarin:** 我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电**855.416.6441 (TTY 711)**。我们的中文工作人员很乐意帮助您。这是一项免费服务。

**Chinese Cantonese:** 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電**855.416.6441 (TTY 711)**。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。

**Tagalog:** Mayroon kaming libreng serbisyo sa pagsasaling-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggamot. Upang makakuha ng tagasaling-wika, tawagan lamang kami sa **855.416.6441 (TTY 711)**. Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

**French:** Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au **855.416.6441 (TTY 711)**. Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

**Vietnamese:** Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quý vị cần thông dịch viên xin gọi **855.416.6441 (TTY 711)** sẽ có nhân viên nói tiếng Việt giúp đỡ quý vị. Đây là dịch vụ miễn phí.

**German:** Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter **855.416.6441 (TTY 711)**. Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

**Korean:** 당사는 의료 보험 또는 약품 보험에 관한 질문에 답해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 **855.416.6441 (TTY 711)**. 번으로 문의해 주십시오. 한국어를 하는 담당자가 도와 드릴 것입니다. 이 서비스는 무료로 운영됩니다.

**Russian:** Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону **855.416.6441 (TTY 711)**. Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

**Arabic:** نقدم لكم خدمات الترجمة الفورية المجانية للرد على أي أسئلة تودون طرحها بشأن خطتنا الصحية أو الدوائية. للحصول على خدمات الترجمة الفورية، ما عليك سوى الاتصال بنا على الرقم **855.416.6441** (الهاتف النصي: 711). وسيساعدك شخص متحدث باللغة الإنجليزية/بلغتك. هذه الخدمة تُقدم مجاناً.

**Hindi:** हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं। एक दुभाषिया प्राप्त करने के लिए, बस हमें **855.416.6441 (TTY 711)** पर फोन करें। कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है। यह एक मुफ्त सेवा है।

**Italian:** È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero **855.416.6441 (TTY 711)**. Un nostro incaricato che parla Italiano fornirà l'assistenza necessaria. È un servizio gratuito.

**Portuguese:** Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número **855.416.6441 (TTY 711)**. Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

**French Creole:** Nou genyen sèvis entèprèt gratis pou reponn tout késyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan **855.416.6441 (TTY 711)**. Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

**Polish:** Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer **855.416.6441 (TTY 711)**. Ta usługa jest bezpłatna.

**Japanese:** 当社の健康保険と薬品処方薬プランに関するご質問にお答えするために、無料の通訳サービスがあります。通訳をご用命になるには、**855.416.6441 (TTY 711)** にお電話ください。日本語を話す人者が支援いたします。これは無料のサービスです。

**Note to exis** **s:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our” it means SummaCare. When it refers to “plan” or “our plan,” it means a SummaCare Medicare Advantage plan.

This document includes a Drug List (formulary) for our plan, which is current as of May 1, 2025. For an updated Drug List (formulary), please contact us. Our contact information, along with the date we last updated the Drug List (formulary), appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2025, and from time to time during the year.

### **What is the SummaCare Formulary?**

In this document, we use the terms Drug List and formulary to mean the same thing. A formulary is a list of covered drugs selected by SummaCare in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. SummaCare will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a SummaCare network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

For a complete listing of all prescription drugs covered by SummaCare, please visit our website or call us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

### **Can the Formulary change?**

Most changes in drug coverage happen on January 1, but SummaCare may add or remove drugs on the formulary during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes. Updates to the formulary are posted monthly to our website here: [summacare.com/medicare](http://summacare.com/medicare).

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **Immediate substitutions of certain new versions of brand name drugs and original biological products.** We may immediately remove a drug from our formulary if we are replacing it with a certain new version of that drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. When we add a new version of a drug to our formulary, we may decide to keep the brand name drug or original biological product on our formulary, but immediately move it to a different cost-sharing tier or add new restrictions.

We can make these immediate changes only if we are adding a new generic version of a brand name drug, or adding certain new biosimilar versions of an original biological product, that was already on the formulary (for example, adding an interchangeable biosimilar that can be substituted for an original biological product by a pharmacy without a new prescription).

If you are currently taking the brand name drug or original biological product, we may not tell you in advance before we make an immediate change, but we will later provide you with information about the specific change(s) we have made.

If we make such a change, you or your prescriber can ask us to make an exception and continue to cover for you the drug that is being changed. For more information, see the section below titled “How do I request an exception to SummaCare’s Formulary?”

Some of these drug types may be new to you. For more information, see the section below titled “What are original biological products and how are they related to biosimilars?”

- **Drugs removed from the market.** If a drug is withdrawn from sale by the manufacturer or the Food and Drug Administration (FDA) determines to be withdrawn for safety or effectiveness reasons, we may immediately remove the drug from our formulary and later provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may remove a brand name drug from the formulary when adding a generic equivalent or remove an original biological product when adding a biosimilar. We may also apply new restrictions to the brand name drug or original biological product, or move it to a different cost-sharing tier, or both. We may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug, or move a drug to a higher cost-sharing tier we must notify affected members of the change at least 30 days before the change becomes effective. Alternatively, when a member requests a refill of the drug, they may receive a 30-day supply of the drug and notice of the change.

If we make these other changes, you or your prescriber can ask us to make an exception for you and continue to cover the drug you have been taking. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to SummaCare’s Formulary?”

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2025 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2025 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the formulary for the new benefit year for any changes to drugs.

The enclosed formulary is current as of May 1, 2025. To get updated information about the drugs covered by SummaCare please contact us. Our contact information appears on the front and back cover pages. The SummaCare Medicare Formulary is updated monthly and is posted on our website each month. Visit [summacare.com/medicare](http://summacare.com/medicare) to view or print the formulary.

## **How do I use the Formulary?**

There are two ways to find your drug within the formulary:

### **Medical Condition**

The formulary begins on page 3. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, "cardiovascular agents". If you know what your drug is used for, look for the category name in the list that begins on page 3. Then look under the category name for your drug.

### **Alphabetical List**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## **What are generic drugs?**

SummaCare covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs work just as well as and usually cost less than brand name drugs. There are generic drug substitutes available for many brand name drugs. Generic drugs usually can be substituted for the brand name drug at the pharmacy without needing a new prescription, depending on state laws.

## **What are original biological products and how are they related to biosimilars?**

On the formulary, when we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have alternatives that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilar alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

- For discussion of drug types, please see the Evidence of Coverage, Chapter 5

## **Are there any restrictions on coverage?**

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** SummaCare requires you [or your prescriber] to get prior authorization for certain drugs. This means that you will need to get approval from SummaCare before you fill your prescriptions. If you don't get approval, SummaCare may not cover the drug.
- **Quantity Limits:** For certain drugs, SummaCare limits the amount of the drug that SummaCare will cover. For example, SummaCare provides 150 tablets per prescription for metformin 500 mg tablets. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, SummaCare requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, SummaCare may not cover Drug B unless you try Drug A first. If Drug A does not work for you, SummaCare will then cover Drug B.

- **Opioid Edits:** SummaCare has implemented the following opioid edits:

- **Enhanced Opioid Cumulative Dosing:** This limit is based on MME (Morphine Milligram Equivalent), which is the calculated amount of opioids that you are taking per day. Your opioid prescription will deny at the pharmacy if your total MME is greater than 90 MME and there are two or more prescribers of your opioid prescription(s). This means that you may need to get approval from SummaCare to fill your opioid prescription(s).
- **Opioid-Benzodiazepine Concurrent Use Edit:** If you are taking an opioid and a benzodiazepine that overlap in days' supply and there are two or more prescribing physicians for these medications, the prescription(s) will deny at the pharmacy. This means that you may need to get approval from SummaCare to fill your opioid or benzodiazepine prescription(s).
- **Days Supply Limit Edit:** If you have not taken any opioids in the last 60 days, your opioid prescription can only be filled for up to a 7 day supply for acute pain. If you need more than a 7 day supply for your acute pain, you will need to get approval from SummaCare to fill your opioid prescription.
- **Step Therapy Edit:** If you are taking two or more long acting opioids and there is an overlap in days' supply and two or more prescribing physicians of your opioids, your prescription will deny at the pharmacy. This means that you may need to get approval from SummaCare to fill your opioid prescription(s).

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 3. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask SummaCare to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the SummaCare formulary?" on page E for information about how to request an exception.

### **What are over-the-counter (OTC) drugs?**

OTC drugs are non-prescription drugs that are not normally covered by a Medicare Prescription Drug Plan. SummaCare pays for certain OTC drugs if prescribed by a doctor, and presented with a prescription.

Generic Name	(Reference Brand Name)	Dosage Form
Cetirizine Hydrochloride	(Zyrtec)	Chewable Tablet, Solution, Tablet
Cetirizine Hydrochloride/Pseudoephedrine Hydrochloride	(Zyrtec-D)	12 Hour Tablet
Fexofenadine Hydrochloride	(Allegra)	12 Hour Tablet, 24 Hour Tablet, Tablet Rapids, Suspension
Fexofenadine/Pseudoephedrine Hydrochloride	(Allegra-D)	12 Hour Tablet, 24 Hour Tablet
Ketotifen Fumarate	(Zaditor)	Eye Drops
Levocetirizine Dihydrochloride	(Xyzal)	Tablet
Loratadine	(Claritin)	Solution, Tablet, Tablet Rapids, Chewable Tablet

<b>Generic Name</b>	<b>(Reference Brand Name)</b>	<b>Dosage Form</b>
Loratadine/Pseudoephedrine Hydrochloride	(Claritin-D)	12 Hour Tablet, 24 Hour Tablet
Olopatadine Hydrochloride	(Pataday)	Eye Drops
Nicotine	(Nicotine Patch)	Patch
Nicotine Polacrilex	(Nicorette)	Gum
Nicotine Polacrilex	(Nicotine Lozenge)	Lozenge

SummaCare will provide these generic OTC drugs at no cost to you. The cost to SummaCare of these generic OTC drugs will not count toward your total Part D drug costs.

### **What if my drug is not on the Formulary?**

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that SummaCare does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by SummaCare. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by SummaCare.
- You can ask SummaCare to make an exception and cover your drug. See below for information about how to request an exception.

### **How do I request an exception to the SummaCare Formulary?**

You can ask SummaCare to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to waive a coverage restriction including prior authorization, step therapy, or a quantity limit on your drug. For example, for certain drugs, SummaCare limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.
- You can ask us to cover a formulary drug at a lower cost-sharing level, unless the drug is on the specialty tier. If approved this would lower the amount you must pay for your drug.

Generally, SummaCare will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or applying the restriction would not be as effective for you and/or would cause you to have adverse effects.

You or your prescriber should contact us to ask for a tiering or, formulary exception, including an exception to a coverage restriction. **When you request an exception our prescriber will need to explain the medical reasons why you need the exception** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can ask for an expedited (fast) decision if you believe, and we agree, that your health could be seriously harmed by waiting up to 72 hours for a decision. If we agree, or if your prescriber asks for a fast decision, we must give you a decision no later than 24 hours after we get your prescriber's supporting statement.

### **What can I do if my drug is not on the formulary or has a restriction?**

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but has a coverage restriction, such as prior authorization. You should talk to your prescriber about requesting a coverage decision to show that you meet the criteria for approval, switching to an alternative drug that we cover, or requesting a formulary exception so that we will cover the drug you take. While you and your doctor determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or has a coverage restriction, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. If coverage is not approved, after your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

If you are a current member of SummaCare and experience a change in your level of care from one treatment setting to another, we will cover a one-time emergency fill of a non-formulary drug.

### **For more information**

For more detailed information about your SummaCare prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about SummaCare, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1.800. MEDICARE (1.800.633.4227) 24 hours a day/7 days a week. TTY users should call 1.877.486.2048. Or, visit <https://medicare.gov>.

### **SummaCare's Formulary**

The formulary that begins on page 3 provides coverage information about the drugs covered by SummaCare. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., ELIQUIS®) and generic drugs are listed in lower-case italics (e.g., *amoxicillin*).

The information in the Requirements/Limits column tells you if SummaCare has any special requirements for coverage of your drug.

The following abbreviations

be found within the body of this document.

COVERAGE NOTE ABBREVIATIONS		
ABBREVIATION	DESCRIPTION	EXPLANATION
a lement Res		
CB	Capped Benefit	This drug has a capped benefit, meaning SummaCare limits the amount of this drug that is covered per prescription.
EX	Excluded Part D	This prescription drug is not normally covered in a Medicare Prescription Drug Plan. The amount you pay when you fill a prescription for this drug does not count toward your total drug costs (that is, the amount you pay does not help you qualify for catastrophic coverage). In addition, if you are receiving extra help to pay for your prescriptions, you will not get any extra help to pay for this drug.
PA	Prior Authorization Restriction	You (or your physician) are required to get prior authorization from SummaCare before you fill your prescription for this drug. Without prior approval, SummaCare may not cover this drug.
PA BvD	Prior Authorization Restriction for Part B vs. Part D Determination	This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from SummaCare to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, SummaCare may not cover this drug.
PA-HRM	Prior Authorization Restriction for High Risk Medications	This drug has been deemed by CMS to be potentially harmful and therefore, a High Risk Medication for Medicare beneficiaries 65 years or older. Members age 65 years or older are required to get prior authorization from SummaCare before you fill your prescription for this drug. Without prior approval, SummaCare may not cover this drug.
PA NSO	Prior Authorization Restriction for New Starts Only	If you are a new member, you (or your physician) are required to get prior authorization from SummaCare before you fill your prescription for this drug. Without prior approval, SummaCare may not cover this drug.
QL	Quantity Limit Restriction	SummaCare limits the amount of this drug that is covered per prescription, or within a specific time frame.
ST	Step Therapy Restriction	Before SummaCare will provide coverage for this drug, you must first try another drug(s) to treat your medical condition. This drug may only be covered if the other drug(s) does not work for you.

Other Special Requirements for Coverage		
LA	Limited Access Drug	This prescription may be available only at certain pharmacies. For more information consult your Pharmacy Directory or call Member Services at toll-free 800.996.6250 or 330.996.8885 for additional information. TTY users should call 800-750-0750.
NM	Non-Mail Order Drug	You may be able to receive greater than a one month supply of most of the drugs on your formulary via mail order at a reduced cost share. Drugs <u>not</u> available via your mail order benefit are noted with "NM" in the Requirements/Limits column.
NDS	Non-Extended Days Supply	This drug is not available for extended day supply and is limited to a 30 day supply.

## Table of Contents

Analgesics.....	3
Anesthetics.....	8
Anti-Addiction/Substance Abuse Treatment Agents.....	9
Antianxiety Agents.....	10
Antibacterials.....	11
Anticancer Agents.....	20
Anticonvulsants.....	40
Antidementia Agents.....	46
Antidepressants.....	47
Antidiabetic Agents.....	50
Antifungals.....	56
Antigout Agents.....	58
Antihistamines.....	59
Anti-Infectives (Skin And Mucous Membrane).....	59
Antimigraine Agents.....	60
Antimycobacterials.....	61
Antinausea Agents.....	62
Antiparasite Agents.....	63
Antiparkinsonian Agents.....	64
Antipsychotic Agents.....	66
Antivirals (Systemic).....	73
Blood Products/Modifiers/Volume Expanders.....	80
Caloric Agents.....	84
Cardiovascular Agents.....	86
Central Nervous System Agents.....	98
Contraceptives.....	104
Dental And Oral Agents.....	114
Dermatological Agents.....	115
Devices.....	121
Enzyme Cofactors/Chaperones.....	169
Enzyme Replacement/Modifiers .....	169
Eye, Ear, Nose, Throat Agents.....	170
Gastrointestinal Agents.....	175
Genitourinary Agents.....	179
Heavy Metal Antagonists.....	180
Hormonal Agents, Stimulant/Replacement/Modifying.....	181
Immunological Agents.....	187
Inflammatory Bowel Disease Agents.....	201

Metabolic Bone Disease Agents.....	202
Miscellaneous Therapeutic Agents.....	203
Ophthalmic Agents.....	205
Replacement Preparations.....	207
Respiratory Tract Agents.....	209
Skeletal Muscle Relaxants.....	214
Sleep Disorder Agents .....	214
Vasodilating Agents.....	215
Vitamins And Minerals.....	216

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
<b>Analgesics</b>			
<b>Analgesics, Miscellaneous</b>			
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	1	QL (4500 per 30 days)	
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	2	QL (360 per 30 days)	
<i>acetaminophen-codeine oral tablet 300-60 mg</i>	2	QL (180 per 30 days)	
<i>ascomp with codeine oral capsule 30-50-325-40 mg</i>	(codeine-butalbital-asa-caff)	4	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i>	(Butrans)	4	QL (4 per 28 days)
<i>butalbital-acetaminop-caf-cod oral capsule 50-300-40-30 mg</i>	(Fioricet with Codeine)	4	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg</i>		4	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen oral tablet 50-325 mg</i>	(Tencon)	4	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral capsule 50-300-40 mg</i>	(Fioricet)	4	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i>		4	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>		2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>		4	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>butorphanol nasal spray, non-aerosol 10 mg/ml</i>		4	QL (5 per 28 days)
<i>codeine sulfate oral tablet 15 mg, 30 mg, 60 mg</i>		4	QL (180 per 30 days)
<i>codeine-butalbital-asa-caff oral capsule 30-50-325-40 mg</i>	(Ascomp with Codeine)	4	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>endocet oral tablet 10-325 mg</i>	(oxycodone- acetaminophen)	3	QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg</i>	(oxycodone- acetaminophen)	4	QL (360 per 30 days)
<i>endocet oral tablet 5-325 mg</i>	(oxycodone- acetaminophen)	3	QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	(oxycodone- acetaminophen)	3	QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i>		5	PA; NDS; QL (120 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>		3	PA; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>		4	QL (10 per 30 days)
<i>fioricet oral capsule 50-300-40 mg</i>	(butalbital- acetaminophen-caff)	4	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>hydrocodone-acetaminophen oral solution 10-325 mg/15 ml, 7.5-325 mg/15 ml</i>		4	QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg, 7.5-300 mg</i>		4	QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i>		2	QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-300 mg</i>		4	QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>hydrocodone-acetaminophen oral tablet 5-325 mg</i>		2	QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>		4	QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>		4	
<i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid)		4	QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg</i> (Dilaudid)		2	QL (180 per 30 days)
<i>hydromorphone oral tablet 8 mg</i> (Dilaudid)		4	QL (180 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>		3	QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>		3	QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>		2	QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>		2	QL (180 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>		2	PA; QL (180 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>		2	QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>		2	QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG		4	QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG		4	QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg</i>		3	QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i>	(MS Contin)	3	QL (90 per 30 days)
<i>morphine oral tablet extended release 60 mg</i>	(MS Contin)	3	QL (60 per 30 days)
<i>oxycodone oral capsule 5 mg</i>		3	QL (180 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>		4	PA; QL (120 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>		4	QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg, 5 mg</i>		3	QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)		3	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>oxycodone oral tablet 20 mg</i>	3	QL (120 per 30 days)
<i>oxycodone-acetaminophen oral tablet (Endocet) 10-325 mg</i>	3	QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet (Endocet) 2.5-325 mg</i>	4	QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet (Endocet) 5-325 mg</i>	3	QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet (Endocet) 7.5-325 mg</i>	3	QL (240 per 30 days)
<i>oxymorphone oral tablet 10 mg</i>	4	QL (120 per 30 days)
<i>oxymorphone oral tablet 5 mg</i>	4	QL (180 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>	4	QL (60 per 30 days)
<i>tencon oral tablet 50-325 mg</i>	4	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>tramadol oral tablet 50 mg</i>	1	QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	2	QL (300 per 30 days)
<i>zebutal oral capsule 50-325-40 mg</i>	4	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<b>Nonsteroidal Anti-Inflammatory Agents</b>		
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i>	3	QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>	3	QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	4	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i>	2	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i>	2	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diclofenac sodium oral tablet,delayed release (dr/ec) 75 mg</i>		2	QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>		4	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i>	(Arthritis Pain (diclofenac))	2	QL (1000 per 30 days)
<i>diclofenac sodium topical gel 3 %</i>		4	PA; QL (100 per 28 days)
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %)</i>	(Pennsaid)	5	PA; NDS; QL (224 per 28 days)
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg</i>	(Arthrotec 50)	4	
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg</i>	(Arthrotec 75)	4	
<i>diflunisal oral tablet 500 mg</i>		4	
<i>ec-naproxen dr 500 mg tablet</i>	(naproxen)	4	
<i>etodolac oral capsule 200 mg, 300 mg</i>		4	
<i>etodolac oral tablet 400 mg</i>	(Lodine)	3	
<i>etodolac oral tablet 500 mg</i>		3	
<i>fenoprofen oral tablet 600 mg</i>	(Nalfon)	4	
<i>flurbiprofen oral tablet 100 mg</i>		2	
<i>ibu oral tablet 400 mg</i>	(ibuprofen)	1	QL (240 per 30 days)
<i>ibu oral tablet 600 mg, 800 mg</i>	(ibuprofen)	1	
<i>ibuprofen oral suspension 100 mg/5 ml</i>	(Children's Advil)	2	
<i>ibuprofen oral tablet 400 mg</i>	(IBU)	1	QL (240 per 30 days)
<i>ibuprofen oral tablet 600 mg, 800 mg</i>	(IBU)	1	
<i>ibuprofen-famotidine oral tablet 800-26.6 mg</i>		4	PA; QL (90 per 30 days)
<i>indomethacin oral capsule 25 mg, 50 mg</i>		2	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>indomethacin oral capsule, extended release 75 mg</i>	2	
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>	4	
<i>ketorolac oral tablet 10 mg</i>	2	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>mefenamic acid oral capsule 250 mg</i>	4	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	
<i>nabumetone oral tablet 500 mg, 750 mg</i>	2	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	
<i>naproxen oral tablet 500 mg (Naprosyn)</i>	1	
<i>naproxen oral tablet,delayed release (dr/ec) 375 mg</i>	2	
<i>naproxen oral tablet,delayed release (dr/ec) 500 mg</i>	4	
<i>piroxicam oral capsule 10 mg</i>	4	
<i>piroxicam oral capsule 20 mg (Feldene)</i>	4	
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	
<b>Anesthetics</b>		
<b>Local Anesthetics</b>		
<i>dermacinrx lidocan 5% patch outer (lidocaine)</i>	4	PA; QL (90 per 30 days)
<i>glydo mucous membrane jelly in applicator 2 %</i>	2	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane jelly in applicator 2 % (Glydo)</i>	2	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	PA
<i>lidocaine topical adhesive patch,medicated 5 % (DermacinRx Lidocan)</i>	4	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	4	PA; QL (240 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	2	PA; QL (30 per 30 days)
<i>lidocan iii topical adhesive patch,medicated 5 %</i>	4	PA; QL (90 per 30 days)
<i>ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %</i>	3	PA; QL (90 per 30 days)
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<i>acamprosate oral tablet,delayed release (dr/ec) 333 mg</i>	4	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	4	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg</i>	4	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i>	4	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	2	
<i>disulfiram oral tablet 250 mg, 500 mg</i>	4	
<i>KLOXXADO NASAL SPRAY,NON-AEROSOL 8 MG/ACTUATION</i>	3	QL (4 per 30 days)
<i>naloxone injection solution 0.4 mg/ml</i>	2	
<i>naloxone injection syringe 0.4 mg/ml</i>	3	
<i>naloxone injection syringe 0.4 mg/ml (prefilled syringe), 1 mg/ml</i>	4	
<i>naloxone nasal spray,non-aerosol 4 mg/actuation</i>	4	QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NICOTROL INHALATION CARTRIDGE 10 MG	4	ST
NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML	4	ST; QL (240 per 180 days)
varenicline tartrate oral tablet 0.5 mg, 1 mg (Chantix)	4	QL (336 per 365 days)
varenicline tartrate oral tablet 1 mg (56 pack)	4	QL (336 per 365 days)
varenicline tartrate oral tablets, dose pack 0.5 mg (11)- 1 mg (42) Box	4	
<b>Antianxiety Agents</b>		
<b>Benzodiazepines</b>		
alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg (Xanax)	1	QL (120 per 30 days)
alprazolam oral tablet 2 mg (Xanax)	1	QL (150 per 30 days)
alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg (Xanax XR)	2	QL (120 per 30 days)
alprazolam oral tablet extended release 24 hr 3 mg (Xanax XR)	2	QL (90 per 30 days)
chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg	1	QL (120 per 30 days)
clonazepam oral tablet 0.5 mg, 1 mg (Klonopin)	1	QL (90 per 30 days)
clonazepam oral tablet 2 mg (Klonopin)	1	QL (300 per 30 days)
clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg	3	QL (90 per 30 days)
clonazepam oral tablet, disintegrating 2 mg	3	QL (300 per 30 days)
clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg	4	QL (180 per 30 days)
diazepam injection solution 5 mg/ml	2	QL (10 per 28 days)
diazepam injection syringe 5 mg/ml	4	
diazepam intensol oral concentrate 5 mg/ml (diazepam)	3	QL (1200 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
diazepam oral solution 5 mg/5 ml (1 mg/ml)	3	QL (1200 per 30 days)
diazepam oral tablet 10 mg, 2 mg, 5 mg (Valium)	1	QL (120 per 30 days)
estazolam oral tablet 1 mg	4	QL (60 per 30 days)
estazolam oral tablet 2 mg	4	QL (30 per 30 days)
flurazepam oral capsule 15 mg	2	QL (60 per 30 days)
flurazepam oral capsule 30 mg	2	QL (30 per 30 days)
lorazepam 2 mg/ml oral concentrate (Lorazepam Intensol)	2	QL (150 per 30 days)
lorazepam 4 mg/ml vial inner (Ativan)	1	
lorazepam injection solution 2 mg/ml (Ativan)	1	QL (2 per 30 days)
lorazepam injection solution 4 mg/ml (Ativan)	4	QL (2 per 30 days)
lorazepam injection syringe 2 mg/ml	1	QL (2 per 30 days)
lorazepam intensol oral concentrate 2 mg/ml (lorazepam)	2	QL (150 per 30 days)
lorazepam oral tablet 0.5 mg, 1 mg (Ativan)	1	QL (90 per 30 days)
lorazepam oral tablet 2 mg (Ativan)	1	QL (150 per 30 days)
oxazepam oral capsule 10 mg, 15 mg, 30 mg	4	QL (120 per 30 days)
temazepam oral capsule 15 mg, 30 mg (Restoril)	1	QL (30 per 30 days)
temazepam oral capsule 22.5 mg (Restoril)	4	QL (30 per 30 days)
temazepam oral capsule 7.5 mg (Restoril)	4	QL (120 per 30 days)
triazolam oral tablet 0.125 mg	4	QL (120 per 30 days)
triazolam oral tablet 0.25 mg (Halcion)	4	QL (60 per 30 days)
<b>Antibacterials</b>		
<b>Aminoglycosides</b>		
amikacin injection solution 500 mg/2 ml	4	
ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML	5	PA; NDS; QL (235.2 per 28 days)
gentamicin injection solution 20 mg/2 ml, 40 mg/ml	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	3	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i>	2	
<i>neomycin oral tablet 500 mg</i>	3	
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NDS
<b>TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG</b>	5	NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i>	5	PA BvD; NDS
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i>	5	PA BvD; NDS
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	4	
<b>Antibacterials, Miscellaneous</b>		
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i>	2	
<i>clindamycin pediatric oral recon soln 75 mg/5 ml</i>	4	
<i>clindamycin phosphate injection solution 150 mg/ml</i>	4	
<i>colistin (colistimethate na) injection recon soln 150 mg</i>	5	NDS
<i>daptomycin intravenous recon soln 350 mg, 500 mg</i>	5	NDS
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i>	4	
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>	5	NDS
<i>linezolid oral tablet 600 mg</i>	4	
<i>methenamine hippurate oral tablet 1 gram</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metronidazole in nacl (iso-os)</i> <i>intravenous piggyback 500 mg/100 ml</i>	(Metro I.V.)	2	
<i>metronidazole oral tablet 250 mg, 500 mg</i>		1	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i>		2	QL (120 per 30 days)
<i>nitrofurantoin macrocrystal oral capsule 25 mg</i>		3	QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i>	(Macrobid)	2	QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>		4	
<b>SYNERCID INTRAVENOUS RECON SOLN 500 MG</b>		5	NDS
<i>trimethoprim oral tablet 100 mg</i>		2	
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 5 gram, 500 mg, 750 mg</i>		4	
<i>vancomycin oral capsule 125 mg</i>	(Vancocin)	4	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i>	(Vancocin)	4	QL (112 per 14 days)
<i>vancomycin oral recon soln 25 mg/ml</i>	(Firvanq)	4	
<b>XIFAXAN ORAL TABLET 200 MG</b>		3	PA; QL (9 per 30 days)
<b>XIFAXAN ORAL TABLET 550 MG</b>		5	PA; NDS; QL (90 per 30 days)
<b>Cephalosporins</b>			
<i>cefaclor oral capsule 250 mg, 500 mg</i>		4	
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>		4	
<i>cefadroxil oral capsule 500 mg</i>		2	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>		4	
<i>cefadroxil oral tablet 1 gram</i>		4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	4	
<i>cefdinir oral capsule 300 mg</i>	2	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	4	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	4	
<i>cefixime oral capsule 400 mg</i>	4	
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	4	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	4	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	4	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	4	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	4	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	3	
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram (Tazicef)</i>	4	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	4	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	
<i>cefuroxime sodium injection recon soln 750 mg</i>	3	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	4	
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cephalexin oral capsule 750 mg</i>	4	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cephalexin oral tablet 250 mg, 500 mg</i>	4	
<i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i>	4	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NDS
<b>Macrolides</b>		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	4	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml</i> (Zithromax)	4	
<i>azithromycin oral suspension for reconstitution 200 mg/5 ml</i> (Zithromax)	3	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	4	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	3	
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	4	
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	5	NDS; QL (136 per 10 days)
DIFICID ORAL TABLET 200 MG	5	NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i>	(EryPed 400)	4	
<i>erythromycin oral tablet 250 mg, 500 mg</i>		4	
<b>Miscellaneous B-Lactam Antibiotics</b>			
<i>aztreonam injection recon soln 1 gram, 2 gram</i>	(Azactam)	4	
<b>CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML</b>		5	PA; LA; NDS
<i>ertapenem injection recon soln 1 gram</i>		4	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>		4	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i>	(Primaxin IV)	4	
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>		3	
<b>Penicillins</b>			
<i>amoxicillin oral capsule 250 mg, 500 mg</i>		1	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>		1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>		1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>		2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>		4	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i>	(Augmentin)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i>	(Augmentin ES-600)	4	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i>		2	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i>	(Augmentin)	2	
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i>	(Augmentin XR)	4	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>		4	
<i>ampicillin oral capsule 500 mg</i>		2	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i>		4	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i>	(Unasyn)	4	
<b>BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML</b>		4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>		3	
<b>EXTENCILLINE INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT, 2.4 MILLION UNIT</b>		4	
<b>LETOCILIN S INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT</b>		4	
<i>nafcillin injection recon soln 1 gram, 10 gram, 2 gram</i>		4	
<i>penicillin g potassium injection recon soln 20 million unit</i>	(Pfizerpen-G)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	4	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	4	
<b>Quinolones</b>		
<i>ciprofloxacin hcl oral tablet 250 mg, (Cipro) 500 mg</i>	1	
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	3	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	3	
<i>levofloxacin oral solution 250 mg/10 ml</i>	4	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	
<i>moxifloxacin 400 mg/250 ml bag suv, p/f, outer</i>	4	
<i>moxifloxacin oral tablet 400 mg</i>	4	
<i>moxifloxacin-sod.chloride(iso) (Avelox in NaCl (iso-intravenous piggyback 400 mg/250 ml osmotic))</i>	4	
<b>Sulfonamides</b>		
<i>sulfadiazine oral tablet 500 mg</i>	4	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i>	3	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	
<b>Tetracyclines</b>		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	4	
<i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate)	4	
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	4	
<i>doxycycline hyclate oral capsule 100 mg</i>	3	
<i>doxycycline hyclate oral capsule 50 mg</i> (Morgidox)	3	
<i>doxycycline hyclate oral tablet 100 mg, 150 mg, 20 mg, 75 mg</i>	3	
<i>doxycycline hyclate oral tablet 50 mg</i> (Targadox)	3	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 100 mg, 150 mg, 50 mg, 75 mg</i>	4	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 200 mg</i> (Doryx)	4	
<i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL)	2	
<i>doxycycline monohydrate oral capsule 150 mg</i>	2	QL (60 per 30 days)
<i>doxycycline monohydrate oral capsule 50 mg</i>	2	
<i>doxycycline monohydrate oral capsule 75 mg</i> (Mondoxyne NL)	2	QL (60 per 30 days)
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	4	
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	3	
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	4	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	4	
<i>tigecycline intravenous recon soln 50 mg (Tygacil)</i>	5	NDS

## Anticancer Agents

### Anticancer Agents

<i>abiraterone oral tablet 250 mg (Abirtega)</i>	5	PA NSO; NDS; QL (120 per 30 days)
<i>abiraterone oral tablet 500 mg (Zytiga)</i>	5	PA NSO; NDS; QL (120 per 30 days)
<i>abirtega oral tablet 250 mg (abiraterone)</i>	5	PA NSO; NDS; QL (120 per 30 days)
<i>adrucil intravenous solution 2.5 gram/50 ml (fluorouracil)</i>	4	PA BvD
<i>AKEEGA ORAL TABLET 100-500 MG, 50-500 MG</i>	5	PA NSO; NDS; QL (60 per 30 days)
<i>ALECensa ORAL CAPSULE 150 MG</i>	5	PA NSO; NDS; QL (240 per 30 days)
<i>ALUNBRIG ORAL TABLET 180 MG, 90 MG</i>	5	PA NSO; NDS; QL (30 per 30 days)
<i>ALUNBRIG ORAL TABLET 30 MG</i>	5	PA NSO; NDS; QL (120 per 30 days)
<i>ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23)</i>	5	PA NSO; NDS
<i>anastrozole oral tablet 1 mg (Arimidex)</i>	1	
<i>ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML</i>	5	PA NSO; NDS; QL (1.6 per 28 days)
<i>AUGTYRO ORAL CAPSULE 160 MG</i>	5	PA NSO; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AUGTYRO ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (240 per 30 days)
AXTLE INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (28 per 28 days)
<i>bendamustine intravenous recon soln 100 mg, 25 mg</i> (Treanda)	5	PA NSO; NDS
BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML (Bendeka)	5	PA NSO; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)	5	PA NSO; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NDS
<i>bexarotene topical gel 1 %</i> (Targretin)	5	PA NSO; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	
BIZENGRI INTRAVENOUS SOLUTION 375 MG/18.75 ML (20 MG/ML)	5	PA NSO; NDS; QL (75 per 28 days)
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	
<i>bortezomib injection recon soln 1 mg, 2.5 mg</i>	4	PA NSO
<i>bortezomib injection recon soln 3.5 mg</i> (Velcade)	4	PA NSO
BORUZU INJECTION SOLUTION 2.5 MG/ML	4	PA NSO

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BOSULIF ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (180 per 30 days)
BOSULIF ORAL CAPSULE 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NDS; QL (180 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG (vandetanib)	5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG (vandetanib)	5	PA NSO; NDS; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i> (Paraplatin)	4	
<i>cladribine intravenous solution 10 mg/10 ml</i>	4	PA BvD
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA NSO; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
COTELLIC ORAL TABLET 20 MG	5	PA NSO; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NDS
<i>cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml</i>	5	PA BvD; NDS
<i>cyclophosphamide intravenous solution 500 mg/ml</i> (Frindovsky)	5	PA BvD; NDS
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i>	4	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	3	PA BvD; ST
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NDS; QL (120 per 28 days)
DANZITEN ORAL TABLET 71 MG, 95 MG	5	PA NSO; NDS; QL (112 per 28 days)
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	5	PA NSO; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; LA; NDS
<i>dasatinib oral tablet 100 mg, 140 mg, (Sprycel) 50 mg, 70 mg, 80 mg</i>	5	PA NSO; NDS; QL (30 per 30 days)
<i>dasatinib oral tablet 20 mg</i> (Sprycel)	5	PA NSO; NDS; QL (90 per 30 days)
DATROWAY INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i>	5	NDS
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Caelyx)	5	PA BvD; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ELAHERE INTRAVENOUS SOLUTION 5 MG/ML	5	PA NSO; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	PA NSO
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	PA NSO
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	PA NSO
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	PA NSO
ELREXFIO 44 MG/1.1 ML VIAL INNER, SUV, P/F 40 MG/ML	5	PA NSO; NDS
ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML	5	PA NSO; NDS; QL (9.5 per 28 days)
EMCYT ORAL CAPSULE 140 MG	5	NDS
EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML	5	PA NSO; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (28 per 28 days)
ERLEADA ORAL TABLET 240 MG	5	PA NSO; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NDS; QL (90 per 30 days)
<i>erlotinib oral tablet 100 mg</i> (Tarceva)	5	PA NSO; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i>	5	PA NSO; NDS; QL (90 per 30 days)
<i>erlotinib oral tablet 25 mg</i>	5	PA NSO; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG		4	
<i>etoposide intravenous solution 20 mg/ml</i>		4	
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Torpenz)		5	PA NSO; NDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Torpenz)		5	PA NSO; NDS; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)		5	PA NSO; NDS; QL (112 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)		4	
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG		5	PA BvD; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG		3	PA BvD
<i>floxuridine injection recon soln 0.5 gram</i>		2	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>		4	PA BvD
<i>flutamide oral capsule 125 mg</i> (Eulexin)		4	
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG		5	PA NSO; NDS; QL (21 per 28 days)
FRUZAQLA ORAL CAPSULE 1 MG		5	PA NSO; NDS; QL (84 per 28 days)
FRUZAQLA ORAL CAPSULE 5 MG		5	PA NSO; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)		5	NDS
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG		5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
<i>gefitinib oral tablet 250 mg</i> (Iressa)	5	PA NSO; NDS; QL (60 per 30 days)
<i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>	4	PA BvD
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	4	PA BvD
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG	4	
GLEOSTINE ORAL CAPSULE 100 MG, 40 MG	5	NDS
GOMEKLI ORAL CAPSULE 1 MG	5	PA NSO; NDS; QL (224 per 28 days)
GOMEKLI ORAL CAPSULE 2 MG	5	PA NSO; NDS; QL (112 per 28 days)
GOMEKLI ORAL TABLET FOR SUSPENSION 1 MG	5	PA NSO; NDS; QL (224 per 28 days)
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NDS; QL (5 per 21 days)
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	4	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	4	
<i>imatinib oral tablet 100 mg</i> (Gleevec)	3	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	3	PA NSO; QL (60 per 30 days)
IMBRUICA ORAL CAPSULE 140 MG	5	PA NSO; NDS; QL (120 per 30 days)
IMBRUICA ORAL CAPSULE 70 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMBRUICA ORAL SUSPENSION 70 MG/ML	5	PA NSO; NDS; QL (216 per 30 days)
IMBRUICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMDELLTRA INTRAVENOUS RECON SOLN 1 MG, 10 MG	5	PA NSO; NDS
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NDS
IMKELDI ORAL SOLUTION 80 MG/ML	5	PA NSO; NDS; QL (280 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml</i> (Camptosar)	4	
<i>irinotecan intravenous solution 500 mg/25 ml</i>	4	
ITOVEBI ORAL TABLET 3 MG	5	PA NSO; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ITOVEBI ORAL TABLET 9 MG	5	PA NSO; NDS; QL (30 per 30 days)
IWILFIN ORAL TABLET 192 MG	5	PA NSO; NDS; QL (240 per 30 days)
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 50 MG	5	PA NSO; NDS; QL (90 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
JYLAMVO ORAL SOLUTION 2 MG/ML	4	PA BvD; ST
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NDS; QL (2 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NDS; QL (63 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (120 per 30 days)
KRAZATI ORAL TABLET 200 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NDS
LAZCLUZE ORAL TABLET 240 MG	5	PA NSO; NDS; QL (30 per 30 days)
LAZCLUZE ORAL TABLET 80 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)	5	PA NSO; NDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	2	
LEUKERAN ORAL TABLET 2 MG	5	NDS
<i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i>	4	PA NSO
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	4	PA NSO
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NDS; QL (80 per 28 days)
LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)	5	PA NSO; NDS
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NDS; QL (240 per 30 days)
LUMAKRAS ORAL TABLET 240 MG	5	PA NSO; NDS; QL (120 per 30 days)
LUMAKRAS ORAL TABLET 320 MG	5	PA NSO; NDS; QL (90 per 30 days)
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	5	PA NSO; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	PA NSO; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	PA NSO; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA NSO; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	5	PA NSO; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NDS
LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5)	5	PA NSO; NDS; QL (140 per 28 days)
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
MATULANE ORAL CAPSULE 50 MG	5	NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	PA NSO-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MEKINIST ORAL RECON SOLN 0.05 MG/ML	5	PA NSO; NDS; QL (1260 per 30 days)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>mercaptopurine oral suspension 20 mg/ml</i> (Purixan)	5	NDS
<i>mercaptopurine oral tablet 50 mg</i>	3	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OGSIVEO ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
OGSIVEO ORAL TABLET 50 MG	5	PA NSO; NDS; QL (180 per 30 days)
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML	5	PA NSO; NDS; QL (96 per 28 days)
OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4), 500 MG/WEEK (100 MG X 5), 600 MG/WEEK (100 MG X 6)	5	PA NSO; NDS; QL (24 per 28 days)
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	5	PA NSO; NDS; QL (30 per 30 days)
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NDS
OPDIVO QVANTIG SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NDS
ORSERDU ORAL TABLET 345 MG	5	PA NSO; NDS; QL (30 per 30 days)
ORSERDU ORAL TABLET 86 MG	5	PA NSO; NDS; QL (90 per 30 days)
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	4	
<i>oxaliplatin intravenous solution 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml)</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	4	PA BvD
<i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg (Abraxane)</i>	5	PA BvD; NDS
<i>pazopanib oral tablet 200 mg (Votrient)</i>	5	PA NSO; NDS; QL (120 per 30 days)
<i>PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG</i>	5	PA NSO; NDS; QL (30 per 30 days)
<i>pemetrexed disodium intravenous recon soln 1,000 mg, 750 mg</i>	5	NDS
<i>pemetrexed disodium intravenous solution 25 mg/ml</i>	5	NDS
<i>pemetrexed intravenous recon soln 100 mg, 500 mg</i>	5	NDS
<i>PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML</i>	5	NDS
<i>PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)</i>	5	PA NSO; NDS; QL (28 per 28 days)
<i>PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)</i>	5	PA NSO; NDS; QL (56 per 28 days)
<i>POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG</i>	5	PA NSO; NDS; QL (21 per 28 days)
<i>PURIXAN ORAL SUSPENSION 20 MG/ML (mercaptopurine)</i>	5	NDS
<i>QINLOCK ORAL TABLET 50 MG</i>	5	PA NSO; NDS; QL (90 per 30 days)
<i>RETEVMO ORAL CAPSULE 40 MG</i>	5	PA NSO; NDS; QL (180 per 30 days)
<i>RETEVMO ORAL CAPSULE 80 MG</i>	5	PA NSO; NDS; QL (120 per 30 days)
<i>RETEVMO ORAL TABLET 120 MG, 160 MG</i>	5	PA NSO; NDS; QL (60 per 30 days)
<i>RETEVMO ORAL TABLET 40 MG</i>	5	PA NSO; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RETEVMO ORAL TABLET 80 MG	5	PA NSO; NDS; QL (120 per 30 days)
REVUFORJ ORAL TABLET 110 MG	5	PA NSO; NDS; QL (120 per 30 days)
REVUFORJ ORAL TABLET 160 MG	5	PA NSO; NDS; QL (60 per 30 days)
REVUFORJ ORAL TABLET 25 MG	5	PA NSO; NDS; QL (240 per 30 days)
REZLIDHIA ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NDS
ROMVIMZA ORAL CAPSULE 14 MG, 20 MG, 30 MG	5	PA NSO; NDS; QL (8 per 28 days)
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NDS; QL (90 per 30 days)
ROZLYTREK ORAL PELLETS IN PACKET 50 MG	5	PA NSO; NDS; QL (360 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (224 per 28 days)
RYTELO INTRAVENOUS RECON SOLN 188 MG, 47 MG	5	PA NSO; NDS
SCEMBLIX ORAL TABLET 100 MG	5	PA NSO; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SCEMBLIX ORAL TABLET 20 MG	5	PA NSO; NDS; QL (60 per 30 days)
SCEMBLIX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (300 per 30 days)
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NDS
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	5	PA NSO; NDS; QL (120 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (84 per 28 days)
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	5	PA NSO; NDS; QL (28 per 28 days)
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NDS
TABLOID ORAL TABLET 40 MG (thioguanine)	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NDS; QL (112 per 28 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	5	PA NSO; NDS; QL (900 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; LA; NDS; QL (30 per 30 days)
TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML	5	PA NSO; NDS
TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG (nilotinib hcl)	5	PA NSO; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TECENTRIQ HYBREZA SUBCUTANEOUS SOLUTION 1,875 MG-30,000 UNIT/15 ML	5	PA NSO; NDS
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NDS
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML	5	PA NSO; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NDS; QL (60 per 30 days)
TEVIMBRA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NDS; QL (5 per 21 days)
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	3	
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NDS
<i>torpenz oral tablet 10 mg</i> (everolimus (antineoplastic))	5	PA NSO; NDS; QL (60 per 30 days)
<i>torpenz oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (everolimus (antineoplastic))	5	PA NSO; NDS; QL (30 per 30 days)
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	4	PA NSO
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUQAP ORAL TABLET 160 MG, 200 MG	5	PA NSO; NDS; QL (64 per 28 days)
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 125 MG, 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	5	PA NSO; NDS
VEGZELMA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	5	PA NSO; LA; NDS; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS, DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (56 per 28 days)
<i>vinblastine intravenous solution 1 mg/ml</i>	4	PA BvD
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i>	4	PA BvD
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i>	2	PA BvD
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>	4	
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
VORANIGO ORAL TABLET 10 MG, 40 MG	5	PA NSO; NDS
VYLOY INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NDS
WELIREG ORAL TABLET 40 MG	5	PA NSO; NDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NDS; QL (120 per 30 days)
XALKORI ORAL PELLET 150 MG	5	PA NSO; NDS; QL (180 per 30 days)
XALKORI ORAL PELLET 20 MG	5	PA NSO; NDS; QL (240 per 30 days)
XALKORI ORAL PELLET 50 MG	5	PA NSO; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (10 MG X 4)	5	PA NSO; NDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (20 MG X 2), 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NDS; QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (90 per 30 days)
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NDS; QL (30 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NDS; QL (240 per 30 days)
ZIIHERA INTRAVENOUS RECON SOLN 300 MG	5	PA NSO; NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	4	PA NSO
ZOLINZA ORAL CAPSULE 100 MG	5	NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML	5	PA NSO; NDS; QL (20 per 28 days)
<b>Anticonvulsants</b>		
<b>Anticonvulsants</b>		
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NDS; QL (60 per 30 days)
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i>	(Carbatrol)	4
<i>carbamazepine oral suspension 100 mg/5 ml</i>	(Tegretol)	4
<i>carbamazepine oral tablet 200 mg</i>	(Epitol)	3
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i>	(Tegretol XR)	4
<i>carbamazepine oral tablet, chewable 100 mg</i>		3
<i>carbamazepine oral tablet, chewable 200 mg</i>		4
<i>clobazam oral suspension 2.5 mg/ml</i>	(Onfi)	4
<i>clobazam oral tablet 10 mg, 20 mg</i>	(Onfi)	4
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NDS; QL (360 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>	4	
DILANTIN ORAL CAPSULE 30 MG	4	
<i>divalproex oral capsule, delayed release sprinkle 125 mg</i>	(Depakote Sprinkles)	4
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i>	(Depakote ER)	4
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i>	(Depakote)	3
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NDS
<i>epitol oral tablet 200 mg</i>	(carbamazepine)	3
EPRONTIA ORAL SOLUTION 25 MG/ML	4	ST
<i>ethosuximide oral capsule 250 mg</i>	(Zarontin)	3
<i>ethosuximide oral solution 250 mg/5 ml</i>	(Zarontin)	3
<i>felbamate oral suspension 600 mg/5 ml</i>		4
<i>felbamate oral tablet 400 mg, 600 mg</i>	(Felbatol)	4
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NDS
<i>fosphénytoïne injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i>	(Cerebyx)	4
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	ST; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	ST; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>gabapentin oral capsule 100 mg, 300 mg (Neurontin)</i>	2	QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg (Neurontin)</i>	2	QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml (Neurontin)</i>	4	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg (Neurontin)</i>	2	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg (Neurontin)</i>	2	QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml (Vimpat)</i>	3	QL (200 per 5 days)
<i>lacosamide oral solution 10 mg/ml (Vimpat)</i>	4	QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg (Vimpat)</i>	4	QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg (Subvenite)</i>	1	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) - 50 mg (7) (Lamictal ODT Starter Blue)</i>	4	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7) (Lamictal ODT Starter Orange)</i>	4	
<i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42) - 100 mg (14) (Lamictal ODT Starter Green)</i>	4	
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg (Lamictal XR)</i>	4	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg (Lamictal)</i>	4	
<i>lamotrigine oral tablet,disintegrating 100 mg, 200 mg, 25 mg, 50 mg (Lamictal ODT)</i>	4	
<i>levetiracetam intravenous solution 500 mg/5 ml (Keppra)</i>	4	
<i>levetiracetam oral solution 100 mg/ml (Keppra)</i>	3	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg (Keppra)</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i>	(Keppra XR)	4	
<i>levetiracetam oral tablet for suspension 250 mg</i>	(Spritam)	4	ST
<i>LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG</i>		4	QL (10 per 30 days)
<i>methsuximide oral capsule 300 mg</i>	(Celontin)	4	
<i>NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)</i>		4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i>	(Trileptal)	4	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i>	(Trileptal)	3	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>		4	PA NSO-HRM; AGE (Max 64 Years)
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>		3	PA NSO-HRM; AGE (Max 64 Years)
<i>PHENYTEK ORAL CAPSULE 200 MG, 300 MG</i>	(phenytoin sodium extended)	4	
<i>phenytoin oral suspension 125 mg/5 ml</i>	(Dilantin-125)	2	
<i>phenytoin oral tablet, chewable 50 mg</i>	(Dilantin Infatabs)	2	
<i>phenytoin sodium extended oral capsule 100 mg</i>	(Dilantin Extended)	3	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i>	(Phenytek)	3	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>		2	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>		2	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i>	(Lyrica)	3	QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i>	(Lyrica)	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	4	QL (900 per 30 days)
<i>primidone oral tablet 125 mg</i>	4	
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	2	
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	5	ST; NDS
<i>rufinamide oral tablet 200 mg</i> (Banzel)	4	ST
<i>rufinamide oral tablet 400 mg</i> (Banzel)	5	ST; NDS
SEZABY INTRAVENOUS RECON SOLN 100 MG	5	PA BvD; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 500 MG, 750 MG	4	ST
SPRITAM ORAL TABLET FOR (levetiracetam) SUSPENSION 250 MG	4	ST
<i>subvenite oral tablet 100 mg, 150 mg,</i> (lamotrigine) <i>200 mg, 25 mg</i>	1	
SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2</i> <i>mg, 4 mg</i>	4	
<i>topiramate oral capsule, sprinkle 15</i> (Topamax) <i>mg, 25 mg</i>	4	
<i>topiramate oral capsule, sprinkle 50</i> <i>mg</i>	4	
<i>topiramate oral tablet 100 mg, 200</i> (Topamax) <i>mg, 25 mg, 50 mg</i>	1	
<i>valproate sodium intravenous</i> <i>solution 500 mg/5 ml (100 mg/ml)</i>	4	
<i>valproic acid (as sodium salt) oral</i> <i>solution 250 mg/5 ml</i>	3	
<i>valproic acid oral capsule 250 mg</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	5	NDS; QL (10 per 30 days)
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadron)	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i> (Vigadron)	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigadron oral powder in packet 500 mg</i> (vigabatrin)	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigadron oral tablet 500 mg</i> (vigabatrin)	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigpoder oral powder in packet 500 mg</i> (vigabatrin)	5	PA NSO; NDS; QL (180 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG	4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	ST
ZONISADE ORAL SUSPENSION 100 MG/5 ML	4	
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	2	
<i>zonisamide oral capsule 50 mg</i>	2	
ZTALMY ORAL SUSPENSION 50 MG/ML	5	PA NSO; NDS; QL (1080 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Antidementia Agents</b>		
<b>Antidementia Agents</b>		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	QL (30 per 30 days)
<i>donepezil oral tablet 23 mg</i> (Aricept)	4	QL (30 per 30 days)
<i>donepezil oral tablet,disintegrating 10 mg</i>	2	
<i>donepezil oral tablet,disintegrating 5 mg</i>	2	QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	3	
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	4	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	4	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	4	QL (60 per 30 days)
<i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg</i>	4	ST; QL (30 per 30 days)
<i>memantine oral capsule,sprinkle,er 24hr 7 mg</i> (Namenda XR)	4	ST; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	4	QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i>	3	QL (60 per 30 days)
<i>memantine-donepezil oral capsule,sprinkle,er 24hr 14-10 mg, 21-10 mg, 28-10 mg</i> (Namzaric)	4	ST; QL (30 per 30 days)
<b>NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG</b>	4	ST
<b>NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 7-10 MG</b>	4	ST; QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	4	
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch)	4	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

Drug Name	Drug Tier	Requirements/Limits
<b>Antidepressants</b>		
<b>Antidepressants</b>		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	4	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	3	
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG	5	ST; NDS
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i>	2	
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i>	2	
<i>citalopram oral solution 10 mg/5 ml</i>	4	
<i>citalopram oral tablet 10 mg</i> (Celexa)	1	QL (120 per 30 days)
<i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)	1	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	4	
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	4	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	4	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	4	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	3	
<i>doxepin oral concentrate 10 mg/ml</i>	2	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	2	QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 40 mg</i>	4	QL (30 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	4	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)-40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	4	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	3	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	4	
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	2	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg</i>	3	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	4	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i>	1	
<i>nortriptyline oral solution 10 mg/5 ml</i>	4	
<i>paroxetine hcl oral suspension 10 mg/5 ml</i>	4	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i>	1	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i>	4	
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	4	
<i>phenelzine oral tablet 15 mg</i>	3	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	4	
<i>RALDESY ORAL SOLUTION 10 MG/ML</i>	5	PA NSO; NDS; QL (1200 per 30 days)
<i>sertraline oral concentrate 20 mg/ml</i>	4	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i>	1	
<i>SPRAVATO NASAL SPRAY,NON-AEROSOL 28 MG, 56 MG (28 MG X 2), 84 MG (28 MG X 3)</i>	5	PA NSO; NDS
<i>tranylcypromine oral tablet 10 mg</i>	4	
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	4	
<i>TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG</i>	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>venlafaxine besylate oral tablet extended release 24hr 112.5 mg</i>	4	QL (60 per 30 days)
<i>venlafaxine oral capsule,extended release 24hr 150 mg</i>	2	QL (30 per 30 days)
<i>venlafaxine oral capsule,extended release 24hr 37.5 mg, 75 mg</i>	2	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	
<i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg</i>	4	QL (30 per 30 days)
<i>venlafaxine oral tablet extended release 24hr 75 mg</i>	4	QL (90 per 30 days)
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)	4	QL (30 per 30 days)
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG	5	PA NSO; NDS; QL (28 per 14 days)
ZURZUVAE ORAL CAPSULE 30 MG	5	PA NSO; NDS; QL (14 per 14 days)

## Antidiabetic Agents

### Antidiabetic Agents, Miscellaneous

<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	3	
<i>FARXIGA ORAL TABLET 10 MG, 5 MG</i> (dapagliflozin propanediol)	3	QL (30 per 30 days)
<i>GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG</i>	3	QL (30 per 30 days)
<i>JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG</i>	3	QL (60 per 30 days)
<i>JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG</i>	3	QL (30 per 30 days)
<i>JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG</i>	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
<i>metformin oral solution 500 mg/5 ml (Riomet)</i>	4	QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i>	1	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	QL (150 per 30 days)
<i>metformin oral tablet 750 mg</i>	1	QL (60 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	QL (60 per 30 days)
<i>mifepristone oral tablet 300 mg (Korlym)</i>	5	PA; NDS; QL (112 per 28 days)
<i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>	4	QL (90 per 30 days)
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	6	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	PA; QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	1	QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg</i>	4	QL (90 per 30 days)
<i>pioglitazone-metformin oral tablet 15-850 mg</i> (Actoplus MET)	4	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	6	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	6	QL (240 per 30 days)
RYBELSUS ORAL TABLET 1.5 MG, 14 MG, 3 MG, 4 MG, 7 MG, 9 MG	3	PA; QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5- 1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5- 1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG	(dapaglifloz propaned- metformin) 3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	(dapaglifloz propaned- metformin) 3	QL (60 per 30 days)
<b>Insulins</b>		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (24 per 28 days)
<i>insulin asp prt-insulin aspart subcutaneous insulin pen 100 unit/ml (70-30)</i>	(Novolog Mix 70-30FlexPen U-100) 2	max \$35 copay per month supply; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>insulin asp prt-insulin aspart subcutaneous solution 100 unit/ml (70-30)</i>	(Novolog Mix 70-30 U-100 Insulin)	2	max \$35 copay per month supply; QL (40 per 28 days)
<i>insulin aspart u-100 subcutaneous cartridge 100 unit/ml</i>	(Novolog PenFill U-100 Insulin)	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous insulin pen 100 unit/ml (3 ml)</i>	(Novolog FlexPen U-100 Insulin)	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous solution 100 unit/ml</i>	(Novolog U-100 Insulin aspart)	2	max \$35 copay per month supply; QL (40 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin glargine)	3	max \$35 copay per month supply
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin glargine)	3	max \$35 copay per month supply
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)		3	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)		3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML		3	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML		3	max \$35 copay per month supply; QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
SEMGLEE(INSULIN GLARGINE-YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin glargine-yfgn)	3	max \$35 copay per month supply
SEMGLEE(INSULIN GLARG-YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin glargine-yfgn)	3	max \$35 copay per month supply
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML		3	max \$35 copay per month supply; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	(insulin glargine u-300 conc)	3	max \$35 copay per month supply
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	(insulin glargine u-300 conc)	3	max \$35 copay per month supply
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin degludec)	3	max \$35 copay per month supply
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	(insulin degludec)	3	max \$35 copay per month supply
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin degludec)	3	max \$35 copay per month supply
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)		3	max \$35 copay per month supply; QL (15 per 28 days)
<b>Sulfonylureas</b>			
glimepiride oral tablet 1 mg, 2 mg		1	QL (30 per 30 days)
glimepiride oral tablet 4 mg		1	QL (60 per 30 days)
glipizide oral tablet 10 mg		1	QL (120 per 30 days)
glipizide oral tablet 2.5 mg		1	QL (60 per 30 days)
glipizide oral tablet 5 mg		1	QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>glipizide oral tablet extended release (Glucotrol XL) 24hr 10 mg</i>	1	QL (60 per 30 days)
<i>glipizide oral tablet extended release (Glucotrol XL) 24hr 2.5 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	6	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	6	QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	1	PA-HRM; AGE (Max 64 Years)

## Antifungals

### Antifungals

<i>ABELCET INTRAVENOUS SUSPENSION 5 MG/ML</i>	4	PA BvD
<i>amphotericin b injection recon soln 50 mg</i>	4	PA BvD
<i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i>	5	PA BvD; NDS
<i>ciclopirox topical cream 0.77 % (Ciclodan)</i>	2	QL (180 per 30 days)
<i>ciclopirox topical gel 0.77 %</i>	4	
<i>ciclopirox topical shampoo 1 %</i>	4	
<i>ciclopirox topical solution 8 % (Ciclodan)</i>	2	QL (19.8 per 30 days)
<i>ciclopirox topical suspension 0.77 % (Loprox (as olamine))</i>	4	QL (180 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>	3	
<i>clotrimazole topical cream 1 % (Antifungal (clotrimazole))</i>	2	
<i>clotrimazole topical solution 1 % (Athlete's Foot (clotrimazole))</i>	3	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	2	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>	4	
<i>econazole nitrate topical cream 1 %</i>	3	QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	4	
<i>fluconazole oral suspension for reconstitution 10 mg/ml</i>	4	
<i>fluconazole oral suspension for reconstitution 40 mg/ml</i>	4	
<i>fluconazole oral tablet 100 mg, 200 mg</i>	2	
<i>fluconazole oral tablet 150 mg, 50 mg</i>	2	
<i>flucytosine oral capsule 250 mg, 500 mg</i>	5	NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	4	
<i>griseofulvin microsize oral tablet 500 mg</i>	4	
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>	4	
<i>griseofulvin ultramicrosize oral tablet 165 mg</i>	4	
<i>itraconazole oral capsule 100 mg</i>	4	
<i>itraconazole oral solution 10 mg/ml</i>	5	PA; NDS
<i>ketoconazole oral tablet 200 mg</i>	2	
<i>ketoconazole topical cream 2 %</i>	3	QL (180 per 30 days)
<i>ketoconazole topical foam 2 %</i>	4	ST; QL (100 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>	2	QL (360 per 30 days)
<i>micafungin intravenous recon soln 100 mg, 50 mg</i>	3	
<i>miconazole-3 vaginal suppository 200 mg</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
NOXAFIL ORAL SUSP,DELAYED RELEASE FOR RECON 300 MG		5	PA; NDS
<i>nyamyc topical powder 100,000 unit/gram</i>	(nystatin)	3	QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>		3	
<i>nystatin oral tablet 500,000 unit</i>		3	
<i>nystatin topical cream 100,000 unit/gram</i>		2	QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>		2	QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i>	(Nyamyc)	3	QL (60 per 30 days)
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>		3	
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>		3	
<i>nystop topical powder 100,000 unit/gram</i>	(nystatin)	3	QL (60 per 30 days)
<i>posaconazole oral suspension 200 mg/5 ml (40 mg/ml)</i>	(Noxafil)	5	PA; NDS
<i>posaconazole oral tablet,delayed release (dr/ec) 100 mg</i>	(Noxafil)	5	PA; NDS
<i>terbinafine hcl oral tablet 250 mg</i>		1	
<i>voriconazole intravenous recon soln 200 mg</i>	(Vfend IV)	5	PA BvD; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i>	(Vfend)	5	PA; NDS
<i>voriconazole oral tablet 200 mg</i>		4	
<i>voriconazole oral tablet 50 mg</i>	(Vfend)	4	
<b>Antigout Agents</b>			
<b>Antigout Agents, Other</b>			
<i>allopurinol oral tablet 100 mg</i>	(Zyloprim)	1	
<i>allopurinol oral tablet 300 mg</i>		1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>colchicine oral capsule 0.6 mg</i>	(Mitigare)	4	QL (60 per 30 days)
<i>colchicine oral tablet 0.6 mg</i>	(Colcrys)	4	QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i>	(Uloric)	4	ST; QL (30 per 30 days)
<i>probenecid oral tablet 500 mg</i>		4	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>		3	
<b>Antihistamines</b>			
<b>Antihistamines</b>			
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>		2	PA-HRM; AGE (Max 64 Years)
<i>clemastine oral tablet 2.68 mg</i>		4	PA-HRM; AGE (Max 64 Years)
<i>cyproheptadine oral syrup 2 mg/5 ml</i>		3	PA-HRM; AGE (Max 64 Years)
<i>cyproheptadine oral tablet 4 mg</i>		2	PA-HRM; AGE (Max 64 Years)
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>		3	
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>		2	
<i>levocetirizine oral solution 2.5 mg/5 ml</i> (Xyzal)		4	
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)		1	
<i>promethazine oral syrup 6.25 mg/5 ml</i>		2	PA-HRM; AGE (Max 64 Years)
<b>Anti-Infectives (Skin And Mucous Membrane)</b>			
<b>Anti-Infectives (Skin And Mucous Membrane)</b>			
<i>clindamycin phosphate vaginal cream 2 %</i>	(Cleocin)	4	
<i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i>	(Vandazole)	4	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>		3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>terconazole vaginal suppository 80 mg</i>	4	
<b>Antimigraine Agents</b>		
<b>Antimigraine Agents</b>		
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i>	(Migranal) 5	ST; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	3	QL (9 per 30 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	3	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i>	(Maxalt) 2	QL (18 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	QL (18 per 30 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i>	(Maxalt-MLT) 3	QL (18 per 30 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>	3	QL (18 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation, 5 mg/actuation</i>	4	QL (12 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sumatriptan succinate oral tablet 100 mg (Imitrex)</i>	2	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg (Imitrex)</i>	2	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml (Imitrex STATdose Refill)</i>	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml (Imitrex STATdose Pen)</i>	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml (Imitrex STATdose Pen)</i>	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml (Imitrex)</i>	4	QL (5 per 28 days)
<i>sumatriptan-naproxen oral tablet 85- 500 mg (TrexiMet)</i>	4	QL (9 per 27 days)
<b>UBRELVY ORAL TABLET 100 MG, 50 MG</b>	3	PA; QL (16 per 30 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg (Zomig)</i>	4	QL (12 per 30 days)
<i>zolmitriptan oral tablet,disintegrating 2.5 mg, 5 mg</i>	4	QL (12 per 30 days)
<b>Antimycobacterials</b>		
<b>Antimycobacterials</b>		
<i>dapsone oral tablet 100 mg, 25 mg</i>	3	
<i>ethambutol oral tablet 100 mg, 400 mg</i>	3	
<i>isoniazid oral solution 50 mg/5 ml</i>	4	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	
<b>PRIFTIN ORAL TABLET 150 MG</b>	4	
<i>pyrazinamide oral tablet 500 mg</i>	4	
<i>rifabutin oral capsule 150 mg</i>	4	
<i>rifampin intravenous recon soln 600 mg (Rifadin)</i>	4	
<i>rifampin oral capsule 150 mg, 300 mg</i>	4	
<b>SIRTURO ORAL TABLET 100 MG, 20 MG</b>	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRECATOR ORAL TABLET 250 MG	4	
<b>Antinausea Agents</b>		
<b>Antinausea Agents</b>		
<i>aprepitant oral capsule 125 mg</i>	4	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	4	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	4	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i>	4	PA BvD
<i>compro rectal suppository 25 mg</i> (prochlorperazine)	4	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	4	PA; QL (60 per 30 days)
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	4	PA BvD; QL (6 per 28 days)
<i>granisetron hcl oral tablet 1 mg</i>	4	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	1	
<i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))	1	
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	4	PA BvD
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	3	PA BvD
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	2	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>	2	
<i>prochlorperazine rectal suppository 25 mg</i> (Compro)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>promethazine injection solution 25 mg/ml</i>	(Phenergan)	3	PA-HRM; AGE (Max 64 Years)
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>		1	PA-HRM; AGE (Max 64 Years)
<i>promethazine rectal suppository 12.5 mg, 25 mg, 50 mg</i>	(Promethegan)	4	PA-HRM; AGE (Max 64 Years)
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>	(promethazine)	4	PA-HRM; AGE (Max 64 Years)
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i>	(Transderm-Scop)	4	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)

## Antiparasite Agents

### Antiparasite Agents

<i>albendazole oral tablet 200 mg</i>		5	NDS
<i>atovaquone oral suspension 750 mg/5 ml</i>	(Mepron)	4	
<i>atovaquone-proguanil oral tablet 250-100 mg</i>	(Malarone)	4	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i>	(Malarone Pediatric)	4	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>		4	
<i>COARTEM ORAL TABLET 20-120 MG</i>		4	
<i>hydroxychloroquine oral tablet 100 mg</i>		3	QL (180 per 30 days)
<i>hydroxychloroquine oral tablet 200 mg</i>	(Plaquenil)	3	QL (90 per 30 days)
<i>hydroxychloroquine oral tablet 300 mg</i>	(Sovuna)	3	QL (60 per 30 days)
<i>hydroxychloroquine oral tablet 400 mg</i>		3	QL (60 per 30 days)
<i>IMPAVIDO ORAL CAPSULE 50 MG</i>		5	PA; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i>	(Stromectol)	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ivermectin oral tablet 6 mg</i>	3	
<i>mefloquine oral tablet 250 mg</i>	3	
<i>nitazoxanide oral tablet 500 mg</i> (Alinia)	5	NDS; QL (60 per 30 days)
<i>paromomycin oral capsule 250 mg</i> (Humatin)	4	
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	4	PA BvD
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	4	
<i>praziquantel oral tablet 600 mg</i> (Biltricide)	4	
<b>PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)</b>	4	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	5	PA; NDS
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	4	PA
<i>tinidazole oral tablet 250 mg, 500 mg</i>	4	
<b>Antiparkinsonian Agents</b>		
<b>Antiparkinsonian Agents</b>		
<i>amantadine hcl oral capsule 100 mg</i>	3	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	2	
<i>amantadine hcl oral tablet 100 mg</i>	4	
<i>apomorphine subcutaneous cartridge 10 mg/ml</i> (APOKYN)	5	PA; NDS; QL (60 per 30 days)
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>bromocriptine oral capsule 5 mg</i>	4	
<i>bromocriptine oral tablet 2.5 mg</i>	4	
<i>cabergoline oral tablet 0.5 mg</i>	3	
<i>carbidopa oral tablet 25 mg</i> (Lodosyn)	4	
<i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)	2	
<i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	2	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	3	
<i>carbidopa-levodopa oral tablet,disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	4	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i>	4	
<i>entacapone oral tablet 200 mg</i>	4	
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NDS
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	4	ST; QL (30 per 30 days)
ONAPGO SUBCUTANEOUS CARTRIDGE 4.9 MG/ ML	5	PA; NDS; QL (30 per 30 days)
ONGENTYS ORAL CAPSULE 25 MG, 50 MG	4	PA; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG, 322 MG/DAY(129 MG X1-193MG X1)	4	ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	2	
<i>rasagiline oral tablet 0.5 mg, 1 mg (Azilect)</i>	4	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>	4	
<i>selegiline hcl oral capsule 5 mg</i>	3	
<i>selegiline hcl oral tablet 5 mg</i>	4	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	3	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	2	
VYALEV CONTIN. SUBCUTANEOUS INFUSION SOLUTION 12-240 MG/ML	5	PA; NDS; QL (560 per 28 days)
<b>Antipsychotic Agents</b>		
<b>Antipsychotic Agents</b>		
ABILITY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 720 MG/2.4 ML	5	NDS; QL (2.4 per 42 days)
ABILITY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 960 MG/3.2 ML	5	NDS; QL (3.2 per 42 days)
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NDS; QL (1 per 26 days)
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NDS; QL (1 per 26 days)
<i>aripiprazole oral solution 1 mg/ml</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i>	(Abilify)	4	
<i>aripiprazole oral tablet,disintegrating 10 mg</i>		4	ST; QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i>		4	ST; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML		5	NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML		5	NDS; QL (3.9 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML		5	NDS; QL (1.6 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML		5	NDS; QL (2.4 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML		5	NDS; QL (3.2 per 14 days)
<i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg</i>	(Saphris)	4	QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG		5	ST; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution 25 mg/ml</i>		4	
<i>chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml</i>		4	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>		4	
<i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	(Clozaril)	3	
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i>		4	ST; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clozapine oral tablet,disintegrating 150 mg</i>	4	ST; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating 200 mg</i>	4	ST; QL (120 per 30 days)
COBENFY ORAL CAPSULE 100-20 MG, 125-30 MG, 50-20 MG	5	ST; NDS; QL (60 per 30 days)
COBENFY STARTER PACK ORAL CAPSULE,DOSE PACK 50 MG-20 MG /100 MG-20 MG	5	ST; NDS
ERZOFRI INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NDS; QL (0.75 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 156 MG/ML	5	NDS; QL (1 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NDS; QL (1.5 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 351 MG/2.25 ML	5	NDS; QL (2.25 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	5	NDS; QL (0.25 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NDS; QL (0.5 per 21 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)- 6MG(2)	4	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	4	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	4	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	4	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	4	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i>	4	
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml (Haldol Decanoate)</i>	4	
<i>haloperidol lactate injection solution 5 mg/ml</i>	2	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	4	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	3	
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NDS; QL (3.5 per 166 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NDS; QL (5 per 166 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NDS; QL (0.75 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NDS; QL (1 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NDS; QL (1.5 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NDS; QL (0.5 per 21 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NDS; QL (0.88 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NDS; QL (1.32 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NDS; QL (1.75 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NDS; QL (2.63 per 70 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	4	
<i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> (Latuda)	4	QL (30 per 30 days)
<i>lurasidone oral tablet 80 mg</i> (Latuda)	4	QL (60 per 30 days)
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>molindone oral tablet 10 mg</i>	3	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	3	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	5	NDS; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i>	4	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 5 mg, 7.5 mg</i>	3	
<i>olanzapine oral tablet 20 mg</i> (Zyprexa)	3	
<i>olanzapine oral tablet,disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>paliperidone oral tablet extended release 24hr 1.5 mg</i>		4	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 3 mg, 9 mg</i>	(Invega)	4	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i>	(Invega)	4	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>		4	
PERSERIS SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG		5	NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>		4	
<i>prochlorperazine 10 mg/2 ml vl outer 10 mg/2 ml (5 mg/ml)</i>		2	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i>	(Seroquel)	3	
<i>quetiapine oral tablet 150 mg</i>		3	QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i>	(Seroquel XR)	4	
REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG		5	ST; NDS; QL (30 per 30 days)
<i>risperidone microspheres intramuscular suspension,extended rel recon 12.5 mg/2 ml</i>	(Risperdal Consta)	3	QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension,extended rel recon 25 mg/2 ml</i>	(Rykindo)	3	QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension,extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i>	(Rykindo)	5	NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i>	(Risperdal)	4	
<i>risperidone oral tablet 0.25 mg</i>		2	
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	(Risperdal)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>		4	
<b>RYKINDO INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML</b>	(risperidone microspheres)	5	NDS; QL (2 per 28 days)
<b>SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR</b>		5	ST; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>		3	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>		4	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>		3	
<b>UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 100 MG/0.28 ML</b>		5	NDS; QL (0.28 per 28 days)
<b>UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML</b>		5	NDS; QL (0.35 per 28 days)
<b>UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML</b>		5	NDS; QL (0.42 per 56 days)
<b>UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML</b>		5	NDS; QL (0.56 per 56 days)
<b>UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML</b>		5	NDS; QL (0.7 per 56 days)
<b>UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML</b>		5	NDS; QL (0.14 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML	5	NDS; QL (0.21 per 28 days)
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	4	
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	4	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NDS; QL (1 per 28 days)
<b>Antivirals (Systemic)</b>		
<b>Antiretrovirals</b>		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	4	
<i>abacavir oral tablet 300 mg</i>	4	
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	4	
APRETUDE INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML)	5	NDS; QL (24 per 365 days)
APTIVUS ORAL CAPSULE 250 MG	5	NDS
<i>atazanavir oral capsule 150 mg</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>atazanavir oral capsule 200 mg, 300 mg (Reyataz)</i>	4	
<b>BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG</b>	5	NDS; QL (30 per 30 days)
<b>CABENUVA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML</b>	5	NDS
<i>cabotegravir intramuscular suspension, extended release 400 mg/2 ml (200 mg/ml)</i>	5	NDS; QL (24 per 365 days)
<i>cabotegravir intramuscular suspension, extended release 600 mg/3 ml (200 mg/ml)</i>	5	NDS; QL (24 per 365 days)
<b>CIMDUO ORAL TABLET 300-300 MG</b>	5	NDS
<b>COMPLERA ORAL TABLET 200-25-300 MG</b>	5	NDS
<i>darunavir oral tablet 600 mg, 800 mg (Prezista)</i>	5	NDS
<b>DELSTRIGO ORAL TABLET 100-300-300 MG</b>	5	NDS
<b>DESCOVY ORAL TABLET 120-15 MG, 200-25 MG</b>	5	NDS
<i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i>	4	
<b>DOVATO ORAL TABLET 50-300 MG</b>	5	NDS
<b>EDURANT ORAL TABLET 25 MG</b>	5	NDS
<i>efavirenz oral capsule 200 mg, 50 mg</i>	4	
<i>efavirenz oral tablet 600 mg</i>	4	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i>	5	NDS
<i>efavirenz-lamivudine-tenofovir disop oral tablet 400-300-300 mg</i>	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>efavirenz-lamivu-tenofovir disop oral tablet 600-300-300 mg</i>	(Symfi)	5	NDS
<i>emtricitabine oral capsule 200 mg</i>	(Emtriva)	4	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i>	(Truvada)	5	NDS
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i>	(Truvada)	3	
EMTRIVA ORAL SOLUTION 10 MG/ML		4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)		4	
<i>etravirine oral tablet 100 mg, 200 mg</i>	(Intelence)	5	NDS
EVOTAZ ORAL TABLET 300-150 MG		5	NDS
<i>fosamprenavir oral tablet 700 mg</i>		5	NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG		5	NDS
GENVOYA ORAL TABLET 150-150-200-10 MG		5	NDS
INTELENCE ORAL TABLET 25 MG		4	
ISENTRESS HD ORAL TABLET 600 MG		5	NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG		5	NDS
ISENTRESS ORAL TABLET 400 MG		5	NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG		5	NDS
ISENTRESS ORAL TABLET,CHEWABLE 25 MG		3	
JULUCA ORAL TABLET 50-25 MG		5	NDS
<i>lamivudine oral solution 10 mg/ml</i>	(Epivir)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lamivudine oral tablet 100 mg</i>	4	
<i>lamivudine oral tablet 150 mg, 300 mg (Epivir)</i>	4	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	4	
<b>LEXIVA ORAL SUSPENSION 50 MG/ML</b>	4	
<i>lopinavir-ritonavir oral solution 400- 100 mg/5 ml (Kaletra)</i>	3	QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg (Kaletra)</i>	4	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg (Kaletra)</i>	4	QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg (Selzentry)</i>	5	NDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	4	QL (1200 per 30 days)
<i>nevirapine oral tablet 200 mg</i>	3	QL (60 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	4	QL (90 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 400 mg</i>	4	QL (30 per 30 days)
<b>NORVIR ORAL POWDER IN PACKET 100 MG</b>	4	
<b>NORVIR ORAL SOLUTION 80 MG/ML</b>	4	
<b>ODEFSEY ORAL TABLET 200-25-25 MG</b>	5	NDS
<b>PIFELTRO ORAL TABLET 100 MG</b>	5	NDS
<b>PREZCOBIX ORAL TABLET 800-150 MG-MG</b>	5	NDS
<b>PREZISTA ORAL SUSPENSION 100 MG/ML</b>	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PREZISTA ORAL TABLET 150 MG, 75 MG	5	NDS
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NDS
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	5	NDS
<i>ritonavir oral tablet 100 mg (Norvir)</i>	3	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	5	NDS
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	4	
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NDS
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK)	5	NDS
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	5	PA BvD; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg (Viread)</i>	3	
TIVICAY ORAL TABLET 10 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	5	NDS
TRIUMEQ ORAL TABLET 600-50- 300 MG	5	NDS; QL (30 per 30 days)
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	4	
TRIZIVIR ORAL TABLET 300- 150-300 MG	5	NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NDS
VEMLIDY ORAL TABLET 25 MG	5	ST; NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NDS
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	4	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	4	
<i>zidovudine oral tablet 300 mg</i>	3	
<b>Antivirals, Miscellaneous</b>		
LIVTENCITY ORAL TABLET 200 MG	5	PA; NDS
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	3	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	3	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	3	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	4	QL (540 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (10)- 100 MG (10)	3	QL (20 per 5 days)
PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG	3	QL (30 per 5 days)
PREVYMIS ORAL PELLETS IN PACKET 120 MG, 20 MG	5	PA; NDS; QL (120 per 30 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	4	
<b>Hcv Antivirals</b>		
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NDS; QL (28 per 28 days)
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NDS; QL (56 per 28 days)
EPCLUSA ORAL TABLET 200-50 MG	5	PA; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 (sofosbuvir-velpatasvir) MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 (ledipasvir-sofosbuvir) MG	5	PA; NDS; QL (28 per 28 days)
MAVYRET ORAL TABLET 100-40 MG	5	PA; NDS; QL (84 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Interferons</b>		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	PA; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	PA; NDS
<b>Nucleosides And Nucleotides</b>		
acyclovir oral capsule 200 mg	1	
acyclovir oral suspension 200 mg/5 ml (Zovirax)	4	
acyclovir oral tablet 400 mg, 800 mg	2	
acyclovir sodium intravenous solution 50 mg/ml	4	PA BvD
adefovir oral tablet 10 mg (Hepsera)	4	
entecavir oral tablet 0.5 mg, 1 mg (Baraclude)	4	
famciclovir oral tablet 125 mg, 250 mg, 500 mg	3	
lagevrio (eua) oral capsule 200 mg	4	QL (40 per 5 days)
ribavirin oral capsule 200 mg	4	
ribavirin oral tablet 200 mg	3	
valacyclovir oral tablet 1 gram, 500 mg (Valtrex)	3	
valganciclovir oral recon soln 50 mg/ml (Valcyte)	5	NDS
valganciclovir oral tablet 450 mg (Valcyte)	3	
<b>Blood Products/Modifiers/Volume Expanders</b>		
<b>Anticoagulants</b>		
dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg (Pradaxa)	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG	3	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	3	QL (74 per 30 days)
<i>enoxaparin subcutaneous syringe</i> (Lovenox) 100 mg/ml, 150 mg/ml	4	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe</i> (Lovenox) 120 mg/0.8 ml, 80 mg/0.8 ml	4	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe</i> 30 (Lovenox) mg/0.3 ml	4	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe</i> 40 (Lovenox) mg/0.4 ml	4	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe</i> 60 (Lovenox) mg/0.6 ml	4	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 10 mg/0.8 ml	5	NDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 2.5 mg/0.5 ml	3	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe</i> 5 (Arixtra) mg/0.4 ml	5	NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 7.5 mg/0.6 ml	5	NDS; QL (18 per 30 days)
<i>heparin (porcine) injection solution</i> 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml	3	
<i>heparin sodium</i> 5,000 unit/ml vial suv, outer	4	
<i>jantoven oral tablet</i> 1 mg, 10 mg, 2 (warfarin) mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg	1	
<i>warfarin oral tablet</i> 1 mg, 10 mg, 2 (Jantoven) mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	3	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG	3	QL (60 per 30 days)
XARELTO ORAL TABLET 2.5 MG (rivaroxaban)	3	QL (60 per 30 days)
<b>Blood Formation Modifiers</b>		
ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG	5	PA; NDS; QL (60 per 30 days)
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NDS
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
FYLNETRA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	PA; NDS
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NDS; QL (60 per 30 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
ROLVEDON SUBCUTANEOUS SYRINGE 13.2 MG/0.6 ML	5	PA; NDS
STIMUFEND SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
<b>Hematologic Agents, Miscellaneous</b>		
anagrelide oral capsule 0.5 mg (Agrylin)	4	
anagrelide oral capsule 1 mg	4	
CABLIVI INJECTION KIT 11 MG	5	PA; NDS; QL (30 per 30 days)
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NDS; QL (60 per 30 days)
<i>tranexamic acid oral tablet 650 mg</i>	3	
<b>Platelet-Aggregation Inhibitors</b>		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	4	
BRILINTA ORAL TABLET 60 MG	3	
BRILINTA ORAL TABLET 90 MG (ticagrelor)	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	
<i>clopidogrel oral tablet 75 mg (Plavix)</i>	1	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	4	PA-HRM; AGE (Max 64 Years)
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	
<i>prasugrel hcl oral tablet 10 mg, 5 mg (Effient)</i>	4	QL (30 per 30 days)
<b>Caloric Agents</b>		
<b>Caloric Agents</b>		
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	3	
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Cardiovascular Agents</b>		
<b>Alpha-Adrenergic Agents</b>		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	4	
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	4	
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	4	
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	1	
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera)	5	PA; NDS; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	3	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	4	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	3	
<b>Angiotensin II Receptor Antagonists</b>		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)	6	
<i>candesartan-hydrochlorothiazide oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	4	
<i>ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG</i> (sacubitril-valsartan)	3	QL (60 per 30 days)
<i>ENTRESTO SPRINKLE ORAL PELLET 15-16 MG, 6-6 MG</i>	3	QL (240 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	6	
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	6	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i>	(Hyzaar)	1	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i>	(Benicar)	6	
<i>olmesartan-amlodipine-hctiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i>	(Tribenzor)	4	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i>	(Benicar HCT)	6	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i>	(Micardis)	6	
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i>		4	
<i>telmisartan-hydrochlorothiazide oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i>	(Micardis HCT)	4	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i>	(Diovan)	6	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i>	(Diovan HCT)	6	
<b>Angiotensin-Converting Enzyme Inhibitors</b>			
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i>	(Lotensin)	1	
<i>benazepril oral tablet 5 mg</i>		1	
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	(Lotensin HCT)	6	
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>		6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	4	
<i>enalapril maleate oral solution 1 mg/ml (Epaned)</i>	4	ST; QL (1200 per 30 days)
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg (Vasotec)</i>	1	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg (Vaseretic)</i>	1	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	6	
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg (Zestril)</i>	1	
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg (Zestoretic)</i>	1	
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	6	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	6	
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg (Accupril)</i>	1	
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg (Accuretic)</i>	6	
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg (Altace)</i>	1	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	1	
<i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Antiarrhythmic Agents</b>		
<i>amiodarone oral tablet 100 mg, 200 mg, 400 mg</i>	3	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i>	4	PA-HRM; AGE (Max 64 Years)
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i>	4	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	3	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	4	
<b>MULTAQ ORAL TABLET 400 MG</b>	3	
<i>pacerone oral tablet 100 mg, 200 mg, (amiodarone) 400 mg</i>	4	
<i>propafenone oral capsule,extended release 12 hr 225 mg, 325 mg, 425 mg</i>	4	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	3	
<i>quinidine gluconate oral tablet extended release 324 mg</i>	4	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	4	
<b>Beta-Adrenergic Blocking Agents</b>		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i>	1	
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i>	2	
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i>	2	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	3	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg	2	
carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg (Coreg)	1	
labetalol oral tablet 100 mg, 200 mg, 300 mg	2	
metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg (Toprol XL)	1	
metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg	3	
metoprolol tartrate oral tablet 100 mg, 50 mg (Lopressor)	1	
metoprolol tartrate oral tablet 25 mg	1	
nadolol oral tablet 20 mg, 40 mg	2	
nadolol oral tablet 80 mg (Corgard)	2	
nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg (Bystolic)	3	
pindolol oral tablet 10 mg, 5 mg	4	
propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg (Inderal LA)	3	
propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)	3	
propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg	2	
sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg (sotalol)	2	
sotalol af oral tablet 120 mg, 160 mg, 80 mg (sotalol)	2	
sotalol oral tablet 120 mg, 160 mg, 80 mg (Sotalol AF)	2	
sotalol oral tablet 240 mg (Betapace)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	4	
<b>Calcium-Channel Blocking Agents</b>		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	2	
<i>diltiazem 24hr er 360 mg cap once-a-day dosage</i>	3	
<i>diltiazem 24hr er 420 mg cap</i>	3	
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	4	
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg, 420 mg</i>	3	
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	2	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i>	2	
<i>diltiazem hcl oral tablet 90 mg</i>	2	
<i>diltiazem hcl oral tablet extended release 24 hr 120 mg</i>	4	
<i>diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	4	
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i>	2	
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	4	
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	2	
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i>	4	
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	3	
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i>	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>	2	
<b>Cardiovascular Agents, Miscellaneous</b>		
<i>CORLANOR ORAL SOLUTION 5 MG/5 ML</i>	3	QL (600 per 30 days)
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	4	
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	
<i>digoxin oral tablet 62.5 mcg (0.0625 mg)</i> (Lanoxin)	2	
<i>epinephrine injection auto-injector 0.15 mg/0.15 ml, 0.3 mg/0.3 ml</i> (Auvi-Q)	3	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	3	QL (4 per 30 days)
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir)	5	PA; NDS; QL (18 per 30 days)
<i>ivabradine oral tablet 5 mg, 7.5 mg</i> (Corlanor)	3	QL (60 per 30 days)
<i>metyrosine oral capsule 250 mg</i> (Demser)	5	NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>	4	QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i>	4	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
sajazir subcutaneous syringe 30 mg/3 ml (icatibant)	5	PA; NDS; QL (18 per 30 days)
SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML, 0.3 MG/0.3 ML	4	QL (4 per 30 days)
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG	4	PA; QL (30 per 30 days)
<b>Dihydropyridines</b>		
amlodipine oral tablet 10 mg, 2.5 mg, 5 mg (Norvasc)	1	
amlodipine-benazepril oral capsule (Lotrel) 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg	1	
amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg	1	
amlodipine-olmesartan oral tablet (Azor) 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg	6	
amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg (Exforge)	6	
amlodipine-valsartan-hcthiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg (Exforge HCT)	4	
felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg	2	
isradipine oral capsule 2.5 mg, 5 mg	4	
KATERZIA ORAL SUSPENSION 1 MG/ML	4	ST; QL (300 per 30 days)
nicardipine oral capsule 20 mg, 30 mg	4	
nifedipine oral capsule 10 mg, 20 mg	3	
nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg (Procardia XL)	2	
nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Diuretics</b>		
<i>amiloride oral tablet 5 mg</i>	1	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	3	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	
<i>furosemide injection solution 10 mg/ml</i>	1	
<i>furosemide injection syringe 10 mg/ml</i>	1	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	
<i>furosemide oral tablet 20 mg, 40 mg, (Lasix) 80 mg</i>	1	
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	
<i>JYNARQUE ORAL TABLET 15 MG, 30 MG</i>	5	PA; NDS; QL (120 per 30 days)
<i>JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)</i>	5	PA; NDS; QL (56 per 28 days)
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	3	
<i>spironolactone oral tablet 100 mg, (Aldactone) 25 mg, 50 mg</i>	1	
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i>	1	
<b>Dyslipidemics</b>		
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg</i>	4	
<i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i>	4	QL (30 per 30 days)
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>	4	
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	1	QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i>	4	
<i>cholestyramine light oral powder in packet 4 gram</i>	4	
<i>colesevelam oral powder in packet 3.75 gram</i>	4	
<i>colesevelam oral tablet 625 mg</i>	4	
<i>colestipol oral packet 5 gram</i>	4	
<i>colestipol oral tablet 1 gram</i>	4	
<i>EZALLOR SPRINKLE ORAL CAPSULE, SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG</i>	4	ST; QL (30 per 30 days)
<i>ezetimibe oral tablet 10 mg</i>	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i>	4	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i>	4	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i>	4	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)	4	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>	3	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	2	
<i>fenofibrate oral tablet 120 mg, 40 mg</i> (Fenoglide)	2	
<i>fenofibrate oral tablet 160 mg</i>	1	
<i>fenofibrate oral tablet 54 mg</i>	2	
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg</i>	3	
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 45 mg</i> (Trilipix)	3	
<i>fluvastatin oral capsule 20 mg, 40 mg</i>	4	QL (60 per 30 days)
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)	4	
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	
<i>icosapent ethyl oral capsule 0.5 gram</i> (Vascepa)	4	QL (240 per 30 days)
<i>icosapent ethyl oral capsule 1 gram</i> (Vascepa)	4	QL (120 per 30 days)
<i>JUXTAPIID ORAL CAPSULE 10 MG, 5 MG</i>	5	PA; NDS; QL (28 per 28 days)
<i>JUXTAPIID ORAL CAPSULE 20 MG, 30 MG</i>	5	PA; NDS; QL (56 per 28 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	
<i>NEXLETOL ORAL TABLET 180 MG</i>	3	ST; QL (30 per 30 days)
<i>NEXLIZET ORAL TABLET 180-10 MG</i>	3	ST; QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i> (Niacor)	4	
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	3	
<i>niacin oral tablet 500 mg</i> (niacin)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	4	ST; QL (120 per 30 days)
<i>pitavastatin calcium oral tablet 1 mg, 2 mg, 4 mg</i> (Livalo)	4	QL (30 per 30 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	1	
<i>pravastatin oral tablet 20 mg, 40 mg</i>	1	QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i>	4	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	ST; QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	ST; QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	ST; QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	1	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)	1	QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg, 80 mg</i>	1	QL (30 per 30 days)
<b>Renin-Angiotensin-Aldosterone System Inhibitors</b>		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	4	
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspira)	4	
KERENDIA ORAL TABLET 10 MG, 20 MG	3	PA; QL (30 per 30 days)
<i>spironolactone oral suspension 25 mg/5 ml</i> (CaroSpir)	4	ST; QL (600 per 30 days)
<b>Vasodilators</b>		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	3	
<i>isosorbide dinitrate oral tablet 40 mg</i> (Isordil)	3	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titrabose)	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	
<i>isosorbide-hydralazine oral tablet (BiDil) 20-37.5 mg</i>	4	
<i>minitran transdermal patch 24 hour (nitroglycerin) 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	3	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i>	2	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	3	

## Central Nervous System

### Agents

#### Central Nervous System Agents

<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i>	4	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i>	4	QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG	5	PA; NDS; QL (90 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 24 MG	5	PA; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG	5	PA; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG	5	PA; NDS; QL (210 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG, 6 MG (14)-12 MG (14)-24 MG (14)	5	PA; NDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
AVONEX PEN 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NDS; QL (15 per 30 days)
<i>clonidine hcl oral tablet extended release 12 hr 0.1 mg</i>	4	
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i>	3	PA; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i>	3	QL (60 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release 10 mg</i>	4	QL (120 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release 15 mg, 5 mg</i>	4	QL (120 per 30 days)
<i>dextroamphetamine sulfate oral tablet 10 mg</i>	4	QL (180 per 30 days)
<i>dextroamphetamine sulfate oral tablet 15 mg, 2.5 mg, 5 mg, 7.5 mg</i>	4	QL (90 per 30 days)
<i>dextroamphetamine sulfate oral tablet 20 mg, 30 mg</i>	4	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 5 mg</i>	(Adderall XR)	4	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 20 mg, 25 mg, 30 mg</i>	(Adderall XR)	4	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	(Adderall)	3	QL (60 per 30 days)
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg</i>	(Tecfidera)	5	PA; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i>	(Tecfidera)	5	PA; NDS
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 240 mg</i>	(Tecfidera)	5	PA; NDS; QL (60 per 30 days)
ENSPRYNG SUBCUTANEOUS SYRINGE 120 MG/ML		5	PA; NDS
<i>fingolimod oral capsule 0.5 mg</i>	(Gilenya)	5	PA; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	(Glatopa)	5	PA; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	(Glatopa)	5	PA; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	(glatiramer)	5	PA; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>	(glatiramer)	5	PA; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i>	(Intuniv ER)	3	
INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK 40 MG (7)-80 MG (21)		5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG	5	PA; NDS; QL (30 per 30 days)
INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE 40 MG, 60 MG, 80 MG	5	PA; NDS; QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	
<i>lithium carbonate oral tablet 300 mg</i>	1	
<i>lithium carbonate oral tablet extended release 300 mg (Lithobid)</i>	2	
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	
<i>lithium citrate oral solution 8 meq/5 ml</i>	3	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	3	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NDS
<i>metadate er oral tablet extended release 20 mg</i> (methylphenidate hcl)	4	QL (90 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i> (Metadate CD)	4	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i> (Metadate CD)	4	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	4	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i> (Ritalin LA)	4	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>	4	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	4	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	3	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg</i>	4	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 20 mg</i> (Metadate ER)	4	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 27 mg (bx rating), 54 mg (bx rating)</i>	4	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> (Concerta)	4	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i> (Concerta)	4	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)</i>	(Relexxii)	4	QL (60 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 72 mg</i>		4	QL (30 per 30 days)
<i>methylphenidate la 20 mg cap</i>	(Ritalin LA)	4	QL (30 per 30 days)
<i>methylphenidate la 30 mg cap</i>	(Ritalin LA)	4	QL (60 per 30 days)
<i>methylphenidate la 40 mg cap</i>	(Ritalin LA)	4	QL (30 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML		5	PA; NDS; QL (20 per 180 days)
OCREVUS ZUNOVO SUBCUTANEOUS SOLUTION 920 MG-23,000 UNIT/23 ML		5	PA; NDS; QL (23 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML		5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML		5	PA; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML		5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML		5	PA; NDS
<i>riluzole oral tablet 50 mg</i>	(Rilutek)	4	
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG		3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)		3	
<i>teriflunomide oral tablet 14 mg, 7 mg</i> (Aubagio)		5	PA; NDS; QL (30 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)		5	PA; NDS; QL (112 per 28 days)
VUMERTY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG		5	PA; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Contraceptives</b>		
<b>Contraceptives</b>		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	
<i>altavera (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>amethyst (28) oral tablet 90-20 mcg (28)</i> (levonorgestrel-ethinyl estrad)	2	
<i>apri oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	2	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	2	
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> (norethindrone ac-eth estradiol)	2	
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i> (norethindrone ac-eth estradiol)	2	
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)	2	
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)	2	
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>aviane oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>ayuna oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estriadiol/e.estriadiol)	3	
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>		2	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>briellyn oral tablet 0.4-35 mg-mcg</i>		2	
<i>camila oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	3	
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>cyred eq oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estriadiol-e.estrad)	2	QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Azurette (28))	3	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Aprि)	2	
<i>dolishale oral tablet 90-20 mcg (28)</i>	(levonorgestrel-ethinyl estrad)	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	(Jasmiel (28))	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	(Syeda)	2	
<i>elonest oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	3	QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>emzahh oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	4	QL (1 per 28 days)
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>estarrylla oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1/50 (28))	2	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	3	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>feirza oral tablet 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>gemmily oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	4	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	3	QL (1 per 28 days)
<i>heather oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>isibloom oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>jencycla oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
<i>juleber oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	3	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	3	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>kelnor 1/50 (28) oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 17.5 MCG/24 HR (5 YRS) 19.5 MG		4	
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>	(Camrese Lo)	2	QL (91 per 84 days)
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	(Rivelsa)	2	QL (91 per 84 days)
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(Amethia)	2	QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	3	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	3	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>larissia oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	
<i>levonorgest-eth.estriadiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i>	(Balcoltra)	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	(Afirmelle)	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	(Altavera (28))	2	
<i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)</i>	(Amethyst (28))	2	
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Iclevia)	2	QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	2	
<i>levora-28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
LILETTA INTRAUTERINE INTRAUTERINE DEVICE 20.4 MCG/24 HR (8 YRS) 52 MG		3	
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>loryna (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>lutera (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lyeq oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>lyza oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estriadiol-iron)	4	
<i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	3	
<i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	3	
<i>microgestin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>mili oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	2	
MIRENA INTRAUTERINE INTRAUTERINE DEVICE 21 MCG/24HR (UP TO 8 YRS) 52 MG		4	
<i>mono-linyah oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	2	
NEXPLANON SUBDERMAL IMPLANT 68 MG		3	
<i>nikki (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>norelgestromin-ethin.estriadiol transdermal patch weekly 150-35 mcg/24 hr</i>	(Xulane)	3	QL (3 per 28 days)
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	(Camila)	2	
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i>	(Aurovela 1.5/30 (21))	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	(Aurovela 1/20 (21))	3	
<i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(Gemmily)	4	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1-20 (28))	2	
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1.5/30 (28))	2	
<i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(Tilia Fe)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(Tri-Lo-Estarrylla)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(Tri-Estarrylla)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-0.035 mg</i>	(Estarrylla)	2	
<i>norlyda oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>		2	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>nymyo oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>philith oral tablet 0.4-35 mg-mcg</i>		2	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg</i>		2	
<i>pirmella oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>portia 28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>previfem oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estriadiol/e.estriadiol)	3	
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estriadiol-e.estrad)	2	QL (91 per 84 days)
<b>SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HR (3 YRS) 13.5 MG</b>		4	
<b>SLYND ORAL TABLET 4 MG (28)</b>		4	
<i>sprintec (28) oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>syeda oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>taysofy oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estriadiol-iron)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>tri-femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-estarrylla oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-lo-estarrylla oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>turqoz (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>valtya oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>		2	
<i>vestura (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>vienna oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estriadiol/e.estriadiol)	3	
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estriadiol/e.estriadiol)	3	
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>		2	
<i>vylibra oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>xarah fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estriadiol)	4	QL (3 per 28 days)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estriadiol)	4	QL (3 per 28 days)
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	

## Dental And Oral Agents

### Dental And Oral Agents

<i>cevimeline oral capsule 30 mg</i>	(Evoxac)	4	
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Periogard)	1	
<i>denta 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	
<i>dentagel dental gel 1.1 %</i>	(fluoride (sodium))	1	
<i>fluoride (sodium) dental solution 0.2 %</i>	(PreviDent)	1	
<i>periogard mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
pilocarpine hcl oral tablet 5 mg, 7.5 mg (Salagen (pilocarpine))	4	
sf 5000 plus dental cream 1.1 % (fluoride (sodium))	1	
sodium fluoride-pot nitrate dental paste 1.1-5 % (Denta 5000 Plus Sensitive)	1	
triamcinolone acetonide dental paste 0.1 % (Kourzeq)	3	
<b>Dermatological Agents</b>		
<b>Dermatological Agents, Other</b>		
accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg (isotretinoin)	4	
acitretin oral capsule 10 mg, 17.5 mg, 25 mg	3	
acyclovir topical cream 5 % (Zovirax)	4	QL (5 per 4 days)
acyclovir topical ointment 5 % (Zovirax)	4	QL (30 per 30 days)
ammonium lactate topical cream 12 %	2	
ammonium lactate topical lotion 12 % (AmLactin)	2	
calcipotriene scalp solution 0.005 %	4	QL (120 per 30 days)
calcipotriene topical cream 0.005 %	4	QL (120 per 30 days)
calcipotriene topical ointment 0.005 %	4	QL (120 per 30 days)
fluorouracil topical cream 0.5 % (Carac)	5	NDS
fluorouracil topical cream 5 % (Efudex)	4	
fluorouracil topical solution 2 %, 5 %	4	
imiquimod topical cream in packet 5 %	3	QL (24 per 30 days)
ISOPROPYL ALCOHOL TOPICAL SWAB 70 %	1	
KLISYRI (250 MG) TOPICAL OINTMENT IN PACKET 1 %	3	QL (5 per 5 days)
methoxsalen oral capsule,liqd-filled,rapid rel 10 mg	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PANRETIN TOPICAL GEL 0.1 %	5	NDS; QL (60 per 28 days)
<i>penciclovir topical cream 1 %</i> (Denavir)	4	
<i>podofilox topical solution 0.5 %</i>	4	
REGRANEX TOPICAL GEL 0.01 %	5	PA; NDS; QL (30 per 30 days)
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
VALCHLOR TOPICAL GEL 0.016 %	5	PA NSO; NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)	4	
<b>Dermatological Antibacterials</b>		
<i>clindamycin phosphate topical foam 1 %</i> (Clindacin)	4	QL (100 per 30 days)
<i>clindamycin phosphate topical solution 1 %</i>	2	QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	2	
<i>clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 %</i>	4	
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i>	4	
<i>ery pads topical swab 2 %</i> (erythromycin with ethanol)	4	
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	4	
<i>erythromycin with ethanol topical solution 2 %</i>	3	
<i>erythromycin-benzoyl peroxide topical gel 3-5 %</i> (Benzamycin)	4	
<i>gentamicin topical cream 0.1 %</i>	4	QL (90 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	4	QL (120 per 30 days)
<i>metronidazole topical cream 0.75 %</i> (Rosadan)	4	
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metronidazole topical gel 1 %</i>	(Metrogel)	4	
<i>metronidazole topical lotion 0.75 %</i>	(MetroLotion)	4	
<i>mupirocin topical ointment 2 %</i>	(Centany)	1	QL (220 per 30 days)
<i>neuac topical gel 1.2 %(1 % base) -5 %</i>	(clindamycin-benzoyl peroxide)	1	
<i>rosadan topical cream 0.75 %</i>	(metronidazole)	4	
<i>selenium sulfide topical lotion 2.5 %</i>		2	
<i>silver sulfadiazine topical cream 1 %</i>	(SSD)	2	
<i>ssd topical cream 1 %</i>	(silver sulfadiazine)	4	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i>	(Klaron)	4	
<b>Dermatological Anti-Inflammatory Agents</b>			
<i>ala-cort topical cream 1 %</i>	(hydrocortisone)	2	
<i>ala-scalp topical lotion 2 %</i>	(hydrocortisone)	4	
<i>alclometasone topical cream 0.05 %</i>		4	
<i>alclometasone topical ointment 0.05 %</i>		3	
<i>betamethasone dipropionate topical cream 0.05 %</i>		4	
<i>betamethasone dipropionate topical lotion 0.05 %</i>		3	
<i>betamethasone dipropionate topical ointment 0.05 %</i>		4	
<i>betamethasone valerate topical cream 0.1 %</i>		3	
<i>betamethasone valerate topical foam 0.12 %</i>	(Luxiq)	4	
<i>betamethasone valerate topical lotion 0.1 %</i>		3	
<i>betamethasone valerate topical ointment 0.1 %</i>		2	
<i>betamethasone, augmented topical cream 0.05 %</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>betamethasone, augmented topical gel 0.05 %</i>		4	
<i>betamethasone, augmented topical lotion 0.05 %</i>		4	
<i>betamethasone, augmented topical ointment 0.05 %</i>	(Diprolene (augmented))	4	
<i>clobetasol scalp solution 0.05 %</i>		4	
<i>clobetasol topical cream 0.05 %</i>		4	
<i>clobetasol topical foam 0.05 %</i>	(Olux)	4	
<i>clobetasol topical gel 0.05 %</i>		4	
<i>clobetasol topical lotion 0.05 %</i>	(Clobex)	4	
<i>clobetasol topical ointment 0.05 %</i>		4	
<i>clobetasol topical shampoo 0.05 %</i>	(Clobex)	4	
<i>clobetasol-emollient topical cream 0.05 %</i>		4	
<i>clobetasol-emollient topical foam 0.05 %</i>	(Olux-E)	4	
<i>desonide topical cream 0.05 %</i>	(DesOwen)	4	
<i>desonide topical lotion 0.05 %</i>		4	
<i>desonide topical ointment 0.05 %</i>		4	
<i>desoximetasone topical cream 0.05 %</i>	(Topicort)	4	QL (120 per 30 days)
<i>desoximetasone topical cream 0.25 %</i>	(Topicort)	3	QL (120 per 30 days)
<i>desoximetasone topical gel 0.05 %</i>	(Topicort)	4	QL (120 per 30 days)
<i>desoximetasone topical ointment 0.05 %, 0.25 %</i>	(Topicort)	4	
<i>diflorasone topical ointment 0.05 %</i>		4	QL (180 per 30 days)
<i>EUCRISA TOPICAL OINTMENT 2 %</i>		3	
<i>fluocinolone topical cream 0.01 %</i>		4	
<i>fluocinolone topical cream 0.025 %</i>	(Synalar)	4	
<i>fluocinolone topical ointment 0.025 %</i>	(Synalar)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluocinonide topical cream 0.05 %</i>	4	
<i>fluocinonide topical cream 0.1 %</i> (Vanos)	4	
<i>fluocinonide topical gel 0.05 %</i>	4	
<i>fluocinonide topical ointment 0.05 %</i>	4	
<i>fluocinonide topical solution 0.05 %</i>	4	
<i>fluocinonide-emollient topical cream</i> (Fluocinonide-E) <i>0.05 %</i>	4	
<i>fluticasone propionate topical cream</i> <i>0.05 %</i>	2	
<i>fluticasone propionate topical</i> <i>ointment 0.005 %</i>	2	
<i>halobetasol propionate topical cream</i> <i>0.05 %</i>	4	
<i>halobetasol propionate topical</i> <i>ointment 0.05 %</i>	4	
<i>hydrocortisone 2.5% cream</i>	2	
<i>hydrocortisone butyrate topical</i> <i>cream 0.1 %</i>	4	QL (120 per 30 days)
<i>hydrocortisone butyrate topical</i> <i>lotion 0.1 %</i> (Locoid)	4	QL (236 per 30 days)
<i>hydrocortisone butyrate topical</i> <i>ointment 0.1 %</i>	4	QL (120 per 30 days)
<i>hydrocortisone butyrate topical</i> <i>solution 0.1 %</i>	4	QL (120 per 30 days)
<b>HYDROCORTISONE LOTION</b> CMPLT KT 2 %	4	
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	2	
<i>hydrocortisone topical cream with</i> <i>perineal applicator 2.5 %</i> (Procto-Med HC)	2	
<b>HYDROCORTISONE TOPICAL</b> LOTION 2 % (Ala-Scalp)	4	
<i>hydrocortisone topical lotion 2.5 %</i>	2	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	
<i>hydrocortisone topical ointment 2.5 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>hydrocortisone valerate topical cream 0.2 %</i>		4	
<i>hydrocortisone valerate topical ointment 0.2 %</i>		4	
<i>mometasone topical cream 0.1 %</i>		2	
<i>mometasone topical ointment 0.1 %</i>		2	
<i>mometasone topical solution 0.1 %</i>		2	
<i>pimecrolimus topical cream 1 %</i> (Elidel)		4	QL (100 per 30 days)
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	(hydrocortisone)	3	
<i>procosol hc topical cream with perineal applicator 2.5 %</i>	(hydrocortisone)	3	
<i>protozone-hc topical cream with perineal applicator 2.5 %</i>	(hydrocortisone)	3	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>		4	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %, 0.1 %</i>		1	
<i>triamcinolone acetonide topical cream 0.5 %</i>	(Triderm)	1	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>		3	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>		2	
<i>triamcinolone acetonide topical ointment 0.05 %</i>	(Trianex)	2	
<b>Dermatological Retinoids</b>			
<i>adapalene topical cream 0.1 %</i> (Differin)		4	
<i>ALTRENO TOPICAL LOTION 0.05 %</i>		4	PA
<i>tazarotene topical cream 0.05 %</i> (Tazorac)		4	
<i>tazarotene topical cream 0.1 %</i> (Tazorac)		3	
<i>tretinoin topical cream 0.025 %</i> (Avita)		4	PA
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)		4	PA
<i>tretinoin topical gel 0.01 %</i> (Retin-A)		4	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tretinoi</i> n topical gel 0.025 %	(Avita)	4	PA
<i>tretinoi</i> n topical gel 0.05 %	(Atralin)	4	PA
<b>Scabicides And Pediculicides</b>			
<i>malathion</i> topical lotion 0.5 %	(Ovide)	4	
<i>permethrin</i> topical cream 5 %	(Elimite)	3	QL (60 per 30 days)
<b>Devices</b>			
<b>Devices</b>			
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTP 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTP 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTP 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ABOUTTIME PEN NEEDLE NEEDLE 30 GAUGE X 5/16", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ALCOHOL 70% SWABS	(Alcohol Pads)	1	PA; ST
ALCOHOL PADS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	PA; ST
ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	PA; ST
ALCOHOL WIPES TOPICAL PADS, MEDICATED	(alcohol swabs)	1	PA; ST
AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ASSURE ID DUO PRO NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"	2	PA; ST
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"	2	PA; ST
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	PA; ST
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"	2	PA; ST
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	2	PA; ST
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	PA; ST
ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"	2	PA; ST
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"	2	PA; ST
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	2	PA; ST
AUTOSHIELD DUO PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"	2	PA; ST
BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 "	2	PA; ST
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
BD INS SYR UF 0.3 ML 12.7MMX30G 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD INS SYR UF 0.5 ML 12.7MMX30G NOT FOR RETAIL SALE 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
BD INS SYRN UF 1 ML 12.7MMX30G NOT FOR RETAIL SALE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
BD INS SYRNG UF 0.3 ML 8MMX31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
BD INS SYRNG UF 0.5 ML 8MMX31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"		2	PA; ST
BD INSULIN SYR 1 ML 25GX5/8" 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"		2	PA; ST
BD INSULIN SYR 1 ML 27GX12.7MM 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
BD INSULIN SYRINGE SLIP TIP SYRINGE 1 ML	(insulin syringe needleless)	2	PA; ST
BD INSULIN SYRINGE U-500 SYRINGE 1/2 ML 31 GAUGE X 15/64"	(insulin u-500 syringe- needle)	2	PA; ST
BD LUER-LOK SYRINGE 1 ML	(Easy Touch Luer Lock Insulin)	2	PA; ST
BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"		2	PA; ST
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"		2	PA; ST
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"		2	PA; ST
BD SINGLE USE SWAB	(alcohol swabs)	1	PA; ST
BD UF MICRO PEN NEEDLE 6MMX32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
BD UF MINI PEN NEEDLE 5MMX31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
BD UF ORIG PEN NDL 12.7MMX29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
BD UF SHORT PEN NEEDLE 8MMX31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
BORDERED GAUZE 2"X2" 2 X 2 "	(gauze bandage)	1	PA; ST
CAREFINE PEN NEEDLE 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLE 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH ALCOHOL 70% PREP PAD	(alcohol swabs)	1	PA; ST
CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"		2	PA; ST
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16		2	PA; ST
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ 0.3 ML 31G 15/64" 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ 0.5 ML 31G 15/64" 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 1 ML 31G 15/64" 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"		2	PA; ST
COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	PA; ST
COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic, safety)	2	PA; ST
COMFORT EZ PRO PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"		2	PA; ST
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"		2	PA; ST
COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	PA; ST
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 8MM 32 GAUGE X 5/16"	2	PA; ST
COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	2	PA; ST
COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 6MM 33 GAUGE X 1/4"	2	PA; ST
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX5MM 33 GAUGE X 3/16"	2	PA; ST
CURAD GAUZE PADS 2" X 2" 2 X (gauze bandage) 2 "	1	PA; ST
CURITY ALCOHOL PREPS 2 (alcohol swabs) PLY,MEDIUM	1	PA; ST
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "	1	PA; ST
CURITY GUAZE PADS 1'S(12 (gauze bandage) PLY) 2 X 2 "	1	PA; ST
DERMACEA 2"X2" GAUZE 12 (gauze bandage) PLY, USP TYPE VII 2 X 2 "	1	PA; ST
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	PA; ST
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPLET 0.3 ML 29G 12.7MM(1/2) 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
DROPLET 0.3 ML 30G 12.7MM(1/2) 0.3 ML 30 GAUGE X 1/2"		2	PA; ST
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"		2	PA; ST
DROPLET INS 0.3 ML 29GX12.5MM 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS 0.3 ML 30G 8MM(1/2) 0.3 ML 30 GAUGE X 5/16"		2	PA; ST
DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS 0.3 ML 31G 6MM(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	2	PA; ST
DROPLET INS 0.3 ML 31G 8MM(1/2) 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
DROPLET INS 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS 0.5 ML 30G 12.7MM 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"		2	PA; ST
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"		2	PA; ST
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"		2	PA; ST
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"		2	PA; ST
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 29GX12.5MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"		2	PA; ST
DROPLET INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPLET INS SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"		2	PA; ST
DROPLET PEN NEEDLE 29G 10MM 29 GAUGE X 3/8"		2	PA; ST
DROPLET PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
DROPSAFE ALCOHOL 70% PREP PADS	(alcohol swabs)	1	PA; ST
DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64"	2	PA; ST
DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	2	PA; ST
DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"	2	PA; ST
DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"	2	PA; ST
DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2"	2	PA; ST
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	PA; ST
DROPSAFE PEN NEEDLE (pen needle, diabetic, 31GX3/16" 31 GAUGE X 3/16" safety)	2	PA; ST
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	PA; ST
DRUG MART ULTRA COMFORT (insulin syringe-needle SYR 0.3 ML 29 GAUGE X 1/2", 0.3 u-100) ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	2	PA; ST
EASY CMFT SFTY PEN NDL 31G (pen needle, diabetic, 5MM 31 GAUGE X 3/16" safety)	2	PA; ST
EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"	2	PA; ST
EASY COMFORT 0.3 ML 31G (insulin syringe-needle 5/16" 0.3 ML 31 GAUGE X 5/16" u-100)	2	PA; ST
EASY COMFORT 0.3 ML (insulin syringe-needle SYRINGE 0.3 ML 30 GAUGE X u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"		2	PA; ST
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"		2	PA; ST
EASY COMFORT ALCOHOL 70% PAD	(alcohol swabs)	1	PA; ST
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT SYR 0.5 ML 29G 8MM 1/2 ML 29 X5/16 "	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY COMFORT SYR 1 ML 29G 8MM 1 ML 29 GAUGE X 5/16		2	PA; ST
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"		2	PA; ST
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED	(alcohol swabs)	1	PA; ST
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"		2	PA; ST
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"		2	PA; ST
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"		2	PA; ST
EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"		2	PA; ST
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"		2	PA; ST
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		2	PA; ST
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		2	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		2	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		2	PA; ST
EASY TOUCH LUER LOK INSUL 1 ML	(insulin syringe needleless)	2	PA; ST
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"		2	PA; ST
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"		2	PA; ST
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"		2	PA; ST
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	PA; ST
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH UNI-SLIP SYR 1 ML	(insulin syringe needleless)	2	PA; ST
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE 0.3 ML 30	(Ultra Comfort Insulin Syringe)	2	PA; ST
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE	(Ultra Comfort Insulin Syringe)	2	PA; ST
EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16"	(Ultra Comfort Insulin Syringe)	2	PA; ST
FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE (OTC) 1 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE	(Ultra Comfort Insulin Syringe)	2	PA; ST
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	(gauze bandage)	1	PA; ST
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	PA; ST
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE		2	PA; ST
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTP 12MM 29G 29 GAUGE X 1/2"		2	PA; ST
HEB INCONTROL ALCOHOL 70% PADS	(alcohol swabs)	1	PA; ST
INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
INCONTROL PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
INCONTROL PEN NEEDLE 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
INCONTROL PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
INCONTROL PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN		3	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN		3	
INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(Droplet Insulin Syr(half unit))	2	PA; ST
INSULIN SYRIN 0.5 ML 28GX1/2" (OTC) 1/2 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
INSULIN SYRIN 0.5 ML 29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRIN 0.5 ML 30GX1/2" (RX) 0.5 ML 30 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
INSULIN SYRING 0.5 ML 27G 1/2" OUTER 1/2 ML 27 GAUGE X 1/2"	(Easy Touch Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 0.5 ML 1/2 ML 29	(insulin syringe-needle u-100)	2	PA; ST
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(Droplet Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE		2	PA; ST
INSULIN SYRINGE 1 ML 27G 1/2" INNER 1 ML 27 GAUGE X 1/2"	(Easy Touch Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 16MM 1 ML 27 GAUGE X 5/8"	(BD SafetyGlide Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2"	(BD Eclipse Luer-Lok)	2	PA; ST
INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16	(Advocate Syringes)	2	PA; ST
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(Droplet Insulin Syringe)	2	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE	(Ultilet Insulin Syringe)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE	(Monoject Syringe)	2	PA; ST
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
IV ANTISEPTIC WIPES	(alcohol swabs)	1	PA; ST
KENDALL ALCOHOL 70% PREP PAD	(alcohol swabs)	1	PA; ST
LISCO SPONGES 100/BAG 2 X 2 "		1	PA; ST
LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	PA; ST
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
LITETOUGH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUGH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUGH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUGH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUGH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUGH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUGH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUGH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUGH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUGH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"		2	PA; ST
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"		2	PA; ST
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"		2	PA; ST
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
MICRODOT READYGARD NDL 31G 5MM OUTER 31 GAUGE X 3/16"		2	PA; ST
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(1st Tier Unifine Pentips)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(CareFine Pen Needle)	2	PA; ST
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(CareFine Pen Needle)	2	PA; ST
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(Comfort EZ Pen Needles)	2	PA; ST
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(Advocate Pen Needle)	2	PA; ST
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	(Comfort EZ Pen Needles)	2	PA; ST
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	2	PA; ST
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)	(insulin syringes (disposable))	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16" u-100)	(insulin syringe-needle	2	PA; ST
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16" u-100)	(insulin syringe-needle	2	PA; ST
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"		2	PA; ST
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
NANO 2 GEN PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
NOVOFINE 30 NEEDLE		2	PA; ST
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"		2	PA; ST
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"		2	PA; ST
OMNIPOD 5 (G6/LIBRE 2 PLUS) SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)
OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
OMNIPOD 5 INTRO(G6/LIBRE2PLUS) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)	
OMNIPOD CLASSIC PDM KIT(GEN 3)	3	QL (1 per 365 days)	
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)	
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)	
OMNIPOD DASH PDM KIT (GEN 4)	3	QL (1 per 365 days)	
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)	
PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
PEN NEEDLE 30G 5MM OUTER 30 GAUGE X 3/16"	(Embrace Pen Needle)	2	PA; ST
PEN NEEDLE 30G 8MM INNER 30 GAUGE X 5/16"	(CareFine Pen Needle)	2	PA; ST
PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	(1st Tier Unifine Pentips Plus)	2	PA; ST
PEN NEEDLES 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
PEN NEEDLES 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4"	(1st Tier Unifine Pentips)	2	PA; ST
PEN NEEDLES 8MM 31G 31GX8MM, STRL, SHORT (OTC) 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
PENTIPS PEN NEEDLE 29G 1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 31G 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 32G 1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		2	PA; ST
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		2	PA; ST
PRO COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	PA; ST
PRO COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		2	PA; ST
PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		2	PA; ST
PURE COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	PA; ST
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"		2	PA; ST
RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort Touch Pen Needle)	2	PA; ST
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"		2	PA; ST
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(Comfort EZ Insulin Syringe)	2	PA; ST
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(Comfort EZ Insulin Syringe)	2	PA; ST
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	(Comfort EZ Insulin Syringe)	2	PA; ST
RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29	(Ultilet Insulin Syringe)	2	PA; ST
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"		2	PA; ST
RELION MINI PEN 31G X 1/4" NDL 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"		2	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"		2	PA; ST
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"		2	PA; ST
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort EZ PRO Safety Pen Ndl)	2	PA; ST
SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	2	PA; ST	
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	2	PA; ST	
SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"	2	PA; ST	
SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"	2	PA; ST	
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	2	PA; ST	
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	2	PA; ST	
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST	
STERILE PADS 2" X 2" 2 X 2 " (gauze bandage)	1	PA; ST	
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST	
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST	
NEEDLES, INSULIN DISP., SAFETY	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT ALCOHOL PREP PADS	(alcohol swabs)	1	PA; ST
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
SURE-PREP ALCOHOL PREP PADS	(alcohol swabs)	1	PA; ST
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"		2	PA; ST
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"		2	PA; ST
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"		2	PA; ST
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"		2	PA; ST
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		2	PA; ST
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
TECHLITE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TERUMO INS SYRINGE U100-1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"		2	PA; ST
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"		2	PA; ST
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"		2	PA; ST
TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"		2	PA; ST
TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		2	PA; ST
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		2	PA; ST
TRUE COMFORT 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"		2	PA; ST
TRUE COMFORT 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
TRUE COMFORT 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"		2	PA; ST
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TRUE COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	PA; ST
TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"		2	PA; ST
TRUE COMFORT PRO ALCOHOL PADS	(alcohol swabs)	1	PA; ST
TRUE COMFORT SFTY 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"		2	PA; ST
TRUE COMFR PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUE COMFR SFTY 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16"		2	PA; ST
TRUE COMFR SFTY 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"		2	PA; ST
TRUE COMFR SFTY 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUEPLUS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	2	PA; ST
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE INS SYR 0.3 ML 30G 8MM 0.3 ML 30 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
ULTICARE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
ULTICARE INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE INS SYR 0.5 ML 31G 8MM (OTC) 0.5 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	PA; ST
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTICARE SYR 0.3 ML 29G 12.7MM 0.3 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	PA; ST
ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"		2	PA; ST
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"		2	PA; ST
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"		2	PA; ST
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"		2	PA; ST
ULTIGUARD SAFEPACK 29G 12.7MM 29 GAUGE X 1/2"		2	PA; ST
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"		2	PA; ST
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"		2	PA; ST
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"		2	PA; ST
ULTIGUARD SAFEPACK 32G 4MM 32 GAUGE X 5/32"		2	PA; ST
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"		2	PA; ST
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTIGUARD SAFEPEK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"		2	PA; ST
ULTILET ALCOHOL STERL SWAB	(alcohol swabs)	1	PA; ST
ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTILET PEN NEEDLE 29 GAUGE		2	PA; ST
ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"		2	PA; ST
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRA-FINE 0.3 ML 30G 12.7MM 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE 0.3 ML 31G 6MM (1/2) 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
ULTRA-FINE 0.3 ML 31G 8MM (1/2) 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
ULTRA-FINE 0.5 ML 30G 12.7MM 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE INS SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRA-FINE PEN NDL 29G 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ULTRA-FINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTRA-FINE SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE SYR 1 ML 30G 12.7MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE OTC PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE OTC PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS 31GX3/16" 31GX5MM, STRL, MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE		2	PA; ST
UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 31GX3/16" MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 31GX5/16" SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
UNIFINE SAFECONTROL 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
UNIFINE SAFECONTROL 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
UNIFINE SAFECONTROL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
UNIFINE SAFECONTROL 31G 6MM 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
UNIFINE SAFECONTROL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
UNIFINE ULTRA PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
UNIFINE ULTRA PEN NDL 31G 6MM 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
UNIFINE ULTRA PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
UNIFINE ULTRA PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"	2	PA; ST
VANISHPOINT U-100 29X1/2 SYR 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
VERIFINE INS SYR 1 ML 29G 1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
VERIFINE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32"		2	PA; ST
VERIFINE SYRING 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
VERIFINE SYRING 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
VERIFINE SYRNG 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
VERIFINE SYRNG 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "		1	PA; ST
V-GO 20 DEVICE		3	QL (30 per 30 days)
V-GO 30 DEVICE		3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
V-GO 40 DEVICE	3	QL (30 per 30 days)
WEBCOL ALCOHOL PREPS 20'S,LARGE (alcohol swabs)	1	PA; ST
<b>Enzyme Cofactors/Chaperones</b>		
<b>Enzyme Cofactors/Chaperones</b>		
MIPLYFFA ORAL CAPSULE 124 MG, 47 MG, 62 MG, 93 MG	5	PA; NDS; QL (90 per 30 days)
<b>Enzyme Replacement/Modifiers</b>		
<b>Enzyme Replacement/Modifiers</b>		
CERDELGA ORAL CAPSULE 84 MG	5	PA; NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NDS; QL (14 per 28 days)
<i>javygtor oral tablet,soluble 100 mg</i> (sapropterin)	5	PA; NDS
<i>miglustat oral capsule 100 mg</i> (Yargesa)	5	PA; NDS; QL (90 per 30 days)
<i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Orfadin)	5	PA; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NDS
sapropterin oral tablet,soluble 100 mg (Javygtor)	5	PA; NDS
STRENsiQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; LA; NDS
yargesa oral capsule 100 mg (miglustat)	5	PA; NDS; QL (90 per 30 days)
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000- 126,000- 168,000 UNIT, 5,000- 17,000- 24,000 UNIT, 60,000- 189,600- 252,600 UNIT	3	

## **Eye, Ear, Nose, Throat Agents**

### **Eye, Ear, Nose, Throat Agents, Miscellaneous**

apraclonidine ophthalmic (eye) drops 0.5 %	4	
atropine ophthalmic (eye) drops 1 % (Isopto Atropine)	3	
azelastine nasal spray,non-aerosol 137 mcg (0.1 %)	2	QL (60 per 30 days)
azelastine nasal spray,non-aerosol 205.5 mcg (0.15 %) (Astupro Allergy)	2	QL (30 per 25 days)
azelastine ophthalmic (eye) drops 0.05 %	3	
bepotastine besilate ophthalmic (eye) drops 1.5 % (Bepreve)	4	ST
cromolyn ophthalmic (eye) drops 4 %	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	4	
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	3	QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	3	QL (15 per 10 days)
<i>olopatadine nasal spray,non-aerosol 0.6 %</i>	4	QL (30.5 per 30 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %</i>	(Eye Allergy Itch-Redness Relf) 2	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i>	(Eye Allergy Itch Relief) 2	
<b>Eye, Ear, Nose, Throat Anti-Infectives Agents</b>		
<i>acetic acid otic (ear) solution 2 %</i>	2	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	4	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i>	(Polycin) 2	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	2	
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>	4	QL (7.5 per 7 days)
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	QL (3.5 per 4 days)
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i>	4	
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	3	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	3	
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	4	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i>	(Vigamox) 3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %		4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	(Neo-Polycin HC)	3	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	(Neo-Polycin)	3	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	(Maxitrol)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	(Maxitrol)	2	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>		3	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>		4	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>		4	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>		4	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	(neomycin-bacitracin-poly-hc)	3	
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	(neomycin-bacitracin-polymyxin)	3	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i>	(Ocuflax)	2	
<i>ofloxacin otic (ear) drops 0.3 %</i>		3	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	(bacitracin-polymyxin b)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>	1		
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	3		
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	4		
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	2		
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>	1		
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	4		
<i>trifluridine ophthalmic (eye) drops 1 %</i>	4		
<b>XDEMVY OPHTHALMIC (EYE) DROPS 0.25 %</b>	5	PA; NDS; QL (10 per 42 days)	
<b>ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %</b>	4		
<b>ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %</b>	3		
<b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>			
<b>ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %</b>	(loteprednol etabonate)	3	ST
<b>bromfenac ophthalmic (eye) drops 0.07 %</b>	(Prolensa)	4	
<b>bromfenac ophthalmic (eye) drops 0.075 %</b>	(BromSite)	4	
<b>bromfenac ophthalmic (eye) drops 0.09 %</b>		4	
<b>cyclosporine ophthalmic (eye) dropperette 0.05 %</b>	(Restasis)	4	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	3	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	
<i>diluprednate ophthalmic (eye) drops (Durezol) 0.05 %</i>	4	
<b>EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %</b>	3	QL (8.3 per 14 days)
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	4	QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i>	4	
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i>	4	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	3	
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i>	1	QL (16 per 30 days)
<b>ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %</b>	3	
<b>INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %</b>	3	QL (5.6 per 14 days)
<i>ketorolac ophthalmic (eye) drops 0.5 % (Acular)</i>	2	QL (10 per 25 days)
<b>LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %</b>	3	QL (3.5 per 14 days)
<b>LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %</b>	3	QL (5 per 16 days)
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i>	4	QL (10 per 14 days)
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %</i>	4	ST
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i>	4	QL (15 per 19 days)
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i>	4	QL (34 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i>	(Pred Forte)	4
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>		3
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %		3 QL (60 per 30 days)
<b>Gastrointestinal Agents</b>		
<b>Antiulcer Agents And Acid Suppressants</b>		
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>		4
<i>cimetidine hcl oral solution 300 mg/5 ml</i>		3
<i>cimetidine oral tablet 200 mg</i>	(Acid Reducer (cimetidine))	3
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>		3
<i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg</i>	(Acid Reducer (esomeprazole))	3 QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg</i>	(Nexium)	3 QL (60 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i>	(Nexium Packet)	4 ST; QL (30 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i>	(Nexium Packet)	4 ST; QL (60 per 30 days)
<i>famotidine oral suspension for reconstitution 40 mg/5 ml (8 mg/ml)</i>		4
<i>famotidine oral tablet 20 mg</i>	(Acid Controller)	1
<i>famotidine oral tablet 40 mg</i>	(Pepcid)	1
<i>lansoprazole oral capsule,delayed release(dr/ec) 15 mg</i>	(Acid Reducer (lansoprazole))	3 QL (30 per 30 days)
<i>lansoprazole oral capsule,delayed release(dr/ec) 30 mg</i>	(Prevacid)	3 QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>misoprostol oral tablet 100 mcg, 200 mcg (Cytotec)</i>	3	
<i>nizatidine oral capsule 150 mg, 300 mg</i>	4	
<i>nizatidine oral solution 150 mg/10 ml</i>	4	
<i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>	1	
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram (Zegerid OTC)</i>	5	ST; NDS; QL (30 per 30 days)
<i>omeprazole-sodium bicarbonate oral capsule 40-1.1 mg-gram</i>	4	ST; QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg (Protonix)</i>	1	QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg (Protonix)</i>	1	QL (60 per 30 days)
<i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg (AcipHex)</i>	3	QL (30 per 30 days)
<i>sucralfate oral tablet 1 gram (Carafate)</i>	2	
<b>Gastrointestinal Agents, Other</b>		
<i>carglumic acid oral tablet, dispersible 200 mg (Carbaglu)</i>	5	PA; NDS
<i>constulose oral solution 10 gram/15 ml (lactulose)</i>	2	
<i>cromolyn oral concentrate 100 mg/5 ml (Gastrocrom)</i>	4	
<i>dicyclomine oral capsule 10 mg</i>	2	
<i>dicyclomine oral solution 10 mg/5 ml</i>	4	
<i>dicyclomine oral tablet 20 mg</i>	2	
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	4	PA-HRM; AGE (Max 64 Years)
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg (Lomotil)</i>	2	PA-HRM; AGE (Max 64 Years)
<i>enulose oral solution 10 gram/15 ml (lactulose)</i>	2	
<i>GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG</i>	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>generlac oral solution 10 gram/15 ml</i> (lactulose)	2	
<i>glycopyrrolate oral tablet 1 mg</i> (Robinul)	3	
<i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)	3	
IQIRVO ORAL TABLET 80 MG	5	PA; NDS; QL (30 per 30 days)
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml, 15-20 gram/60 ml</i>	3	
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	2	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LIVDELZI ORAL CAPSULE 10 MG	5	PA; NDS; QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	3	
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	2	
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i> (Amitiza)	4	QL (60 per 30 days)
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	4	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	2	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NDS
RELISTOR ORAL TABLET 150 MG	5	PA; NDS; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	5	PA; NDS; QL (16.8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	5	PA; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	5	PA; NDS; QL (11.2 per 28 days)
<i>sodium phenylbutyrate oral tablet</i> (Buphenyl) 500 mg	5	PA; NDS
<i>sodium polystyrene sulfonate oral powder</i>	4	
<i>sps (with sorbitol) oral suspension</i> 15-20 gram/60 ml	3	
<i>ursodiol oral capsule 200 mg, 400 mg</i> (Reltone)	5	NDS
<i>ursodiol oral capsule 300 mg</i>	3	
<i>ursodiol oral tablet 250 mg</i>	3	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	3	
VELTASSA ORAL POWDER IN PACKET 1 GRAM, 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	
XERMELO ORAL TABLET 250 MG	5	PA; NDS; QL (84 per 28 days)
<b>Laxatives</b>		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML	3	
<i>gavilyte-c oral recon soln 240-22.72- (peg 3350-electrolytes)</i> 6.72 -5.84 gram	2	
<i>gavilyte-g oral recon soln 236-22.74- (peg 3350-electrolytes)</i> 6.74 -5.86 gram	2	
<i>gavilyte-n oral recon soln 420 gram (peg-electrolyte soln)</i>	3	
<i>peg 3350-electrolytes oral recon soln (GaviLyte-G)</i> 236-22.74-6.74 -5.86 gram	2	
<i>peg-electrolyte soln oral recon soln (GaviLyte-N)</i> 420 gram	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
sodium,potassium,mag sulfates oral (Suprep Bowel Prep Kit) recon soln 17.5-3.13-1.6 gram	3	
sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)	4	
SUTAB ORAL TABLET 1.479- 0.188- 0.225 GRAM	3	
<b>Phosphate Binders</b>		
calcium acetate(phosphat bind) oral capsule 667 mg	3	
calcium acetate(phosphat bind) oral tablet 667 mg	3	
lanthanum oral tablet,chewable (Fosrenol) 1,000 mg, 500 mg, 750 mg	5	NDS
sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram	4	
sevelamer carbonate oral tablet 800 mg (Renvela)	4	
sevelamer hcl oral tablet 400 mg, 800 mg	4	
<b>Genitourinary Agents</b>		
<b>Antispasmodics, Urinary</b>		
bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg	3	
fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg	4	
flavoxate oral tablet 100 mg	4	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG (mirabegron)	2	
oxybutynin chloride oral syrup 5 mg/5 ml	2	
oxybutynin chloride oral tablet 2.5 mg, 5 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>	2	
<i>solifenacin oral tablet 10 mg, 5 mg (Vesicare)</i>	1	
<i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i>	4	
<i>tolterodine oral tablet 1 mg, 2 mg</i>	4	
<i>trospium oral capsule, extended release 24hr 60 mg</i>	4	
<i>trospium oral tablet 20 mg</i>	3	
<b>Genitourinary Agents, Miscellaneous</b>		
<i>alfuzosin oral tablet extended release (Uroxatral) 24 hr 10 mg</i>	2	QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg (Avodart)</i>	2	
<i>dutasteride-tamsulosin oral capsule, (Jalyn) er multiphase 24 hr 0.5-0.4 mg</i>	4	
<i>finasteride oral tablet 5 mg (Proscar)</i>	1	
<i>tamsulosin oral capsule 0.4 mg (Flomax)</i>	1	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
<i>tiopronin oral tablet 100 mg (Thiola)</i>	5	NDS
<b>Heavy Metal Antagonists</b>		
<b>Heavy Metal Antagonists</b>		
<i>deferasirox oral granules in packet (Jadenu Sprinkle) 180 mg, 360 mg, 90 mg</i>	5	PA; NDS
<i>deferasirox oral tablet 180 mg, 360 mg, 90 mg (Jadenu)</i>	3	PA
<i>deferasirox oral tablet, dispersible (Exjade) 125 mg, 250 mg, 500 mg</i>	4	PA
<i>deferiprone oral tablet 1,000 mg, 500 mg (Ferriprox)</i>	5	PA; NDS
<b>FERRIPROX ORAL SOLUTION 100 MG/ML</b>	5	PA; NDS
<i>penicillamine oral tablet 250 mg (Depen Titratabs)</i>	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>trientine oral capsule 250 mg</i>	(Syprine)	5	PA; NDS; QL (240 per 30 days)
<b>Hormonal Agents, Stimulant/Replacement/Modifying</b>			
<b>Androgens</b>			
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>		4	
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i>		4	PA
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i>	(Depo-Testosterone)	2	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>		2	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>		3	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i>	(Vogelxo)	4	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i>	(AndroGel)	4	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i>	(AndroGel)	4	PA; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i>		4	PA; QL (180 per 30 days)
<b>XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML</b>		3	PA; QL (2 per 28 days)
<b>Estrogens And Antiestrogens</b>			
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	(estradiol-norethindrone acet)	4	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(estradiol)	4	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
DUAVEE ORAL TABLET 0.45-20 MG		3	PA-HRM; AGE (Max 64 Years)
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>	(Estrace)	1	PA-HRM; AGE (Max 64 Years)
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(Dotti)	4	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(Climara)	4	PA-HRM; QL (4 per 28 days); AGE (Max 64 Years)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i>	(Estrace)	3	
<i>estradiol vaginal tablet 10 mcg</i>	(Yuvafem)	4	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml</i>	(Delestrogen)	4	
<i>estradiol valerate intramuscular oil 40 mg/ml</i>		4	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i>		4	PA-HRM; AGE (Max 64 Years)
<i>estradiol-norethindrone acet oral tablet 1-0.5 mg</i>	(Mimvey)	4	PA-HRM; AGE (Max 64 Years)
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR		4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	(norethindrone ac-eth estradiol)	3	PA-HRM; AGE (Max 64 Years)
<i>jinteli oral tablet 1-5 mg-mcg</i>	(norethindrone ac-eth estradiol)	3	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(estradiol)	4	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>mimvey oral tablet 1-0.5 mg</i>	(estradiol-norethindrone acet)	4	PA-HRM; AGE (Max 64 Years)
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	(Fyavolv)	3	PA-HRM; AGE (Max 64 Years)
<i>PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG</i>		3	PA-HRM; AGE (Max 64 Years)
<i>PREMARIN ORAL TABLET 0.625 MG, 1.25 MG</i>	(conjugated estrogens)	3	PA-HRM; AGE (Max 64 Years)
<i>PREMARIN VAGINAL CREAM 0.625 MG/GRAM</i>		3	
<i>PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)</i>		3	PA-HRM; AGE (Max 64 Years)
<i>PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG</i>		3	PA-HRM; AGE (Max 64 Years)
<i>raloxifene oral tablet 60 mg</i>	(Evista)	3	
<i>yuvafem vaginal tablet 10 mcg</i>	(estradiol)	4	QL (18 per 28 days)
<b>Glucocorticoids/Mineralocorticoids</b>			
<i>dexamethasone oral solution 0.5 mg/5 ml</i>		2	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>		2	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>		1	
<i>fludrocortisone oral tablet 0.1 mg</i>		2	
<i>HEMADY ORAL TABLET 20 MG</i>		4	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>	(Cortef)	2	
<i>methylprednisolone acetate injection suspension 40 mg/ml</i>	(Depo-Medrol)	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)	2	
<i>methylprednisolone oral tablet 32 mg</i>	2	
<i>methylprednisolone oral tablets,dose pack 4 mg</i> (Medrol (Pak))	1	
<i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	4	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	4	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	4	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD
<i>prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	2	
<b>Pituitary</b>		
<i>ACTHAR INJECTION GEL 80 UNIT/ML</i>	5	PA; NDS; QL (35 per 28 days)
<i>ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 40 UNIT/0.5 ML</i>	5	PA; NDS; QL (15 per 30 days)
<i>ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 80 UNIT/ML</i>	5	PA; NDS; QL (30 per 30 days)
<i>CORTROPHIN GEL INJECTION GEL 80 UNIT/ML</i>	5	PA; NDS; QL (35 per 28 days)
<i>CORTROPHIN GEL SUBCUTANEOUS SYRINGE 40 UNIT/0.5 ML</i>	5	PA; NDS; QL (15 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CORTROPHIN GEL SUBCUTANEOUS SYRINGE 80 UNIT/ML	5	PA; NDS; QL (30 per 30 days)
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	4	
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	4	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg (DDAVP)</i>	3	
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NDS; QL (30 per 30 days)
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	PA; NDS
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml (Somatuline Depot)</i>	5	PA NSO; NDS; QL (0.5 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	PA NSO; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	5	PA NSO; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG	5	PA; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG, 7.5 MG (PED)	5	PA; NDS
LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA; NDS
NORDITROPIN FLEXPRESS SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>octreotide acetate injection solution 1,000 mcg/ml, 200 mcg/ml</i>	4	
<i>octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	(Sandostatin) 4	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NDS; QL (56 per 28 days)
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	(lanreotide) 5	PA NSO; NDS; QL (0.2 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	(lanreotide) 5	PA NSO; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NDS
SYNAREL NASAL SPRAY, NON- AEROSOL 2 MG/ML	5	PA; NDS
<b>Progestins</b>		
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	3	QL (0.65 per 84 days)
<i>gallifrey oral tablet 5 mg</i>	(norethindrone acetate) 3	
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i>	(Depo-Provera) 2	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i>	(Depo-Provera) 2	QL (1 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg (Provera)</i>	1	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i>	4	PA-HRM; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5 mg (Gallifrey)</i>	3	
<i>progesterone micronized oral capsule 100 mg, 200 mg (Prometrium)</i>	3	
<b>Thyroid And Antithyroid Agents</b>		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg (Synthroid)</i>	1	
<i>liothyronine oral tablet 25 mcg, 50 mcg (Cytomel)</i>	3	
<i>methimazole oral tablet 10 mg, 5 mg (Tapazole)</i>	1	
<i>propylthiouracil oral tablet 50 mg (PMS-U)</i>	3	
<i>SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG (levothyroxine)</i>	3	
<b>Immunological Agents</b>		
<b>Immunological Agents</b>		
<i>ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML (Rofercept)</i>	5	PA; NDS
<i>ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML) (Rofercept)</i>	5	PA; NDS
<i>ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML (Rofercept)</i>	5	PA; NDS
<i>ARCALYST SUBCUTANEOUS RECON SOLN 220 MG (Rilonacept)</i>	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE 24HR 0.5 MG, 1 MG	(tacrolimus)	4	PA BvD
ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE 24HR 5 MG	(tacrolimus)	5	PA BvD; NDS
<i>auranofin oral capsule 3 mg</i>	(Ridaura)	5	NDS
AVSOLA INTRAVENOUS RECON SOLN 100 MG		5	PA; NDS
<i>azathioprine oral tablet 50 mg</i>	(Imuran)	3	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>		2	PA BvD
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML		5	PA; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML		5	PA; NDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML		5	PA NSO; NDS; QL (2 per 28 days)
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)		5	PA; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)		5	PA; NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML		5	PA; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML		5	PA; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML		5	PA; NDS
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML		5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cyclosporine intravenous solution 250 mg/5 ml</i>	(Sandimmune)	4	PA BvD
<i>cyclosporine modified oral capsule 100 mg, 25 mg</i>	(Gengraf)	4	PA BvD
<i>cyclosporine modified oral capsule 50 mg</i>		4	PA BvD
<i>cyclosporine modified oral solution 100 mg/ml</i>	(Gengraf)	4	PA BvD
<i>cyclosporine oral capsule 100 mg, 25 mg</i>	(Sandimmune)	4	PA BvD
CYLTEZO(CF) PEN CROHN'S-UC- HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML	(adalimumab-adbm)	5	PA; NDS
CYLTEZO(CF) PEN PSORIASIS- UV SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML	(adalimumab-adbm)	5	PA; NDS
CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.4 ML, 40 MG/0.8 ML	(adalimumab-adbm)	5	PA; NDS
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML		5	PA; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML		5	PA; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)		5	PA; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)		5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NDS
<i>everolimus (immunosuppressive) oral</i> (Zortress) tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg	5	PA BvD; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NDS
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %)	5	PA BvD; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)	4	PA BvD
<i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified)	4	PA BvD
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS; Only NDCs starting with 00074

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NDS; Only NDCs starting with 00074
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NDS
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NDS
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
<i>infliximab intravenous recon soln 100 mg</i> (Remicade)	5	PA; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	4	
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i>	4	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i>	4	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i>	5	PA BvD; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i>	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i>	(Myfortic)	4	PA BvD
NIKTIMVO INTRAVENOUS SOLUTION 50 MG/ML		5	PA NSO; NDS
NULOJIX INTRAVENOUS RECON SOLN 250 MG		5	PA BvD; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG		5	PA; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML		5	PA; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML		5	PA; NDS
OTEZLA ORAL TABLET 20 MG, 30 MG		5	PA; NDS
OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)-20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)		5	PA; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML		4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG		4	PA BvD
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML		4	ST
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG		5	PA; NDS
REZUROCK ORAL TABLET 200 MG		5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RIDAURA ORAL CAPSULE 3 MG (auranofin)	5	NDS
RINVOQ LQ ORAL SOLUTION 1 MG/ML	5	PA; NDS; QL (360 per 30 days)
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	5	PA; NDS
SELARSDI INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NDS
SELARSDI SUBCUTANEOUS SYRINGE 90 MG/ML	5	PA; NDS
<i>sirolimus oral solution 1 mg/ml</i>	5	PA BvD; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>	4	PA BvD
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)	5	PA; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML (ustekinumab)	5	PA; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML (ustekinumab)	5	PA; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML (ustekinumab)	5	PA; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TAVNEOS ORAL CAPSULE 10 MG	5	PA; NDS; QL (180 per 30 days)
TREMFYA INTRAVENOUS SOLUTION 200 MG/20 ML (10 MG/ML)	5	PA; NDS
TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML	5	PA; NDS
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML	5	PA; NDS
TYENNE AUTOINJECTOR SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NDS
TYENNE INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NDS
TYENNE SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NDS
YESINTEK INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NDS
YESINTEK SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NDS
YESINTEK SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
YUFLYMA(CF) AI CROHN'S-UC- HS SUBCUTANEOUS AUTO-INJECTOR, KIT 80 MG/0.8 ML (adalimumab-aaty)	5	PA; NDS
YUFLYMA(CF) AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR, KIT 40 MG/0.4 ML, 80 MG/0.8 ML (adalimumab-aaty)	5	PA; NDS
YUFLYMA(CF) SUBCUTANEOUS SYRINGE KIT 20 MG/0.2 ML, 40 MG/0.4 ML (adalimumab-aaty)	5	PA; NDS
<b>Vaccines</b>		
ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	6	\$0 copay
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	\$0 copay
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	\$0 copay
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	6	\$0 copay
AREXVY ANTIGEN COMPONENT 120 MCG	6	\$0 copay
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	6	\$0 copay
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	6	\$0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	6	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5- 8-5 LF-MCG-LF/0.5ML	6	\$0 copay
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	6	
DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	6	QL (3 per 365 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	6	PA BvD; \$0 copay
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	6	PA BvD; \$0 copay
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	6	PA BvD; \$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	6	\$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	6	\$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML	6	\$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	6	
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	6	PA BvD; \$0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	6	PA BvD; \$0 copay
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	6	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	6	\$0 copay
IXCHIQ (PF) INTRAMUSCULAR RECON SOLN 1,000 TCID50/0.5 ML	6	\$0 copay
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	6	\$0 copay
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	6	\$0 copay
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	6	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	6	\$0 copay
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	6	\$0 copay
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	6	\$0 copay
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	6	\$0 copay
MRESVIA (PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML	6	\$0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	6	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	6	
PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML	6	\$0 copay
PENBRAYA MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 5 MCG/0.5 ML	6	\$0 copay
PENBRAYA MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	6	\$0 copay
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF- 20MCG-5LF- 62 DU/0.5 ML	6	
PREHEVBARIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	6	PA BvD; \$0 copay
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2- 3.3CCID50/0.5ML	6	\$0 copay
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	6	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	6	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	6	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	6	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	6	PA BvD; \$0 copay
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	6	
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	6	
ROTAQUE VACCINE ORAL SOLUTION 2 ML	6	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	6	\$0 copay; QL (2 per 365 days)
TDVAX INTRAMUSCULAR (tetanus-diphtheria SUSPENSION 2-2 LF UNIT/0.5 ML toxoids-td)	6	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	6	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	6	\$0 copay
TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	6	
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	6	\$0 copay
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	6	\$0 copay
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	6	\$0 copay
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	6	\$0 copay
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	6	\$0 copay
(typhoid vi polysacch vaccine)		
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML	6	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML	6	\$0 copay
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML	6	
VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML	6	\$0 copay
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	6	\$0 copay
VAXCHORA VACCINE ORAL SUSPENSION FOR RECONSTITUTION 4X10EXP8 TO 2X 10EXP9 CF UNIT	6	\$0 copay
VIMKUNYA INTRAMUSCULAR SYRINGE 40 MCG/0.8 ML	6	\$0 copay
VIVOTIF ORAL CAPSULE,DELAYED RELEASE(DR/EC) 2 BILLION UNIT	6	\$0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)	6	\$0 copay
<b>Inflammatory Bowel Disease Agents</b>		
<b>Inflammatory Bowel Disease Agents</b>		
<i>alosetron oral tablet 0.5 mg, 1 mg (Lotronex)</i>	4	
<i>balsalazide oral capsule 750 mg (Colazal)</i>	4	
<i>budesonide oral capsule,delayed,extend.release 3 mg</i>	4	
<i>budesonide rectal foam 2 mg/actuation (Uceris)</i>	4	
DIPENTUM ORAL CAPSULE 250 MG	5	ST; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml (Cortenema)</i>	4	
<i>mesalamine oral capsule (with del rel tablets) 400 mg (Delzicol)</i>	4	
<i>mesalamine oral capsule, extended release 500 mg (Pentasa)</i>	4	
<i>mesalamine oral capsule,extended release 24hr 0.375 gram (Apriso)</i>	4	
<i>mesalamine oral tablet,delayed release (dr/ec) 1.2 gram (Lialda)</i>	4	QL (120 per 30 days)
<i>mesalamine oral tablet,delayed release (dr/ec) 800 mg</i>	4	
<i>mesalamine rectal enema 4 gram/60 ml (Rowasa)</i>	4	
<i>mesalamine rectal suppository 1,000 mg (Canasa)</i>	4	
<i>sulfasalazine oral tablet 500 mg (Azulfidine)</i>	2	
<i>sulfasalazine oral tablet,delayed release (dr/ec) 500 mg (Azulfidine EN-tabs)</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

Drug Name	Drug Tier	Requirements/Limits
<b>Metabolic Bone Disease Agents</b>		
<b>Metabolic Bone Disease Agents</b>		
<i>alendronate oral solution 70 mg/75 ml</i>	4	QL (300 per 28 days)
<i>alendronate oral tablet 10 mg</i>	1	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	QL (4 per 28 days)
<i>alendronate oral tablet 70 mg (Fosamax)</i>	1	QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	3	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>	2	
<i>calcitriol oral solution 1 mcg/ml (Rocaltrol)</i>	4	
<i>cinacalcet oral tablet 30 mg, 60 mg (Sensipar)</i>	4	QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg (Sensipar)</i>	5	NDS; QL (120 per 30 days)
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	4	
<i>ibandronate oral tablet 150 mg</i>	2	QL (1 per 28 days)
<b>NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE</b>	5	PA; NDS; QL (2 per 28 days)
<i>paricalcitol oral capsule 1 mcg, 2 mcg (Zemplar)</i>	4	
<i>paricalcitol oral capsule 4 mcg</i>	4	
<b>PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML</b>	4	QL (1 per 180 days)
<b>RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG</b>	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg (Actonel)</i>	4	QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	4	QL (30 per 30 days)
<i>risedronate oral tablet 35 mg (Actonel)</i>	4	QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	4	QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
risedronate oral tablet, delayed release (dr/ec) 35 mg (Atelvia)	4	QL (4 per 28 days)
teriparatide subcutaneous pen injector 20 mcg/dose (620mcg/2.48ml)	5	PA; NDS; QL (2.48 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	5	PA; NDS; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NDS
<b>Miscellaneous Therapeutic Agents</b>		
<b>Miscellaneous Therapeutic Agents</b>		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NDS
betaine oral powder 1 gram/scoop (Cystadane)	5	PA; NDS
buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg	2	
COSENTYX INTRAVENOUS SOLUTION 25 MG/ML	5	PA; NDS
diazoxide oral suspension 50 mg/ml (Proglycem)	4	
ELMIRON ORAL CAPSULE 100 MG	4	
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NDS
EVRYSDI ORAL TABLET 5 MG	5	PA; NDS
glutamine (sickle cell) oral powder in packet 5 gram (Endari)	5	PA; NDS; QL (180 per 30 days)
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML	3		
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3		
<i>hydroxyzine pamoate oral capsule</i> 100 mg	3		
<i>hydroxyzine pamoate oral capsule 25</i> mg, 50 mg	1		
<i>leucovorin calcium oral tablet 10 mg,</i> 15 mg, 25 mg, 5 mg	3		
<i>levocarnitine (with sugar) oral</i> <i>solution 100 mg/ml</i>	4		
<i>levocarnitine oral tablet 330 mg</i>	(Carnitor)	4	
<i>levocarnitine sf 1 g/10 ml sol 100</i> mg/ml	(Carnitor (sugar-free))	4	
<i>mesna oral tablet 400 mg</i>	(Mesnex)	5	NDS
<i>nitroglycerin rectal ointment 0.4 %</i> (w/w)	(Rectiv)	4	QL (30 per 30 days)
<i>pyridostigmine bromide oral syrup</i> 60 mg/5 ml	(Mestinon)	4	
<i>pyridostigmine bromide oral tablet</i> 30 mg		4	
<i>pyridostigmine bromide oral tablet</i> 60 mg	(Mestinon)	3	
<i>pyridostigmine bromide oral tablet</i> <i>extended release 180 mg</i>	(Mestinon Timespan)	4	
RIVFLOZA SUBCUTANEOUS SOLUTION 80 MG/0.5 ML (160 MG/ML)	5	PA; NDS	
RIVFLOZA SUBCUTANEOUS SYRINGE 128 MG/0.8 ML, 160 MG/ML	5	PA; NDS	
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NDS; QL (4 per 28 days)	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NDS; QL (2 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	5	PA; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (56 per 28 days)
TYBOST ORAL TABLET 150 MG	3	QL (30 per 30 days)
VEOZAH ORAL TABLET 45 MG	4	PA; QL (30 per 30 days)
VOWST ORAL CAPSULE	5	PA; NDS; QL (12 per 30 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 0.6 MG/0.6 ML	3	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	3	
ZYMFENTRA SUBCUTANEOUS PEN INJECTOR KIT 120 MG/ML	5	PA; NDS
ZYMFENTRA SUBCUTANEOUS SYRINGE KIT 120 MG/ML	5	PA; NDS
<b>Ophthalmic Agents</b>		
<b>Antiglaucoma Agents</b>		
<i>acetazolamide oral capsule, extended release 500 mg</i>	4	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	4	
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	2	
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	4	QL (2.5 per 25 days)
<i>brimonidine ophthalmic (eye) drops (Alphagan P) 0.1 %, 0.15 %</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	3	
<i>brimonidine-timolol ophthalmic (eye) (Combigan) drops 0.2-0.5 %</i>	4	
<i>brinzolamide ophthalmic (eye) (Azopt) drops,suspension 1 %</i>	4	
<i>carteolol ophthalmic (eye) drops 1 %</i>	2	
<i>dorzolamide ophthalmic (eye) drops 2 %</i>	2	
<i>dorzolamide-timolol ophthalmic (eye) (Cosopt) drops 22.3-6.8 mg/ml</i>	2	
<i>latanoprost ophthalmic (eye) drops (Xalatan) 0.005 %</i>	1	QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	2	
<i>LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %</i>	3	QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	4	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	3	
<i>RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %</i>	3	QL (2.5 per 25 days)
<i>ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %</i>	3	QL (2.5 per 25 days)
<i>SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %</i>	3	
<i>tafluprost (pf) ophthalmic (eye) dropperette 0.0015 %</i>	4	QL (30 per 30 days)
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i>	4	
<i>timolol ophthalmic (eye) drops 0.5 % (Betimol)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>travoprost ophthalmic (eye) drops 0.004 %</i>	(Travatan Z)	4	QL (2.5 per 25 days)
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %		4	QL (5 per 30 days)
<b>Replacement Preparations</b>			
<b>Replacement Preparations</b>			
<i>d5 % (d-glucose)-0.9 % sodchlrintravenous parenteral solution</i>	(d5 % and 0.9 % sodium chloride)	2	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	(D5 % (d-glucose)-0.9 % sodchl)	2	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>		3	
ISOLYTE S IV SOLUTION-EXCEL SINGLE USE		4	
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION		4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %		4	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	(potassium chloride)	2	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	(potassium chloride)	2	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	(potassium chloride)	2	
<i>magnesium sulfate injection solution 500 mg/ml (50 %)</i>		4	
<i>magnesium sulfate injection syringe 500 mg/ml (50 %)</i>		3	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	(electrolyte-a)	4	
<i>potassium chloride intravenous solution 2 meq/ml</i>		3	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	4	
<i>potassium chloride oral tablet extended release 10 meq</i>	2	
<i>potassium chloride oral tablet extended release 15 meq</i>	4	
<i>potassium chloride oral tablet extended release 20 meq</i>	2	
<i>potassium chloride oral tablet extended release 8 meq</i>	2	
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i>	2	
<i>potassium chloride oral tablet,er particles/crystals 15 meq</i>	2	
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i>	2	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	3	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i>	4	
<i>potassium citrate oral tablet extended release 15 meq</i>	4	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i>	4	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	3	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	3	
<i>sodium chloride 0.9% solution mini- bag, single use</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
<b>Respiratory Tract Agents</b>			
<b>Anti-Inflammatories, Inhaled</b>			
<b>Corticosteroids</b>			
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	(fluticasone propion-salmeterol)	3	QL (12 per 30 days)
AIRSUPRA 90-80 MCG INHALER 90-80 MCG/ACTUATION		3	QL (32.1 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION		3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	(fluticasone furoate-vilanterol)	3	QL (60 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE		3	QL (60 per 30 days)
<i>breyna inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i>	(budesonide-formoterol)	2	QL (30.9 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i>	(Pulmicort)	4	PA BvD; QL (120 per 30 days)
<i>budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i>	(Breyna)	2	QL (30.6 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation</i>		2	QL (12 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 220 mcg/actuation</i>		2	QL (24 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation</i>		2	QL (21.2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	(Wixela Inhub)	2	QL (60 per 30 days)
<i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	(fluticasone propion- salmeterol)	2	QL (60 per 30 days)
<b>Antileukotrienes</b>			
<i>montelukast oral tablet 10 mg</i>	(Singulair)	1	
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i>	(Singulair)	2	
<i>zafirlukast oral tablet 10 mg, 20 mg</i>	(Accolate)	4	
<b>Bronchodilators</b>			
AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION		3	QL (32.1 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i>	(Ventolin HFA)	3	QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>		3	QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>		3	QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i>		2	PA BvD
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>		2	
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>		4	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	(umeclidinium- vilarterol)	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	2	PA BvD; QL (540 per 30 days)
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	4	QL (2 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	4	
<i>theophylline oral solution 80 mg/15 ml</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	4	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	3	
<i>tiotropium bromide inhalation capsule, w/inhalation device 18 mcg</i> (Spiriva with HandiHaler)	4	QL (30 per 30 days)
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG	3	QL (60 per 30 days)
<b>Respiratory Tract Agents, Other</b>		
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	4	PA BvD
ALYFTREK ORAL TABLET 10-50-125 MG	5	PA; NDS; QL (60 per 30 days)
ALYFTREK ORAL TABLET 4-20-50 MG	5	PA; NDS; QL (90 per 30 days)
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NDS; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	3	PA BvD
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	5	PA; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; LA; NDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG	5	PA; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NDS; QL (112 per 28 days)
<i>pirfenidone oral capsule 267 mg</i> (Esbriet)	5	PA; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	5	PA; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 534 mg</i>	5	PA; NDS; QL (90 per 30 days)
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	5	PA; NDS; QL (90 per 30 days)
<i>roflumilast oral tablet 250 mcg</i> (Daliresp)	4	QL (28 per 28 days)
<i>roflumilast oral tablet 500 mcg</i> (Daliresp)	4	QL (30 per 30 days)
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NDS; QL (56 per 28 days)
TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D)/59.5 MG (N)	5	PA; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; NDS; QL (84 per 28 days)
WINREVAIR SUBCUTANEOUS KIT 45 MG, 45 MG (2 PACK), 60 MG, 60 MG (2 PACK)	5	PA; NDS; QL (1 per 21 days)
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NDS
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NDS
<b>Skeletal Muscle Relaxants</b>		
<b>Skeletal Muscle Relaxants</b>		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	3	
<i>baclofen oral tablet 15 mg</i>	4	
<i>chlorzoxazone oral tablet 500 mg</i>	4	PA-HRM; AGE (Max 64 Years)
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>dantrolene oral capsule 100 mg, 50 mg</i>	4	
<i>dantrolene oral capsule 25 mg (Dantrium)</i>	4	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>tizanidine oral tablet 2 mg</i>	2	
<i>tizanidine oral tablet 4 mg (Zanaflex)</i>	2	
<b>Sleep Disorder Agents</b>		
<b>Sleep Disorder Agents</b>		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg (Nuvigil)</i>	4	PA; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG		3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)		3	QL (30 per 30 days)
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML		5	PA; NDS; QL (150 per 30 days)
<i>modafinil oral tablet 100 mg</i> (Provigil)		3	PA; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i> (Provigil)		3	PA; QL (60 per 30 days)
<i>sodium oxybate oral solution 500 mg/ml</i> (Xyrem)		5	PA; LA; NDS; QL (540 per 30 days)
<i>tasimelteon oral capsule 20 mg</i> (Hetzliz)		5	PA; NDS; QL (30 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>		2	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)		1	QL (30 per 30 days)
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i>	(Ambien CR)	2	QL (30 per 30 days)

## Vasodilating Agents

### Vasodilating Agents

ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG		5	PA; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i>	(tadalafil (pulm. hypertension))	3	PA; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i>	(Letairis)	5	PA; NDS; QL (30 per 30 days)
<i>bosentan oral tablet 125 mg, 62.5 mg</i>	(Tracleer)	5	PA; LA; NDS; QL (60 per 30 days)
OPSUMIT ORAL TABLET 10 MG		5	PA; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i>	(Revatio)	3	PA; QL (360 per 30 days)
<i>sildenafil oral tablet 100 mg, 25 mg, 50 mg</i>	(Viagra)	3	EX; CB (6 EA per 30 days)
<i>tadalafil oral tablet 2.5 mg</i>		4	PA
<i>tadalafil oral tablet 5 mg</i>	(Cialis)	4	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>treprostinil sodium injection solution</i> (Remodulin) 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml	5	PA; NDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NDS
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	5	PA; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NDS

## Vitamins And Minerals

### Vitamins And Minerals

<i>bal-care dha combo pack 27-1-430 mg</i>	2	
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>	2	
<i>c-nate dha softgel 28 mg iron-1 mg - 200 mg</i>	2	
<i>completenate tablet chew 29 mg iron-1 mg</i>	2	
<i>folivane-ob capsule 85-1 mg</i>	2	
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>	2	
<i>marnatal-f capsule 60 mg iron-1 mg</i>	2	
<i>m-natal plus tablet 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)</i>	2	
<i>mynatal advance oral tablet 90-1-50 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>mynatal capsule 65 mg iron- 1 mg</i>	2	
<i>mynatal oral tablet 90-1-50 mg</i>	2	
<i>mynatal plus captab 65 mg iron- 1 mg</i>	2	
<i>mynatal-z captab 65 mg iron- 1 mg</i>	2	
<i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>	2	
<i>newgen tablet 32-1,000 mg-mcg</i>	2	
<i>niva-plus tablet 27 mg iron- 1 mg</i>	2	
<i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i>	2	
<i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>	2	
<i>o-cal prenatal oral tablet 15 mg iron- 1,000 mcg</i>	2	
<i>pnv 29-1 oral tablet 29 mg iron- 1 mg</i>	2	
<i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid)	2
<i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>	2	
<i>pnv-omega softgel 28-1-300 mg</i>	2	
<i>pr natal 400 combo pack 29-1-400 mg</i>	2	
<i>pr natal 400 ec combo pack 29-1-400 mg</i>	2	
<i>pr natal 430 combo pack 29 mg iron- 1 mg -430 mg</i>	2	
<i>pr natal 430 ec combo pack 29-1-430 mg</i>	2	
<i>prena1 true combo pack 30 mg iron- 1.4 mg-300 mg</i>	2	
<i>prenaissance oral capsule 29-1.25-55-325 mg</i>	2	
<i>prenaissance plus oral capsule 28-1-50-250 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
prenatabs fa tablet 29-1 mg	2	
prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg	2	
prenatal 19 chewable tablet 29 mg iron- 1 mg	2	
prenatal low iron oral tablet 27 mg iron- 1 mg	2	
prenatal plus iron tablet (rx) 29 mg iron- 1 mg (pnv,calcium 72-iron,carb-folic)	2	
prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)	2	
prenatal-u capsule 106.5-1 mg	2	
preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)	2	
pretab oral tablet 29-1 mg	2	
r-natal ob softgel 20 mg iron- 1 mg- 320 mg	2	
select-ob chewable caplet 29 mg iron- 1 mg	2	
select-ob chewable caplet 29 mg iron- 1 mg	2	
se-natal 19 chewable tablet 29 mg iron- 1 mg	2	
taron-c dha capsule 35-1-200 mg	2	
taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg	2	
triveen-duo dha oral combo pack 29-1-400 mg	2	
virt-c dha softgel (rx) 35-1-200 mg	2	
virt-nate dha softgel 28 mg iron-1 mg -200 mg	2	
virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg	2	
virt-pn plus oral capsule 28-1-300 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i>	2	
<i>vitafol nano tablet 18 mg iron- 1 mg</i>	2	
<i>vitafol-ob+dha combo pack 65-1-250 mg</i>	2	
<i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i>	2	
<i>vp-pnv-dha softgel (rx) 28 mg iron- 1 mg-200 mg</i>	2	
<i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>	2	
<i>zatean-pn plus softgel 28-1-300 mg</i>	2	
<i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

05/01/2025

## INDEX

1ST TIER UNIFINE PENTIPS	121	<i>afirmelle</i> .....	104	<i>amiodarone</i> .....	89
1ST TIER UNIFINE PENTIPS PLUS	121	AIRSUPRA .....	209, 210	<i>amitriptyline</i> .....	47
<i>abacavir</i>	73	AJOVY AUTOINJECTOR .....	60	<i>amitriptyline-chlordiazepoxide</i> .....	47
<i>abacavir-lamivudine</i>	73	AJOVY SYRINGE .....	60	<i>amlodipine</i> .....	93
ABELCET	56	AKEEGA .....	20	<i>amlodipine-atorvastatin</i> .....	95
ABILIFY ASIMTUFII	66	<i>ala-cort</i> .....	117	<i>amlodipine-benazepril</i> .....	93
ABILIFY MAINTENA	66	<i>ala-scalp</i> .....	117	<i>amlodipine-olmesartan</i> .....	93
<i>abiraterone</i>	20	<i>albendazole</i> .....	63	<i>amlodipine-valsartan</i> .....	93
<i>abirtega</i>	20	<i>albuterol sulfate</i> .....	210	<i>amlodipine-valsartan-hcthiazid</i> .....	93
ABOUTTIME PEN NEEDLE	121	<i>alclometasone</i> .....	117	<i>ammonium lactate</i> .....	115
ABRYSVO (PF)	195	ALCOHOL PADS .....	122	<i>amoxapine</i> .....	47
<i>acamprosate</i>	9	ALCOHOL PREP PADS .....	143	<i>amoxicil-clarithromy-lansopraz</i> .....	
<i>acarbose</i>	50	ALCOHOL PREP SWABS .....	122	.....	175
<i>accutane</i>	115	ALCOHOL SWABS .....	122	<i>amoxicillin</i> .....	16
<i>acebutolol</i>	89	ALCOHOL WIPES .....	122	<i>amoxicillin-pot clavulanate</i> .....	16, 17
<i>acetaminophen-codeine</i>	3	ALECENSA .....	20	<i>amphotericin b</i> .....	56
<i>acetazolamide</i>	205	<i>alendronate</i> .....	202	<i>amphotericin b liposome</i> .....	56
<i>acetazolamide sodium</i>	205	<i>alfuzosin</i> .....	180	<i>ampicillin</i> .....	17
<i>acetic acid</i>	171	<i>aliskiren</i> .....	97	<i>ampicillin sodium</i> .....	17
<i>acetylcysteine</i>	212	<i>allopurinol</i> .....	58	<i>ampicillin-sulbactam</i> .....	17
<i>acitretin</i>	115	<i>alosetron</i> .....	201	<i>anagrelide</i> .....	83
ACTEMRA	187	<i>alprazolam</i> .....	10	<i>anastrozole</i> .....	20
ACTEMRA ACTPEN	187	ALREX .....	173	ANKTIVA .....	20
ACTHAR	184	ALTRENO .....	120	ANORO ELLIPTA .....	210
ACTHAR SELFJECT	184	ALUNBRIG .....	20	<i>apomorphine</i> .....	64
ACTHIB (PF)	195	ALVAIZ .....	82	<i>apractonidine</i> .....	170
ACTIMMUNE	203	<i>alyacen 1/35 (28)</i> .....	104	<i>aprepitant</i> .....	62
<i>acyclovir</i>	80, 115	<i>alyacen 7/7/7 (28)</i> .....	104	APRETUDE .....	73
<i>acyclovir sodium</i>	80	ALYFTREK .....	212	<i>apri</i> .....	104
ADACEL(TDAP		<i>alyq</i> .....	215	APTIOM .....	40
ADOLESN/ADULT)(PF)	195	<i>amabelz</i> .....	181	APTIVUS .....	73
<i>adapalene</i>	120	<i>amantadine hcl</i> .....	64	AQINJECT PEN NEEDLE .....	122
<i>adefovir</i>	80	<i>ambrisentan</i> .....	215	<i>aranelle (28)</i> .....	104
ADEMPAS	215	<i>amethia</i> .....	104	ARCALYST .....	187
<i>adrucil</i>	20	<i>amethyst (28)</i> .....	104	AREXVY (PF) .....	195
ADVAIR HFA	209	<i>amikacin</i> .....	11	AREXVY ANTIGEN	
ADVOCATE PEN NEEDLE	122	<i>amiloride</i> .....	94	COMPONENT .....	195
ADVOCATE SYRINGES	121, 122	<i>amiloride-hydrochlorothiazide</i> .....	94	ARIKAYCE .....	11
				<i>ariPIPRAZOLE</i> .....	66, 67

ARISTADA .....	67	AVONEX .....	99	BD ULTRA-FINE MINI PEN NEEDLE .....	125
ARISTADA INITIO .....	67	AVSOLA .....	188	BD ULTRA-FINE NANO PEN NEEDLE .....	125
<i>armodafinil</i> .....	214	AXTLE .....	21	BD ULTRA-FINE ORIG PEN NEEDLE .....	125
ARNUITY ELLIPTA .....	209	<i>ayuna</i> .....	105	BD ULTRA-FINE SHORT PEN NEEDLE .....	125
<i>ascomp</i> with codeine .....	3	AYVAKIT .....	21	BD VEO INSULIN SYR (HALF UNIT) .....	125
<i>asenapine maleate</i> .....	67	<i>azacitidine</i> .....	21	BD VEO INSULIN SYRINGE UF .....	126
<i>ashlyna</i> .....	104	<i>azathioprine</i> .....	188	BELSOMRA .....	215
<i>aspirin-dipyridamole</i> .....	84	<i>azathioprine sodium</i> .....	188	<i>benazepril</i> .....	87
ASSURE ID DUO PRO SFTY PEN NDL .....	122	<i>azelastine</i> .....	170	<i>benazepril-hydrochlorothiazide</i> .....	87
ASSURE ID DUO-SHIELD ....	123	<i>azithromycin</i> .....	15	<i>bendamustine</i> .....	21
ASSURE ID INSULIN SAFETY .....	123	<i>aztreonam</i> .....	16	BENDAMUSTINE .....	21
ASSURE ID PEN NEEDLE ....	123	<i>azurette</i> (28) .....	105	BENDEKA .....	21
ASSURE ID PRO PEN NEEDLE .....	123	<i>bacitracin</i> .....	171	BENLYSTA .....	188
ASTAGRAF XL .....	188	<i>bacitracin-polymyxin b</i> .....	171	<i>benztropine</i> .....	64
<i>atazanavir</i> .....	73, 74	<i>baclofen</i> .....	214	<i>bepotastine besilate</i> .....	170
<i>atenolol</i> .....	89	<i>bal-care dha</i> .....	216	BESREMI .....	188
<i>atenolol-chlorthalidone</i> .....	89	<i>bal-care dha essential</i> .....	216	<i>betaine</i> .....	203
<i>atomoxetine</i> .....	98	<i>balsalazide</i> .....	201	<i>betamethasone dipropionate</i> .....	117
<i>atorvastatin</i> .....	95	BALVERSA .....	21	<i>betamethasone valerate</i> .....	117
<i>atovaquone</i> .....	63	<i>balziva</i> (28) .....	105	<i>betamethasone, augmented</i> .....	117, 118
<i>atovaquone-proguanil</i> .....	63	BCG VACCINE, LIVE (PF) ....	195	BETASERON .....	99
<i>atropine</i> .....	170	BD ALCOHOL SWABS .....	125	<i>betaxolol</i> .....	89, 205
ATROVENT HFA .....	211	BD AUTOSHIELD DUO PEN NEEDLE .....	123	<i>bethanechol chloride</i> .....	179
<i>aubra eq.</i> .....	104	BD ECLIPSE LUER-LOK .....	123	<i>bexarotene</i> .....	21
AUGTYRO .....	20, 21	BD INSULIN SYRINGE .....	124	BEXZERO .....	195
<i>auranofin</i> .....	188	BD INSULIN SYRINGE (HALF UNIT) .....	123	<i>bicalutamide</i> .....	21
<i>aurovela 1.5/30 (21)</i> .....	104	BD INSULIN SYRINGE SLIP TIP .....	124	BICILLIN L-A .....	17
<i>aurovela 1/20 (21)</i> .....	104	BD INSULIN SYRINGE U- 500 .....	124	BIKTARVY .....	74
<i>aurovela 24 fe</i> .....	104	BD INSULIN SYRINGE ULTRA-FINE .....	123, 124	<i>bimatoprost</i> .....	205
<i>aurovela fe 1.5/30 (28)</i> .....	104	BD NANO 2ND GEN PEN NEEDLE .....	124	<i>bisoprolol fumarate</i> .....	89
<i>aurovela fe 1-20 (28)</i> .....	104	BD SAFETYGLIDE INSULIN SYRINGE .....	124, 125	<i>bisoprolol-hydrochlorothiazide</i> .....	90
AUSTEDO .....	98	BD SAFETYGLIDE SYRINGE ..... .....	125	BIZENGRI .....	21
AUSTEDO XR .....	98, 99	BD ULTRA-FINE MICRO PEN NEEDLE .....	125	<i>bleomycin</i> .....	21
AUSTEDO XR TITRATION KT(WK1-4) .....	99			<i>blisovi 24 fe</i> .....	105
AUTOSHIELD DUO PEN NEEDLE .....	123			<i>blisovi fe 1.5/30 (28)</i> .....	105
AUVELITY .....	47				
<i>aviane</i> .....	105				

<i>blisovife 1/20 (28)</i>	105	<i>calcitriol</i>	202	<i>cefuroxime sodium</i>	14
BOOSTRIX TDAP	196	<i>calcium acetate(phosphat bind)</i>	179	<i>celecoxib</i>	6
BORDERED GAUZE	126	CALQUENCE	22	<i>cephalexin</i>	14, 15
<i>bortezomib</i>	21	CALQUENCE (ACALABRUTINIB MAL)	22	CERDELGA	169
BORUZU	21	<i>camila</i>	105	<i>cevimeline</i>	114
<i>bosentan</i>	215	<i>candesartan</i>	86	<i>chateal eq (28)</i>	105
BOSULIF	22	<i>candesartan-hydrochlorothiazid</i>	86	<i>chlordiazepoxide hcl</i>	10
BRAFTOVI	22	CAPLYTA	67	<i>chlorhexidine gluconate</i>	114
BREO ELLIPTA	209	CAPRELSA	22	<i>chloroquine phosphate</i>	63
<i>breyna</i>	209	<i>captopril</i>	88	<i>chlorpromazine</i>	67
BREZTRI AEROSPHERE	211	<i>carbamazepine</i>	40	<i>chlorthalidone</i>	94
<i>briellyn</i>	105	<i>carbidopa</i>	64	<i>chlorzoxazone</i>	214
BRILINTA	84	<i>carbidopa-levodopa</i>	64, 65	<i>cholestyramine (with sugar)</i>	95
<i>brimonidine</i>	205, 206	<i>carbidopa-levodopa-</i> <i>entacapone</i>	65	<i>cholestyramine light</i>	95
<i>brimonidine-timolol</i>	206	<i>carboxamine maleate</i>	59	<i>ciclopirox</i>	56
<i>brinzolamide</i>	206	<i>carboplatin</i>	22	<i>cilostazol</i>	84
BRIVIACT	40	CAREFINE PEN NEEDLE	126	CIMDUO	74
<i>bromfenac</i>	173	CARETOUCH ALCOHOL		<i>cimetidine</i>	175
<i>bromocriptine</i>	64	PREP PAD	126	<i>cimetidine hcl</i>	175
BRONCHITOL	212	CARETOUCH INSULIN		CIMZIA	188
BRUKINSA	22	SYRINGE	127	CIMZIA POWDER FOR	
<i>budesonide</i>	201, 209	CARETOUCH PEN NEEDLE		RECONST	188
<i>budesonide-formoterol</i>	209	<i>carglumic acid</i>	176	<i>cinacalcet</i>	202
<i>bumetanide</i>	94	<i>carteolol</i>	206	CINQAIR	212
<i>buprenorphine</i>	3	<i>cartia xt</i>	91	CINRYZE	82
<i>buprenorphine hcl</i>	9	<i>carvedilol</i>	90	<i>ciprofloxacin hcl</i>	18, 171
<i>buprenorphine-naloxone</i>	9	CAYSTON	16	<i>ciprofloxacin in 5 % dextrose</i>	18
<i>bupropion hcl</i>	47	<i>cefaclor</i>	13	<i>ciprofloxacin-dexamethasone</i>	171
<i>bupropion hcl (smoking deter)</i>	9	<i>cefadroxil</i>	13	<i>citalopram</i>	47
<i>buspirone</i>	203	<i>cefazolin</i>	14	<i>cladrubine</i>	22
<i>butalbital-acetaminop-caf-cod</i>	3	<i>cefdinir</i>	14	<i>clarithromycin</i>	15
<i>butalbital-acetaminophen</i>	3	<i>cefepime</i>	14	<i>clemastine</i>	59
<i>butalbital-acetaminophen-caff</i>	3	<i>cefixime</i>	14	CLENPIQ	178
<i>butalbital-aspirin-caffeine</i>	3	<i>cefoxitin</i>	14	CLICKFINE PEN NEEDLE	127
<i>butorphanol</i>	4	<i>cefodoxime</i>	14	<i>clindamycin hcl</i>	12
CABENUVA	74	<i>cefpotaxime</i>	14	<i>clindamycin pediatric</i>	12
<i>cabergoline</i>	64	<i>ceftazidime</i>	14	<i>clindamycin phosphate</i>	12, 59, 116
CABLIVI	83	<i>ceftriaxone</i>	14	<i>clindamycin-benzoyl peroxide</i>	116
CABOMETYX	22	<i>cefuroxime axetil</i>	14	CLINIMIX 5%/D15W	
<i>cabotegravir</i>	74			SULFITE FREE	84
<i>calcipotriene</i>	115			CLINIMIX 4.25%/D10W	
<i>calcitonin (salmon)</i>	202			SULF FREE	84

CLINIMIX 4.25%/D5W	
SULFIT FREE.....	84
CLINIMIX 5%-	
D20W(SULFITE-FREE).....	84
CLINIMIX 6%-D5W	
(SULFITE-FREE).....	84
CLINIMIX 8%-	
D10W(SULFITE-FREE).....	84
CLINIMIX 8%-	
D14W(SULFITE-FREE).....	85
CLINIMIX E 2.75%/D5W	
SULF FREE.....	85
CLINIMIX E 4.25%/D10W	
SUL FREE.....	85
CLINIMIX E 4.25%/D5W	
SULF FREE.....	85
CLINIMIX E 5%/D15W	
SULFIT FREE.....	85
CLINIMIX E 5%/D20W	
SULFIT FREE.....	85
CLINIMIX E 8%-D10W	
SULFITEFREE.....	85
CLINIMIX E 8%-D14W	
SULFITEFREE.....	85
clobazam.....	40
clobetasol.....	118
clobetasol-emollient.....	118
clomipramine.....	47
clonazepam.....	10
clonidine.....	86
clonidine hcl.....	86, 99
clopido <u>grel</u> .....	84
clorazepate dipotassium.....	10
clotrimazole.....	56
clotrimazole-betamethasone	56, 57
clozapine.....	67, 68
c-nate dha.....	216
COARTEM.....	63
COBENFY.....	68
COBENFY STARTER PACK...	68
codeine sulfate.....	4
codeine-butalbital-asa-caff.....	4
<i>colchicine</i> .....	59
<i>colesevelam</i> .....	95
<i>colestipol</i> .....	95
<i>colistin (colistimethate na)</i> .....	12
COMBIVENT RESPIMAT .....	211
COMETRIQ.....	22
COMFORT EZ INSULIN	
SYRINGE.....	127, 128, 129
COMFORT EZ PEN	
NEEDLES.....	128, 129
COMFORT EZ PRO SAFETY	
PEN NDL.....	129
COMFORT TOUCH PEN	
NEEDLE.....	129, 130
COMPLERA.....	74
<i>completenate</i> .....	216
<i>compro</i> .....	62
<i>constulose</i> .....	176
COPIKTRA.....	22
CORLANOR.....	92
CORTROPHIN GEL.....	184, 185
COSENTYX.....	188, 203
COSENTYX (2 SYRINGES)...	188
COSENTYX PEN (2 PENS)....	188
COSENTYX UNOREADY	
PEN.....	188
COTELLIC.....	23
CREON.....	169
<i>cromolyn</i> .....	170, 176, 212
<i>cryselle</i> (28).....	105
CURAD GAUZE PAD.....	130
CURITY ALCOHOL SWABS	130
CURITY GAUZE.....	130
<i>cyclafem</i> 1/35 (28).....	105
<i>cyclafem</i> 7/7/7 (28).....	105
<i>cyclobenzaprine</i> .....	214
<i>cyclophosphamide</i> .....	23
<i>cyclosporine</i> .....	173, 189
<i>cyclosporine modified</i> .....	189
CYLTEZO(CF).....	189
CYLTEZO(CF) PEN.....	189
CYLTEZO(CF) PEN	
CROHN'S-UC-HS.....	189
CYLTEZO(CF) PEN	
PSORIASIS-UV .....	189
<i>cypreheptadine</i> .....	59
<i>cyled eq</i> .....	105
<i>d5 % (d-glucose)-0.9 % sodchl</i>	
.....	207
<i>d5 % and 0.9 % sodium</i>	
<i>chloride</i> .....	207
<i>d5 %-0.45 % sodium chloride</i> ..	207
<i>dabigatran etexilate</i> .....	80
<i>dalfampridine</i> .....	99
<i>danazol</i> .....	181
<i>dantrolene</i> .....	214
DANYELZA.....	23
DANZITEN.....	23
<i>dapsone</i> .....	61
DAPTACEL (DTAP	
PEDIATRIC) (PF).....	196
<i>daptomycin</i> .....	12
<i>darunavir</i> .....	74
DARZALEX.....	23
DARZALEX FASPRO .....	23
<i>dasatinib</i> .....	23
<i>dasetta</i> 1/35 (28).....	105
<i>dasetta</i> 7/7/7 (28).....	105
DATROWAY .....	23
DAURISMO.....	23
<i>daysee</i> .....	105
<i>deblitane</i> .....	105
<i>decitabine</i> .....	23
<i>deferasirox</i> .....	180
<i>deferiprone</i> .....	180
DELSTRIGO.....	74
<i>demeclocycline</i> .....	19
DENGVAXIA (PF).....	196
<i>denta 5000 plus</i> .....	114
<i>dentagel</i> .....	114
DEPO-SUBQ PROVERA 104.	186
DERMACEA.....	130
DERMACEA NON-WOVEN..	130

<i>dermacinrx lidocan</i>	8	<i>divalproex</i>	41	EASY COMFORT ALCOHOL	
DESCOVY	74	<i>dofetilide</i>	89	PAD	135
<i>desipramine</i>	47	<i>dolishale</i>	106	EASY COMFORT INSULIN	
<i>desmopressin</i>	185	<i>donepezil</i>	46	SYRINGE	134, 135, 136
<i>desog-e.estriadiol/e.estriadiol</i>	106	DOPTELET (10 TAB PACK)	82	EASY COMFORT PEN	
<i>desogestrel-ethinyl estradiol</i>	106	DOPTELET (15 TAB PACK)	82	NEEDLES	135
<i>desonide</i>	118	DOPTELET (30 TAB PACK)	82	EASY COMFORT SAFETY	
<i>desoximetasone</i>	118	<i>dorzolamide</i>	206	PEN NEEDLE	134
<i>desvenlafaxine succinate</i>	47	<i>dorzolamide-timolol</i>	206	EASY GLIDE INSULIN	
<i>dexamethasone</i>	183	<i>dotti</i>	182	SYRINGE	136
<i>dexamethasone sodium phosphate</i>	174, 183	DOVATO	74	EASY GLIDE PEN NEEDLE	136
<i>dexamethylphenidate</i>	99	<i>doxazosin</i>	86	EASY TOUCH	137, 138
<i>dextroamphetamine sulfate</i>	99	<i>doxepin</i>	47	EASY TOUCH ALCOHOL	
<i>dextroamphetamine-amphetamine</i>	100	<i>doxercalciferol</i>	202	PREP PADS	137
<i>dextrose 5 % in water (d5w)</i>	85	<i>doxorubicin, peg-liposomal</i>	23	EASY TOUCH FLIPLOCK	
DIACOMIT	40, 41	<i>doxy-100</i>	19	INSULIN	137
<i>diazepam</i>	10, 11, 41	<i>doxycycline hydrate</i>	19	EASY TOUCH FLIPLOCK	
<i>diazepam intensol</i>	10	DRIZALMA SPRINKLE	47, 48	SYRINGE	137
<i>diazoxide</i>	203	<i>dronabinol</i>	62	EASY TOUCH INSULIN	
<i>diclofenac potassium</i>	6	DROPLET INSULIN		SAFETY SYR	136
<i>diclofenac sodium</i>	6, 7, 174	SYR(HALF UNIT)	131, 132	EASY TOUCH INSULIN	
<i>diclofenac-misoprostol</i>	7	DROPLET INSULIN		SYRINGE	136, 137, 138
<i>dicloxacillin</i>	17	SYRINGE	131, 132, 133	EASY TOUCH LUER LOCK	
<i>dicyclomine</i>	176	DROPLET MICRON PEN		INSULIN	137
<i>didanosine</i>	74	NEEDLE	133	EASY TOUCH PEN NEEDLE	138
DIFICID	15	DROPLET PEN NEEDLE	133	EASY TOUCH SAFETY PEN	
<i>diflorasone</i>	118	DROPSAFE ALCOHOL PREP		NEEDLE	138
<i>disflunisal</i>	7	PADS	133	EASY TOUCH	
<i>difluprednate</i>	174	DROPSAFE INSULIN		SHEATHLOCK INSULIN	137
<i>digoxin</i>	92	SYRINGE	133, 134	EASY TOUCH UNI-SLIP	138
<i>dihydroergotamine</i>	60	DROPSAFE PEN NEEDLE	134	<i>ec-naproxen</i>	7
DILANTIN	41	<i>drospirenone-ethinyl estradiol</i>	106	<i>econazole nitrate</i>	57
<i>diltiazem hcl</i>	91	DROXIA	83	EDURANT	74
<i>dilt-xr</i>	91	<i>droxidopa</i>	86	<i>efavirenz</i>	74
<i>dimethyl fumarate</i>	100	DUAVEE	182	<i>efavirenz-emtricitabin-tenofov</i>	74
DIPENTUM	201	<i>duloxetine</i>	48	<i>efavirenz-lamivu-tenofov disop</i>	74, 75
<i>diphenoxylate-atropine</i>	176	DUPIXENT PEN	189	EGRIFTA SV	185
<i>dipyridamole</i>	84	DUPIXENT SYRINGE	189	ELAHERE	24
<i>disopyramide phosphate</i>	89	<i>dutasteride</i>	180	ELIGARD	24
<i>disulfiram</i>	9	<i>dutasteride-tamsulosin</i>	180	ELIGARD (3 MONTH)	24
				ELIGARD (4 MONTH)	24

ELIGARD (6 MONTH).....	24	<i>epitol</i> .....	41	EYSUVIS.....	174
<i>elinest</i> .....	106	EPIVIR HBV.....	75	EZALLOR SPRINKLE.....	95
ELIQUIS.....	81	EPKINLY.....	24	<i>ezetimibe</i> .....	95
ELIQUIS DVT-PE TREAT 30D START.....	81	<i>eplerenone</i> .....	97	<i>ezetimibe-simvastatin</i> .....	95, 96
ELMIRON.....	203	EPRONTIA.....	41	<i>falmina</i> (28).....	106
ELREXFIO.....	24	ERBITUX.....	24	<i>famciclovir</i> .....	80
<i>eluryng</i> .....	106	<i>ergoloid</i> .....	46	<i>famotidine</i> .....	175
EMBRACE PEN NEEDLE.....	139	ERIVEDGE.....	24	FANAPT.....	68
EMCYT.....	24	ERLEADA.....	24	FARXIGA.....	50
EMEND.....	62	<i>erlotinib</i> .....	24	FASENRA.....	212
EMGALITY PEN.....	60	<i>errin</i> .....	106	FASENRA PEN.....	212
EMGALITY SYRINGE.....	60	<i>ertapenem</i> .....	16	<i>febuxostat</i> .....	59
<i>emoquette</i> .....	106	<i>ery pads</i> .....	116	<i>feirza</i> .....	107
EMSAM.....	48	<i>erythromycin</i> .....	16, 171	<i>felbamate</i> .....	41
<i>emtricitabine</i> .....	75	<i>erythromycin ethylsuccinate</i> .....	15, 16	<i>felodipine</i> .....	93
<i>emtricitabine-tenofovir (tdf)</i> .....	75	<i>erythromycin with ethanol</i> .....	116	FEMRING.....	182
EMTRIVA.....	75	<i>erythromycin-benzoyl peroxide</i> .....	116	<i>femynor</i> .....	107
<i>emzahh</i> .....	106	ERZOFRI.....	68	<i>fenofibrate</i> .....	96
<i>enalapril maleate</i> .....	88	<i>escitalopram oxalate</i> .....	48	<i>fenofibrate micronized</i> .....	96
<i>enalapril-hydrochlorothiazide</i> .....	88	<i>esomeprazole magnesium</i> .....	175	<i>fenofibrate nanocrystallized</i> .....	96
ENBREL.....	189, 190	<i>estarrylla</i> .....	106	<i>fenofibric acid (choline)</i> .....	96
ENBREL MINI.....	189	<i>estazolam</i> .....	11	<i>fenoprofen</i> .....	7
ENBREL SURECLICK.....	190	<i>estradiol</i> .....	182	<i>fentanyl</i> .....	4
<i>endocet</i> .....	4	<i>estradiol valerate</i> .....	182	<i>fentanyl citrate</i> .....	4
ENGERIX-B (PF).....	196	<i>estradiol-norethindrone acet</i> ....	182	FERRIPROX.....	180
ENGERIX-B PEDIATRIC (PF) .....	196	<i>eszopiclone</i> .....	215	<i>fesoterodine</i> .....	179
<i>enilloring</i> .....	106	<i>ethambutol</i> .....	61	FETZIMA.....	48
<i>exoxaparin</i> .....	81	<i>ethosuximide</i> .....	41	FIASP FLEXTOUCH U-100	
<i>empresse</i> .....	106	<i>ethynodiol diac-eth estradiol</i> ....	106	INSULIN.....	53
<i>enskyce</i> .....	106	<i>etodolac</i> .....	7	FIASP PENFILL U-100	
ENSPRYNG.....	100	<i>etonogestrel-ethinyl estradiol</i> ...	106	INSULIN.....	53
<i>entacapone</i> .....	65	ETOPOPHOS.....	25	FIASP U-100 INSULIN.....	53
<i>entecavir</i> .....	80	<i>etoposide</i> .....	25	<i>finasteride</i> .....	180
ENTRESTO.....	86	<i>etravirine</i> .....	75	<i> fingolimod</i> .....	100
ENTRESTO SPRINKLE.....	86	EUCRISA.....	118	FINTEPLA.....	41
<i>enulose</i> .....	176	<i>everolimus (antineoplastic)</i> .....	25	<i>fioricet</i> .....	4
EPCLUSA.....	79	<i>everolimus</i> (immunosuppressive).....	190	FIRMAGON KIT W	
EPIDIOLEX.....	41	EVOTAZ.....	75	DILUENT SYRINGE.....	25
<i>epinastine</i> .....	171	EVRYSDI.....	203	<i>flavoxate</i> .....	179
<i>epinephrine</i> .....	92	<i>exemestane</i> .....	25	<i>flecainide</i> .....	89
		EXTENCILLINE.....	17	<i>fluxuridine</i> .....	25
				<i>fluconazole</i> .....	57

<i>fluconazole in nacl (iso-osm)</i>	57	<i>galantamine</i>	46	<i>griseofulvin ultramicrosize</i>	57
<i>flucytosine</i>	57	<i>gallifrey</i>	186	<i>guanfacine</i>	86, 100
<i>fludrocortisone</i>	183	GAMMAGARD S-D (IGA < 1		GVOKE	204
<i>flunisolide</i>	174	MCG/ML)	190	GVOKE HYPOPEN 2-PACK	203
<i>fluocinolone</i>	118	GAMMAPLEX	190	GVOKE PFS 1-PACK	
<i>fluocinolone acetonide oil</i>	174	GAMUNEX-C	190	SYRINGE	203
<i>fluocinonide</i>	119	GARDASIL 9 (PF)	196	GVOKE PFS 2-PACK	
<i>fluocinonide-emollient</i>	119	<i>gatifloxacin</i>	171	SYRINGE	204
<i>fluoride (sodium)</i>	114	GATTEX 30-VIAL	176	HAEGARDA	82
<i>fluorometholone</i>	174	GAUZE PAD	140	<i>hailey 24 fe</i>	107
<i>fluorouracil</i>	25, 115	<i>gavilyte-c</i>	178	<i>hailey fe 1.5/30 (28)</i>	107
<i>fluoxetine</i>	48	<i>gavilyte-g</i>	178	<i>hailey fe 1/20 (28)</i>	107
<i>fluphenazine decanoate</i>	68	<i>gavilyte-n</i>	178	<i>halobetasol propionate</i>	119
<i>fluphenazine hcl</i>	68, 69	GAVRETO	26	<i>haloette</i>	107
<i>flurazepam</i>	11	<i>gefitinib</i>	26	<i>haloperidol</i>	69
<i>flurbiprofen</i>	7	<i>gemcitabine</i>	26	<i>haloperidol decanoate</i>	69
<i>flurbiprofen sodium</i>	174	<i>gemfibrozil</i>	96	<i>haloperidol lactate</i>	69
<i>flutamide</i>	25	<i>gemmily</i>	107	HARVONI	79
<i>fluticasone propionate</i>		<i>generlac</i>	177	HAVRIX (PF)	196
	119, 174, 209	<i>gengraf</i>	190	HEALTHWISE INSULIN	
<i>fluticasone propion-salmeterol</i>	210	<i>gentak</i>	171	SYRINGE	140
<i>fluvastatin</i>	96	<i>gentamicin</i>	11, 116, 171	HEALTHWISE PEN NEEDLE	
<i>fluvoxamine</i>	48	<i>gentamicin sulfate (ped) (pf)</i>	12		140, 141
<i>folivane-ob</i>	216	<i>gentamicin sulfate (pf)</i>	12	HEALTHY ACCENTS	
<i>fondaparinux</i>	81	GENVOYA	75	UNIFINE PENTIP	141
<i>fosamprenavir</i>	75	GILOTRIF	26	<i>heather</i>	107
<i>fosinopril</i>	88	<i>glatiramer</i>	100	HEMADY	183
<i>fosinopril-hydrochlorothiazide</i>	88	<i>glatopa</i>	100	<i>heparin (porcine)</i>	81
<i>fosphénytoïn</i>	41	GLEOSTINE	26	HEPLISAV-B (PF)	196
FOTIVDA	25	<i>glimepiride</i>	55	HERCEPTIN HYLECTA	26
FREESTYLE PRECISION		<i>glipizide</i>	55, 56	HERZUMA	26
	139, 140	<i>glipizide-metformin</i>	56	HETLIOZ LQ	215
FRUZAQLA	25	<i>glutamine (sickle cell)</i>	203	HIBERIX (PF)	197
fulvestrant	25	<i>glyburide</i>	56	HUMIRA	190
furosemide	94	<i>glyburide micronized</i>	56	HUMIRA PEN	190
FUZEON	75	<i>glyburide-metformin</i>	56	HUMIRA PEN CROHNS-UC-	
FYARRO	25	<i>glycopyrrrolate</i>	177	HS START	190
<i>fyavolv</i>	182	<i>glydo</i>	8	HUMIRA PEN PSOR-	
FYCOMPA	41	GLYXAMBI	50	UVEITS-ADOL HS	190
FYLNETRA	82	GOMEKLI	26	HUMIRA(CF)	191
<i> gabapentin</i>	42	<i>granisetron hcl</i>	62	HUMIRA(CF) PEDI CROHNS	
GALAFOLD	169	<i>griseofulvin microsize</i>	57	STARTER	190

HUMIRA(CF) PEN .....	191
HUMIRA(CF) PEN CROHNS-UC-HS .....	191
HUMIRA(CF) PEN PEDIATRIC UC .....	191
HUMIRA(CF) PEN PSOR-UV-ADOL HS .....	191
HUMULIN R U-500 (CONC) INSULIN.....	53
HUMULIN R U-500 (CONC) KWIKPEN .....	53
<i>hydralazine</i> .....	92
<i>hydrochlorothiazide</i> .....	94
<i>hydrocodone-acetaminophen</i> ....	4, 5
<i>hydrocodone-ibuprofen</i> .....	5
<i>hydrocortisone</i> .....	119, 183, 201
HYDROCORTISONE .....	119
<i>hydrocortisone butyrate</i> .....	119
HYDROCORTISONE LOTION COMPLETE .....	119
<i>hydrocortisone valerate</i> .....	120
<i>hydrocortisone-acetic acid</i> .....	171
<i>hydromorphone</i> .....	5
<i>hydromorphone (pf)</i> .....	5
<i>hydroxychloroquine</i> .....	63
<i>hydroxyurea</i> .....	26
<i>hydroxyzine hcl</i> .....	59
<i>hydroxyzine pamoate</i> .....	204
<i>ibandronate</i> .....	202
IBRANCE .....	26
<i>ibu</i> .....	7
<i>ibuprofen</i> .....	7
<i>ibuprofen-famotidine</i> .....	7
<i>icatibant</i> .....	92
<i>iclevia</i> .....	107
ICLUSIG .....	26
<i>icosapent ethyl</i> .....	96
IDHIFA .....	26
<i>ifosfamide</i> .....	27
ILARIS (PF) .....	191
ILEVRO .....	174
ILUMYA .....	191
<i>imatinib</i> .....	27
IMBRUVICA .....	27
IMDELLTRA .....	27
<i>imipenem-cilastatin</i> .....	16
<i>imipramine hcl</i> .....	48
<i>imipramine pamoate</i> .....	48
<i>imiquimod</i> .....	115
IMJUDO .....	27
IMKELDI .....	27
IMOVAZ RABIES VACCINE (PF) .....	197
IMPAVIDO .....	63
INBRIJA .....	65
<i>incassia</i> .....	107
INCONTROL ALCOHOL PADS .....	141
INCONTROL PEN NEEDLE ..	141
INCRELEX .....	185
<i>indapamide</i> .....	94
<i>indomethacin</i> .....	7, 8
INFANRIX (DTAP) (PF) .....	197
INFLECTRA .....	191
<i>infliximab</i> .....	191
INGREZZA .....	101
INGREZZA INITIATION PK(TARDIV) .....	100
INGREZZA SPRINKLE .....	101
INLYTA .....	27
INPEN (FOR HUMALOG) BLUE .....	141
INPEN (NOVOLOG OR FIASP) BLUE .....	141
INQOVI .....	27
INREBIC .....	27
<i>insulin asp prt-insulin aspart</i> 53, 54	
<i>insulin aspart u-100</i> .....	54
INSULIN SYR/NDL U100 HALF MARK .....	141
INSULIN SYRINGE .....	125
INSULIN SYRINGE MICROFINE .....	124
INSULIN SYRINGE NEEDLELESS .....	124
INSULIN SYRINGE-NEEDLE U-100 .....	
139, 141, 142, 143, 151, 155, 160, 161	
INSUPEN PEN NEEDLE .....	143
INTELENCE .....	75
INTRON A .....	80
INVEGA HAFYERA .....	69
INVEGA SUSTENNA .....	69
INVEGA TRINZA .....	70
INVELTYS .....	174
IPOL .....	197
<i>ipratropium bromide</i> .....	171, 211
<i>ipratropium-albuterol</i> .....	211
IQIRVO .....	177
<i>irbesartan</i> .....	86
<i>irbesartan-hydrochlorothiazide</i> .....	86
<i>irinotecan</i> .....	27
ISENTRESS .....	75
ISENTRESS HD .....	75
<i>isibloom</i> .....	107
ISOLYTE S PH 7.4 .....	207
ISOLYTE-P IN 5 % DEXTROSE .....	207
ISOLYTE-S .....	207
<i>isoniazid</i> .....	61
ISOPROPYL ALCOHOL .....	115
<i>isosorbide dinitrate</i> .....	97
<i>isosorbide mononitrate</i> .....	98
<i>isosorbide-hydralazine</i> .....	98
<i>isradipine</i> .....	93
ITOVEBI .....	27, 28
<i>itraconazole</i> .....	57
IV PREP WIPES .....	143
<i>ivabradine</i> .....	92
<i>ivermectin</i> .....	63, 64
IWILFIN .....	28
IXCHIQ (PF) .....	197
IXIARO (PF) .....	197
<i>jaimiess</i> .....	107

JAKAFI	28	KISQALI	28	letrozole	29
jantoven	81	KISQALI FEMARA CO-		leucovorin calcium	204
JANUMET	50	PACK	28	LEUKERAN	29
JANUMET XR	50	KLISYRI (250 MG)	115	LEUKINE	82
JANUVIA	51	<i>klor-con m10</i>	207	leuprolide	29
JARDIANCE	51	<i>klor-con m15</i>	207	leuprolide (3 month)	29
jasmiel (28)	107	<i>klor-con m20</i>	207	levetiracetam	42, 43
javygtor	169	KLOXXADO	9	levobunolol	206
JAYPIRCA	28	KOSELUGO	29	levocarnitine	204
JEMPERLI	28	<i>kosher prenatal plus iron</i>	216	levocarnitine (with sugar)	204
jencycla	107	KRAZATI	29	levocetirizine	59
JENTADUETO	51	<i>kurvelo (28)</i>	108	levofloxacin	18
JENTADUETO XR	51	KYLEENA	108	levofloxacin in d5w	18
jinteli	182	KYNMOBI	65	levonest (28)	109
jolessa	107	<i>l norgest/e.estriadiol-e.estrad</i>	108	levonorgest-eth.estriadiol-iron	109
juleber	107	<i>labetalol</i>	90	levonorgestrel-ethinyl estrad	109
JULUCA	75	<i>lacosamide</i>	42	levonorg-eth estrad triphasic	109
junel 1.5/30 (21)	107	<i>lactulose</i>	177	levora-28	109
junel 1/20 (21)	108	<i>lagevrio (eua)</i>	80	levothyroxine	187
junel fe 1.5/30 (28)	108	<i>lamivudine</i>	75, 76	LEXIVA	76
junel fe 1/20 (28)	108	<i>lamivudine-zidovudine</i>	76	LIBERVANT	43
junel fe 24	108	<i>lamotrigine</i>	42	<i>lidocaine</i>	8
JUXTAPID	96	<i>lanreotide</i>	185	<i>lidocaine hcl</i>	8
JYLAMVO	28	<i>lansoprazole</i>	175	<i>lidocaine viscous</i>	8
JYNARQUE	94	<i>lanthanum</i>	179	<i>lidocaine-prilocaine</i>	9
JYNNEOS (PF)	197	LANTUS SOLOSTAR U-100		<i>lidocan iii</i>	9
KALYDECO	212	INSULIN	54	LILETTA	109
KANJINTI	28	LANTUS U-100 INSULIN	54	<i>lillow (28)</i>	109
kariva (28)	108	<i>lapatinib</i>	29	linezolid	12
KATERZIA	93	<i>larin 1.5/30 (21)</i>	108	<i>linezolid in dextrose 5%</i>	12
kelnor 1/35 (28)	108	<i>larin 1/20 (21)</i>	108	LINZESS	177
kelnor 1/50 (28)	108	<i>larin 24 fe</i>	108	<i>liothyronine</i>	187
KERENDIA	97	<i>larin fe 1.5/30 (28)</i>	108	LISCO	143
KESIMPTA PEN	101	<i>larin fe 1/20 (28)</i>	109	<i>lisinopril</i>	88
ketoconazole	57	<i>larissia</i>	109	<i>lisinopril-hydrochlorothiazide</i>	88
ketoprofen	8	<i>latanoprost</i>	206	LITE TOUCH INSULIN PEN	
ketorolac	8, 174	LAZCLUZE	29	NEEDLES	143, 144
KEYTRUDA	28	<i>leflunomide</i>	191	LITE TOUCH INSULIN	
KIMMTRAK	28	<i>lenalidomide</i>	29	SYRINGE	143, 144
KINERET	191	LETOCILIN S	17	<i>lithium carbonate</i>	101
KINRIX (PF)	197	LENVIMA	29	<i>lithium citrate</i>	101
kionex (with sorbitol)	177	<i>lessina</i>	109	LIVDELZI	177

LIVTENCITY	78	MAGELLAN SYRINGE	144, 145
LOKELMA	177	magnesium sulfate	207
LONSURF	29	malathion	121
loperamide	177	maraviroc	76
lopinavir-ritonavir	76	MARGENZA	30
LOQTORZI	29	marlissa (28)	110
lorazepam	11	marnatal-f	216
lorazepam intensol	11	MARPLAN	48
LORBRENA	29, 30	MATULANE	30
loryna (28)	109	matzim la	91
losartan	86	MAVENCLAD (10 TABLET PACK)	101
losartan-hydrochlorothiazide	87	MAVENCLAD (4 TABLET PACK)	101
LOTEMAX	174	MAVENCLAD (5 TABLET PACK)	101
LOTEMAX SM	174	MAVENCLAD (6 TABLET PACK)	101
loteprednol etabonate	174	MAVENCLAD (7 TABLET PACK)	101
lovastatin	96	MAVENCLAD (8 TABLET PACK)	101
low-ogestrel (28)	109	MAVENCLAD (9 TABLET PACK)	101
loxapine succinate	70	MAVYRET	79
lo-zumandimine (28)	109	MAXICOMFORT II PEN NEEDLE	145
lubiprostone	177	MAXICOMFORT INSULIN SYRINGE	145
LUMAKRAS	30	MAXI-COMFORT INSULIN SYRINGE	145
LUMIGAN	206	MAXICOMFORT SAFETY PEN NEEDLE	145
LUNSUMIO	30	MAYZENT	101
LUPRON DEPOT	30, 185	MAYZENT STARTER(FOR 1MG MAINT)	102
LUPRON DEPOT (3 MONTH)	30, 185	MAYZENT STARTER(FOR 2MG MAINT)	102
LUPRON DEPOT (4 MONTH)	30	meclizine	62
LUPRON DEPOT (6 MONTH)	30	medroxyprogesterone	186, 187
LUPRON DEPOT-PED	185	mefenamic acid	8
LUPRON DEPOT-PED (3 MONTH)	185	mefloquine	64
lurasidone	70	megestrol	30, 187
lutera (28)	109	MEKINIST	31
LYBALVI	70	MEKTOVI	31
lyeq	110	meloxicam	8
lyllana	183	memantine	46
LYNPARZA	30	memantine-donepezil	46
LYSODREN	30	MENACTRA (PF)	197
LYTGOBI	30	MENQUADFI (PF)	197
lyza	110	MENVEO A-C-Y-W-135-DIP (PF)	197
MAGELLAN INSULIN SAFETY SYRNG	145	mercaptopurine	31

MICRODOT INSULIN PEN		MOUNJARO .....	51	<i>neo-polycin</i> .....	172
NEEDLE .....	145	MOVANTIK .....	177	<i>neo-polycin hc</i> .....	172
MICRODOT READYGARD		<i>moxifloxacin</i> .....	18, 171	NERLYNX .....	31
PEN NEEDLE .....	145	<i>moxifloxacin-sod.ace,sul-water</i> ..	18	<i>neuac</i> .....	117
<i>microgestin 1.5/30 (21)</i> .....	110	<i>moxifloxacin-sod.chloride(iso)</i> ..	18	NEULASTA ONPRO .....	82
<i>microgestin 1/20 (21)</i> .....	110	MRESVIA (PF) .....	197	NEUPRO .....	65
<i>microgestin 24 fe</i> .....	110	MULTAQ .....	89	<i>nevirapine</i> .....	76
<i>microgestin fe 1.5/30 (28)</i> .....	110	<i>mupirocin</i> .....	117	<i>newgen</i> .....	217
<i>microgestin fe 1/20 (28)</i> .....	110	MVASI .....	31	NEXLETOL .....	96
<i>midodrine</i> .....	86	<i>mycophenolate mofetil</i> .....	191	NEXLIZET .....	96
<i>mifepristone</i> .....	51	<i>mycophenolate mofetil (hcl)</i> .....	191	NEXPLANON .....	110
<i>miglitol</i> .....	51	<i>mycophenolate sodium</i> .....	192	<i>niacin</i> .....	96
<i>mislustat</i> .....	169	<i>mynatal</i> .....	217	<i>niacor</i> .....	96
<i>mihi</i> .....	110	<i>mynatal advance</i> .....	216	<i>nicardipine</i> .....	93
<i>mimvey</i> .....	183	<i>mynatal plus</i> .....	217	NICOTROL .....	10
MINI ULTRA-THIN II .....	146	<i>mynatal-z</i> .....	217	NICOTROL NS .....	10
<i>minitran</i> .....	98	<i>mynate 90 plus</i> .....	217	<i>nifedipine</i> .....	93
<i>minocycline</i> .....	20	MYRBETRIQ .....	179	<i>nikki (28)</i> .....	110
<i>minoxidil</i> .....	98	<i>nabumetone</i> .....	8	NIKTIMVO .....	192
MIPLYFFA .....	169	<i>nadolol</i> .....	90	<i>nilutamide</i> .....	31
MIRENA .....	110	<i>nafcillin</i> .....	17	NINLARO .....	31
<i>mirtazapine</i> .....	48, 49	<i>naloxone</i> .....	9	<i>nitazoxanide</i> .....	64
<i>misoprostol</i> .....	176	<i>naltrexone</i> .....	9	<i>nitisinone</i> .....	169
<i>mitoxantrone</i> .....	31	NAMZARIC .....	46	<i>nitrofurantoin macrocrystal</i> ..	13
M-M-R II (PF) .....	197	NANO 2ND GEN PEN		<i>nitrofurantoin monohyd/m-cryst.</i> ..	13
<i>m-natal plus</i> .....	216	NEEDLE .....	147	<i>nitroglycerin</i> .....	98, 204
<i>modafinil</i> .....	215	<i>naproxen</i> .....	8	<i>niva-plus</i> .....	217
<i>moexipril</i> .....	88	<i>naratriptan</i> .....	60	NIVESTYM .....	82, 83
<i>molindone</i> .....	70	NATACYN .....	172	<i>nizatidine</i> .....	176
<i>mometasone</i> .....	120, 174	<i>nateglinide</i> .....	51	NORDITROPIN FLEXPRO ..	185
MONOJECT INSULIN		NATPARA .....	202	<i>norelgestromin-ethin.estriadiol.</i> ..	110
SAFETY SYRING .....	147	NAYZILAM .....	43	<i>norethindrone (contraceptive)</i> ..	110
MONOJECT INSULIN		<i>nebivolol</i> .....	90	<i>norethindrone acetate</i> .....	187
SYRINGE .....	146, 147	<i>nefazodone</i> .....	49	<i>norethindrone ac-eth estradiol</i> ..	
MONOJECT SYRINGE .....	146	<i>neomycin</i> .....	12	..... 110, 111, 183	
MONOJECT ULTRA		<i>neomycin-bacitracin-poly-hc</i> ..	172	<i>norethindrone-e.estriadiol-iron</i> ..	111
COMFORT INSULIN .....	162	<i>neomycin-bacitracin-polymyxin</i> ..	172	<i>norgestimate-ethinyl estradiol</i> ..	111
<i>mono-linyah</i> .....	110	<i>neomycin-polymyxin b-</i>		<i>norlyda</i> .....	111
<i>montelukast</i> .....	210	<i>dexameth</i> .....	172	<i>nortrel 1/35 (21)</i> .....	111
<i>morpheine</i> .....	5	<i>neomycin-polymyxin-gramicidin</i> ..	172	<i>nortrel 1/35 (28)</i> .....	111
MORPHINE .....	5	<i>neomycin-polymyxin-hc</i> .....	172	<i>nortrel 7/7/7 (28)</i> .....	111
<i>morpheine concentrate</i> .....	5			<i>nortriptyline</i> .....	49

NORVIR.....	76	OJEMDA .....	32	ORENCIA (WITH MALTOSE) .....	192
NOVOFINE 30.....	147	OJJAARA .....	32	ORENCIA CLICKJECT .....	192
NOVOFINE 32.....	147	<i>olanzapine</i> .....	70	ORFADIN .....	169
NOVOFINE PLUS.....	147	<i>olmesartan</i> .....	87	ORGOVYX .....	186
NOVOLIN 70/30 U-100		<i>olmesartan-amlodipin-hcthiazid</i> .....	87	ORLISSA .....	186
INSULIN.....	54	<i>olmesartan-hydrochlorothiazide</i> .....	87	ORKAMBI .....	213
NOVOLIN 70-30 FLEXPEN U-100.....	54	<i>olopatadine</i> .....	171	ORSERDU .....	32
NOVOLIN N FLEXPEN.....	54	<i>omega-3 acid ethyl esters</i> .....	97	<i>oseltamivir</i> .....	78
NOVOLIN N NPH U-100 INSULIN.....	54	<i>omeprazole</i> .....	176	OSMOLEX ER .....	65
NOVOLIN R FLEXPEN.....	54	<i>omeprazole-sodium bicarbonate</i> .....	176	OTEZLA .....	192
NOVOLIN R REGULAR U100 INSULIN.....	54	OMNIPOD 5 (G6/LIBRE 2 PLUS) .....	147	OTEZLA STARTER .....	192
NOVOTWIST.....	147	OMNIPOD 5 G6-G7 INTRO KT(GEN5) .....	147	<i>oxaliplatin</i> .....	32
NOXAFILE.....	58	OMNIPOD 5 G6-G7 PODS (GEN 5) .....	147	<i>oxandrolone</i> .....	181
NUBEQA .....	31	OMNIPOD 5 INTRO(G6/LIBRE2PLUS) .....	148	<i>oxazepam</i> .....	11
NUCALA .....	213	OMNIPOD CLASSIC PDM KIT(GEN 3) .....	148	<i>oxcarbazepine</i> .....	43
NULOJIX .....	192	OMNIPOD CLASSIC PODS (GEN 3) .....	148	<i>oxybutynin chloride</i> .....	179, 180
NUPLAZID .....	70	OMNIPOD DASH INTRO KIT (GEN 4) .....	148	<i>oxycodone</i> .....	5, 6
NURTEC ODT .....	60	OMNIPOD DASH PDM KIT (GEN 4) .....	148	<i>oxycodone-acetaminophen</i> .....	6
nyamyc .....	58	OMNIPOD DASH PODS (GEN 4) .....	148	<i>oxymorphone</i> .....	6
nylia 1/35 (28) .....	111	ONAPGO .....	65	OZEMPIC .....	52
nylia 7/7/7 (28) .....	111	<i>ondansetron</i> .....	62	<i>pacerone</i> .....	89
nymyo .....	111	<i>ondansetron hcl</i> .....	62	<i>paclitaxel</i> .....	33
nystatin .....	58	ONGENTYS .....	65	<i>paclitaxel protein-bound</i> .....	33
nystatin-triamcinolone .....	58	ONTRUZANT .....	32	<i>paliperidone</i> .....	71
nystop .....	58	ONUREG .....	32	PALYNZIQ .....	169
NYVEPRIA .....	83	OPDIVO .....	32	PANRETIN .....	116
obstetrix dha .....	217	OPDIVO QVANTIG .....	32	<i>pantoprazole</i> .....	176
obstetrix dha prenatal duo .....	217	OPDUALAG .....	32	<i>paricalcitol</i> .....	202
o-cal prenatal .....	217	OPSUMIT .....	215	<i>paramomycin</i> .....	64
OCALIVA .....	177	ORENCIA .....	192	<i>paroxetine hcl</i> .....	49
OCREVUS .....	103			PAXLOVID .....	79
OCREVUS ZUNOVO .....	103			<i>pazopanib</i> .....	33
octreotide acetate .....	186			PEDIARIX (PF) .....	198
ODEFSEY .....	76			PEDVAX HIB (PF) .....	198
ODOMZO .....	31			<i>peg 3350-electrolytes</i> .....	178
OFEV .....	213			PEGASYS .....	80
ofloxacin .....	172			<i>peg-electrolyte soln</i> .....	178
OGIVRI .....	31			PEMAZYRE .....	33
OGSIVEO .....	32			<i>pemetrexed</i> .....	33
				<i>pemetrexed disodium</i> .....	33
				PEMRYDI RTU .....	33

PEN NEEDLE.....	139, 148, 151	PIQRAY .....	33	prenaissance plus .....	217
PEN NEEDLE, DIABETIC .....	129, 145, 146, 148, 150, 151	pirfenidone .....	213	prenatabs fa .....	218
PEN NEEDLE, DIABETIC, SAFETY .....	151	pirmella .....	112	prenatal 19 .....	218
PENBRAYA (PF).....	198	piroxicam .....	8	prenatal 19 (with docusate) .....	218
PENBRAYA MENACWY COMPONENT(PF).....	198	pitavastatin calcium .....	97	prenatal low iron .....	218
PENBRAYA MENB COMPONENT (PF).....	198	PLASMA-LYTE A .....	207	prenatal plus .....	218
penciclovir.....	116	PLEGRIDY .....	103	prenatal plus (calcium carb)....	217
penicillamine .....	180	pnv 29-1 .....	217	prenatal vitamin plus low iron.	218
penicillin g potassium .....	17	pnv-dha + docusate .....	217	prenatal-u .....	218
penicillin g procaine .....	18	pnv-omega .....	217	preplus .....	218
penicillin v potassium .....	18	podoflox .....	116	pretab .....	218
PENTACEL (PF).....	198	polycin .....	172	prevalite .....	97
pentamidine .....	64	polymyxin b sulfate .....	13	PREVENT DROPSAFE PEN NEEDLE.....	149
PENTIPS PEN NEEDLE.....	149	polymyxin b sulf-trimethoprim..	173	previfem .....	112
pentoxifylline .....	84	POMALYST .....	33	PREVYMIS .....	79
perindopril erbumine .....	88	portia 28 .....	112	PREZCOBIX .....	76
periogard.....	114	posaconazole .....	58	PREZISTA .....	76, 77
permethrin.....	121	potassium chloride .....	207, 208	PRIFTIN .....	61
perphenazine .....	71	potassium chloride-0.45 % nacl .....	208	PRIMAQUINE .....	64
perphenazine-amitriptyline .....	49	potassium citrate .....	208	primidone .....	44
PERSERIS .....	71	pr natal 400 .....	217	PRIORIX (PF) .....	198
phenelzine .....	49	pr natal 400 ec .....	217	PRO COMFORT ALCOHOL PADS .....	149
phenobarbital .....	43	pr natal 430 .....	217	PRO COMFORT INSULIN SYRINGE .....	149
PHENYTEK.....	43	pr natal 430 ec .....	217	PRO COMFORT PEN NEEDLE.....	149, 150
phenytoin .....	43	pramipexole .....	66	PROAIR RESPICLICK .....	211
phenytoin sodium .....	43	prasugrel hcl .....	84	probenecid .....	59
phenytoin sodium extended.....	43	pravastatin .....	97	probenecid-colchicine .....	59
philith .....	111	praziquantel .....	64	PROCALAMINE 3% .....	85
PIFELTRO .....	76	prazosin .....	86	prochlorperazine .....	62
pilocarpine hcl .....	115, 206	prednisolone .....	184	prochlorperazine edisylate ...	62, 71
pimecrolimus .....	120	prednisolone acetate .....	175	prochlorperazine maleate .....	62
pimozide .....	71	prednisolone sodium phosphate .....	175, 184	procto-med hc .....	120
pimtrea (28) .....	111	pregabalin .....	43, 44	proctosol hc .....	120
pindolol .....	90	PREHEVBARIO (PF) .....	198	protozozone-hc .....	120
pioglitazone .....	52	PREMARIN .....	183	PRODIGY INSULIN SYRINGE .....	150
pioglitazone-metformin .....	52	PREMPHASE .....	183	progesterone micronized .....	187
PIP PEN NEEDLE .....	149	PREMPRO .....	183	PROGRAF .....	192
piperacillin-tazobactam .....	18	prenal true .....	217		
		prenaissance .....	217		

PROLIA	202	REGRANEX	116	<i>ropinirole</i>	66
PROMACTA	83	RELENZA DISKHALER	79	<i>rosadan</i>	117
<i>promethazine</i>	59, 63	RELISTOR	177, 178	<i>rosuvastatin</i>	97
<i>promethegan</i>	63	RENFLEXIS	192	ROTARIX	199
<i>propafenone</i>	89	<i>repaglinide</i>	52	ROTATEQ VACCINE	199
<i>propranolol</i>	90	REPATHA PUSHTRONEX	97	ROZLYTREK	34
<i>propylthiouracil</i>	187	REPATHA SURECLICK	97	RUBRACA	34
PROQUAD (PF)	198	REPATHA SYRINGE	97	<i>rufinamide</i>	44
PROSOL 20 %	85	RETACRIT	83	RUKOBIA	77
<i>protriptyline</i>	49	RETEVMO	33, 34	RUXIENCE	34
PULMOZYME	169	RETROVIR	77	RYBELSUS	52
PURE COMFORT ALCOHOL		REVCovi	170	RYBREVANT	34
PADS	150	REVUFORJ	34	RYDAPT	34
PURE COMFORT PEN NEEDLE	150	REXULTI	71	RYKINDO	72
PEN NEEDLE	150	REYATAZ	77	RYTELO	34
PURIXAN	33	REZLIDHIA	34	SAFESNAP INSULIN SYRINGE	151
<i>pyrazinamide</i>	61	REZUROCK	192	SAFETY PEN NEEDLE	151
<i>pyridostigmine bromide</i>	204	RHOPRESSA	206	<i>sajazir</i>	93
<i>pyrimethamine</i>	64	RIABNI	34	SANTYL	116
QINLOCK	33	<i>ribavirin</i>	80	<i>sapropterin</i>	170
QUADRACEL (PF)	198, 199	RIDAURA	193	SAVELLA	103
<i>quetiapine</i>	71	<i>rifabutin</i>	61	SCEMBLIX	34, 35
<i>quinapril</i>	88	<i>rifampin</i>	61	<i>scopolamine base</i>	63
<i>quinapril-hydrochlorothiazide</i>	88	<i>rilpivirine</i>	77	SECUADO	72
<i>quinidine gluconate</i>	89	<i>riluzole</i>	103	SECURESAFE INSULIN SYRINGE	152
<i>quinidine sulfate</i>	89	<i>rimantadine</i>	79	SECURESAFE PEN NEEDLE	152
<i>quinine sulfate</i>	64	RINVOQ	193	SELARSDI	193
QULIPTA	60	RINVOQ LQ	193	<i>select-ob</i>	218
RABAVERT (PF)	199	risedronate	202, 203	<i>select-ob (folic acid)</i>	218
<i>rabeprazole</i>	176	<i>risperidone</i>	71, 72	<i>selegiline hcl</i>	66
RALDESY	49	<i>risperidone microspheres</i>	71	<i>selenium sulfide</i>	117
<i>raloxifene</i>	183	<i>ritonavir</i>	77	SELZENTRY	77
<i>ramipril</i>	88	RITUXAN HYCELA	34	SEMGLEE(INSULIN GLARGINE-YFGN)	55
<i>ranolazine</i>	92	<i>rivastigmine</i>	46	SEMGLEE(INSULIN GLARGINE-YFGN)PEN	55
<i>rasagiline</i>	66	<i>rivastigmine tartrate</i>	46	<i>se-natal 19 chewable</i>	218
RASUVO (PF)	192	RIVFLOZA	204	SEREVENT DISKUS	211
RAVICTI	177	<i>rizatriptan</i>	60	SEROSTIM	186
RAYALDEE	202	<i>r-natal ob</i>	218	<i>sertraline</i>	49
<i>reclipsen (28)</i>	112	ROCKLATAN	206		
RECOMBIVAX HB (PF)	199	<i>roflumilast</i>	213		
		ROLVEDON	83		
		ROMVIMZA	34		

<i>setlakin</i>	112	SPRITAM	44	SURE-PREP ALCOHOL PREP PADS	154
<i>sevelamer carbonate</i>	179	<i>sps (with sorbitol)</i>	178	SUTAB	179
<i>sevelamer hcl</i>	179	<i>sronyx</i>	112	<i>syeda</i>	112
SEZABY	44	<i>ssd</i>	117	SYMDEKO	213
<i>sf 5000 plus</i>	115	<i>stavudine</i>	77	SYMJEPI	93
<i>sharobel</i>	112	STELARA	193	SYMLINPEN 120	52
SHINGRIX (PF)	199	STERILE PADS	152	SYMLINPEN 60	52
SIGNIFOR	186	STIMUFEND	83	SYMPAZAN	44
<i>sildenafil</i>	215	STIOLTO RESPIMAT	211	SYMTUZA	77
<i>sildenafil (pulm.hypertension)</i>	215	STIVARGA	35	SYNAREL	186
<i>silver sulfadiazine</i>	117	STRENSIQ	170	SYNERCID	13
SIMBRINZA	206	<i>streptomycin</i>	12	SYNJARDY	52
<i>simliya (28)</i>	112	STRIBILD	77	SYNJARDY XR	52
<i>simpesesse</i>	112	STRIVERDI RESPIMAT	211	SYNRIBO	35
<i>simvastatin</i>	97	<i>subvenite</i>	44	SYNTROID	187
<i>sirolimus</i>	193	<i>sucralfate</i>	176	SYRINGE WITH NEEDLE, SAFETY	152
SIRTURO	61	<i>sulfacetamide sodium</i>	173	TABLOID	35
SKY SAFETY PEN NEEDLE	152	<i>sulfacetamide sodium (acne)</i>	117	TABRECTA	35
SKYLA	112	<i>sulfacetamide-prednisolone</i>	173	tacrolimus	120, 193
SKYRIZI	193	<i>sulfadiazine</i>	18	tadalafil	215
SLYND	112	<i>sulfamethoxazole-trimethoprim</i>	18, 19	TAFINLAR	35
<i>sodium chloride 0.45 %</i>	208	<i>sulfasalazine</i>	201	tafluprost (pf)	206
<i>sodium chloride 0.9 %</i>	208	<i>sulindac</i>	8	TAGRISSO	35
<i>sodium fluoride-pot nitrate</i>	115	<i>sumatriptan</i>	60	TAKHZYRO	204, 205
<i>sodium oxybate</i>	215	<i>sumatriptan succinate</i>	61	TALVEY	35
<i>sodium phenylbutyrate</i>	178	<i>sumatriptan-naproxen</i>	61	TALZENNA	35
<i>sodium polystyrene sulfonate</i>	178	<i>sunitinib malate</i>	35	tamoxifen	35
<i>sodium,potassium,mag sulfates</i>	179	SUNLENCA	77	tamsulosin	180
<i>solifenacin</i>	180	SURE COMFORT ALCOHOL PREP PADS	153	<i>tarina 24 fe</i>	112
SOLIQUA 100/33	55	SURE COMFORT INS. SYR.	152	<i>tarina fe 1-20 eq (28)</i>	112
SOLTAMOX	35	U-100	152	<i>taron-c dha</i>	218
SOMATULINE DEPOT	186	SURE COMFORT INSULIN SYRINGE	152, 153	<i>taron-prex prenatal-dha</i>	218
SOMAVERT	186	SURE COMFORT PEN NEEDLE	153	TASIGNA	35
<i>sorafenib</i>	35	SURE COMFORT SAFETY PEN NEEDLE	152	tasimelteon	215
<i>sorine</i>	90	SURE-FINE PEN NEEDLES	153	TAVALISSE	84
<i>sotalol</i>	90	SURE-JECT INSULIN SYRINGE	154	TAVNEOS	194
<i>sotalol af</i>	90			<i>taysofy</i>	112
SPIRIVA RESPIMAT	211			<i>tazarotene</i>	120
<i>spironolactone</i>	94, 97			<i>tazicef</i>	15
<i>spironolacton-hydrochlorothiaz.</i>	94			<i>taztia xt</i>	91
SPRAVATO	49				
<i>sprintec (28)</i>	112				

TAZVERIK	35	<i>thioridazine</i>	72	<i>tranylcypromine</i>	49
TDVAX	199	<i>thiothixene</i>	72	TRAVASOL 10 %	85
TECENTRIQ	36	<i>tiadylter</i>	91	<i>travoprost</i>	207
TECENTRIQ HYBREZA	36	<i>tiagabine</i>	44	TRAZIMERA	36
TECHLITE INSULIN		TIBSOVO	36	<i>trazodone</i>	49
SYRINGE	154, 155	TICE BCG	36	TRECATOR	62
TECHLITE INSULN		TICOVAC	200	TRELEGY ELLIPTA	212
SYR(HALF UNIT)	154	<i>tigecycline</i>	20	TRELSTAR	36
TECHLITE PEN NEEDLE	155	<i>tilia fe</i>	113	TREMFYA	194
TECHLITE PLUS PEN		<i>timolol</i>	206	TREMFYA PEN	194
NEEDLE	155	<i>timolol maleate</i>	91, 206	<i>treprostinil sodium</i>	216
TECVAYLI	36	<i>tinidazole</i>	64	TRESIBA FLEXTOUCH U-	
TEFLARO	15	<i>tiopronin</i>	180	100	55
<i>telmisartan</i>	87	<i>tiotropium bromide</i>	212	TRESIBA FLEXTOUCH U-	
<i>telmisartan-amlodipine</i>	87	TIVDAK	36	200	55
<i>telmisartan-hydrochlorothiazid</i>	87	TIVICAY	77, 78	TRESIBA U-100 INSULIN	55
<i>temazepam</i>	11	TIVICAY PD	78	<i>tretinoin</i>	120, 121
TEMIXYS	77	<i>tizanidine</i>	214	<i>tretinoin (antineoplastic)</i>	36
<i>tencon</i>	6	TOBI PODHALER	12	<i>tri-femynor</i>	113
TENIVAC (PF)	199	<i>tobramycin</i>	12, 173	<i>triamcinolone acetonide</i>	
<i>tenofovir disoproxil fumarate</i>	77	<i>tobramycin in 0.225 % nacl</i>	12	..... 115, 120, 184	
TEPMETKO	36	<i>tobramycin sulfate</i>	12	<i>triamterene-hydrochlorothiazid</i>	95
<i>terazosin</i>	180	<i>tobramycin-dexamethasone</i>	173	<i>triazolam</i>	11
<i>terbinafine hcl</i>	58	<i>tolterodine</i>	180	<i>trientine</i>	181
<i>terbutaline</i>	211	TOPCARE CLICKFINE	156	<i>tri-estarrylla</i>	113
<i>terconazole</i>	59, 60	TOPCARE ULTRA		<i>trifluoperazine</i>	72
<i>teriflunomide</i>	103	COMFORT	157	<i>trifluridine</i>	173
<i>teriparatide</i>	203	<i>topiramate</i>	44	<i>trihexyphenidyl</i>	66
TERUMO INSULIN		<i>toposar</i>	36	TRIJARDY XR	52, 53
SYRINGE	155, 156	<i>toremifene</i>	36	TRIKAFTA	213, 214
<i>testosterone</i>	181	<i>torpenz</i>	36	<i>tri-legestfe</i>	113
<i>testosterone cypionate</i>	181	<i>torsemide</i>	95	<i>tri-linyah</i>	113
<i>testosterone enanthate</i>	181	TOUJEO MAX U-300		<i>tri-lo-estarrylla</i>	113
TETANUS,DIPHTHERIA		SOLOSTAR	55	<i>tri-lo-marzia</i>	113
TOX PED(PF)	199	TOUJEO SOLOSTAR U-300		<i>tri-lo-mili</i>	113
<i>tetrabenazine</i>	103	INSULIN	55	<i>tri-lo-sprintec</i>	113
<i>tetracycline</i>	20	TRADJENTA	52	<i>trimethoprim</i>	13
TEVIMBRA	36	<i>tramadol</i>	6	<i>tri-mili</i>	113
THALOMID	205	<i>tramadol-acetaminophen</i>	6	<i>trimipramine</i>	49
<i>theophylline</i>	211, 212	<i>trandolapril</i>	88	TRINTELLIX	49
THINPRO INSULIN		<i>trandolapril-verapamil</i>	88	<i>tri-nymyo</i>	113
SYRINGE	156	<i>tranexamic acid</i>	84	<i>tri-previfem (28)</i>	113

<i>tri-sprintec</i> (28).....	113	ULTICARE.....	160, 161	UNIFINE OTC PEN NEEDLE	165
TRIUMEQ.....	78	ULTICARE INSULIN		UNIFINE PEN NEEDLE.....	165
TRIUMEQ PD.....	78	SYRINGE.....	160	UNIFINE PENTIPS.....	148, 166
<i>triveen-duo dha</i> .....	218	ULTICARE INSULN		UNIFINE PENTIPS	
<i>trivora</i> (28).....	113	SYR(HALF UNIT).....	160	MAXFLOW.....	166
<i>tri-vylibra</i> .....	113	ULTICARE PEN NEEDLE....	160	UNIFINE PENTIPS PLUS.....	166
<i>tri-vylibra lo</i> .....	113	ULTICARE SAFETY PEN		UNIFINE PENTIPS PLUS	
TRIZIVIR.....	78	NEEDLE.....	160	MAXFLOW.....	166
TROGARZO.....	78	ULTIGUARD SAFEPACK-		UNIFINE PROTECT .....	167
TROPHAMINE 10 %.....	85	INSULIN SYR.....	161, 162	UNIFINE SAFECONTROL.....	167
<i>trospium</i> .....	180	ULTIGUARD SAFEPACK-		UNIFINE SAFECONTROL	
TRUE COMFORT ALCOHOL		PEN NEEDLE.....	161	PEN NEEDLE.....	167
PADS.....	157	ULTILET ALCOHOL SWAB.	162	UNIFINE ULTRA PEN	
TRUE COMFORT INSULIN		ULTILET INSULIN SYRINGE		NEEDLE.....	167
SYRINGE.....	157	.....	142, 162	UPTRAVI.....	216
TRUE COMFORT PEN		ULTILET PEN NEEDLE.....	162	<i>ursodiol</i> .....	178
NEEDLE .....	157, 158	ULTRA CMFT INS SYR		UZEDY .....	72, 73
TRUE COMFORT PRO		(HALF UNIT).....	140, 152	<i>valacyclovir</i> .....	80
ALCOHOL PADS.....	158	ULTRA COMFORT INSULIN		VALCHLOR.....	116
TRUE COMFORT PRO INS		SYRINGE.....	134, 140, 162	<i>valganciclovir</i> .....	80
SYRINGE.....	157, 158	ULTRA FLO INSUL		<i>valproate sodium</i> .....	44
TRUE COMFORT SAFE		SYR(HALF UNIT).....	162, 163	<i>valproic acid</i> .....	44
INSULIN SYRG.....	157, 158	ULTRA FLO INSULIN		<i>valproic acid (as sodium salt)</i> ...	44
TRUE COMFORT SAFETY		SYRINGE.....	163	<i>valsartan</i> .....	87
PEN NEEDLE.....	157	ULTRA FLO PEN NEEDLE...	163	<i>valsartan-hydrochlorothiazide</i> ...	87
TRUEPLUS INSULIN.....	159	ULTRA THIN PEN NEEDLE.	163	VALTOCO .....	45
TRUEPLUS PEN NEEDLE....	159	ULTRACARE INSULIN		<i>valtya</i> .....	113
TRULICITY.....	53	SYRINGE.....	163, 164	<i>vancomycin</i> .....	13
TRUMENBA.....	200	ULTRACARE PEN NEEDLE.	164	VANFLYTA .....	37
TRUQAP.....	37	ULTRA-FINE INS SYR		VANISHPOINT INSULIN	
TRUXIMA.....	37	(HALF UNIT).....	164	SYRINGE.....	167
TUKYSA.....	37	ULTRA-FINE INSULIN		VANISHPOINT SYRINGE....	167
TURALIO.....	37	SYRINGE.....	164, 165	VAQTA (PF).....	200
<i>turqoz</i> (28).....	113	ULTRA-FINE PEN NEEDLE..	165	<i>varenicline tartrate</i> .....	10
TWINRIX (PF).....	200	ULTRA-THIN II (SHORT)		VARIVAX (PF).....	200
TYBOST.....	205	INS SYR.....	165	VAXCHORA VACCINE.....	200
TYENNE.....	194	ULTRA-THIN II (SHORT)		VEGZELMA.....	37
TYENNE AUTOINJECTOR...	194	PEN NDL.....	165	<i>velvet triphasic regimen</i> (28) ...	114
TYMLOS.....	203	ULTRA-THIN II INS PEN		VELTASSA .....	178
TYPHIM VI.....	200	NEEDLES.....	165	VEMLIDY .....	78
TYVASO.....	216	ULTRA-THIN II INSULIN		VENCLEXTA .....	37
UBRELVY .....	61	SYRINGE.....	165		

VENCLEXTA STARTING PACK	37	VIVOTIF	200	XOSPATA	38
<i>venlafaxine</i>	50	VIZIMPRO	38	XPOVIO	38, 39
<i>venlafaxine besylate</i>	50	VOCABRIA	78	XTANDI	39
VEOZAH	205	<i>volnea</i> (28)	114	<i>xulane</i>	114
<i>verapamil</i>	92	VONJO	38	XULTOPHY 100/3.6	55
VERIFINE INSULIN SYRINGE	167, 168	VORANIGO	38	XYOSTED	181
VERIFINE PEN NEEDLE	168	<i>voriconazole</i>	58	<i>yargesa</i>	170
VERIFINE PLUS PEN NEEDLE	168	VOSEVI	79	YERVOY	39
VERIFINE PLUS PEN NEEDLE-SHARP	168	VOWST	205	YESINTEK	194
VERQUVO	93	<i>vp-ch-pnv</i>	219	YF-VAX (PF)	201
VERSACLOZ	73	<i>vp-pnv-dha</i>	219	YONSA	39
VERSALON	168	VRAYLAR	73	YUFLYMA(CF)	195
VERZENIO	37	VUMERTY	103	YUFLYMA(CF) AI CROHN'S-UC-HS	195
<i>vestura</i> (28)	114	VYALEV	66	YUFLYMA(CF) AUTOINJECTOR	195
V-GO 20	168	<i>vyfemla</i> (28)	114	<i>yuvafem</i>	183
V-GO 30	168	vylibra	114	<i>zafemy</i>	114
V-GO 40	169	VYLOY	38	<i>zafirlukast</i>	210
vienna	114	VYZULTA	207	<i>zaleplon</i>	215
vigabatrin	45	warfarin	81	ZARXIO	83
vigadrone	45	WEBCOL	169	<i>zatean-pn dha</i>	219
vigpoder	45	WELIREG	38	<i>zatean-pn plus</i>	219
vilazodone	50	WINREVAIR	214	<i>zebutal</i>	6
VIMKUNYA	200	wixela inhub	210	ZEGALOGUE	
vinblastine	37	XALKORI	38	AUTOINJECTOR	205
vincasar pfs	37	<i>xarah fe</i>	114	ZEGALOGUE SYRINGE	205
vincristine	37	XARELTO	82	ZEJULA	39
vinorelbine	37	XARELTO DVT-PE TREAT		ZELBORA F	39
viorele (28)	114	30D START	82	<i>zenatane</i>	116
VIRACEPT	78	XATMEP	38	ZENPEP	170
VIREAD	78	XCOPRI	45	<i>zidovudine</i>	78
<i>virt-c dha</i>	218	XCOPRI MAINTENANCE		ZIIHERA	39
<i>virt-nate dha</i>	218	PACK	45	<i>zingiber</i>	219
<i>virt-pn dha</i>	218	XCOPRI TITRATION PACK	45	<i>ziprasidone hcl</i>	73
<i>virt-pn plus</i>	218	XDEMVY	173	<i>ziprasidone mesylate</i>	73
vitafol gummies	219	XELJANZ	194	ZIRABEV	39
vitafol nano	219	XELJANZ XR	194	ZIRGAN	173
vitafol-ob+dha	219	XERMELO	178	ZOLADEX	39
VITRAKVI	37, 38	XGEVA	203	ZOLINZA	39
		XIFAXAN	13	<i>zolmitriptan</i>	61
		XIGDUO XR	53	<i>zolpidem</i>	215
		XIIDRA	175		
		XOLAIR	214		

ZONISADE.....	45
<i>zonisamide</i> .....	45
<i>zovia 1-35 (28)</i> .....	114
ZTALMY .....	45
ZTLIDO.....	9
<i>zumandimine (28)</i> .....	114
ZURZUVAE.....	50
ZYDELIG.....	39
ZYKADIA.....	39
ZYLET.....	173
ZYMFENTRA.....	205
ZYNLONTA.....	39
ZYNYZ.....	40
ZYPREXA RELPREVV.....	73



[summacare.com/medicare](http://summacare.com/medicare)

This formulary was updated on May 1, 2025. For more recent information or other questions, please contact SummaCare Member Services at 800.996.6250 or 330.996.8885 (TTY users should call 711). From October 1 through March 31, a representative will be available to take your call from 8:00 a.m. until 8:00 p.m., seven days a week. From April 1 through September 30, a representative will be available to take your call from 8:00 a.m. until 8:00 p.m., Monday through Friday. Or visit [summacare.com/medicare](http://summacare.com/medicare).